Health & Care Information Model:

nl.zorg.FeedingTubeSystem-v3.4

Status: Final Release: 2022 Release status: Prepublished

Managed by:



Content

| 1. nl.: | zorg.FeedingTubeSystem-v3.4 | 3 |
|---------|---------------------------------|---|
| 1.1 | Revision History | 3 |
| 1.2 | Concept | 3 |
| 1.3 | Mindmap | 4 |
| 1.4 | Purpose | 4 |
| 1.5 | Patient Population | 4 |
| 1.6 | Evidence Base | 4 |
| 1.7 | Information Model | 4 |
| 1.8 | Example Instances | 7 |
| 1.9 | Instructions | 7 |
| 1.10 | Interpretation | 7 |
| 1.11 | Care Process | 7 |
| 1.12 | Example of the Instrument | 7 |
| 1.13 | Constraints | 7 |
| 1.14 | Issues | 7 |
| 1.15 | References | 7 |
| 1.16 | Functional Model | 7 |
| 1.17 | Traceability to other Standards | 7 |
| 1.18 | Disclaimer | |
| 1.19 | Terms of Use | 8 |
| 1.20 | Copyrights | 8 |

1. nl.zorg.FeedingTubeSystem-v3.4

| DCM::CoderList | Werkgroep RadB Verpleegkundige Gegevens |
|---------------------------------|--|
| DCM::ContactInformation.Address | * |
| DCM::ContactInformation.Name | * |
| DCM::ContactInformation.Telecom | * |
| DCM::ContentAuthorList | Werkgroep RadB Verpleegkundige Gegevens |
| DCM::CreationDate | 3-4-2014 |
| DCM::DeprecatedDate | |
| DCM::DescriptionLanguage | nl |
| DCM::EndorsingAuthority.Address | |
| DCM::EndorsingAuthority.Name | PM |
| DCM::EndorsingAuthority.Telecom | |
| DCM::Id | 2.16.840.1.113883.2.4.3.11.60.40.3.10.3 |
| DCM::KeywordList | Sonde, feeding tube, toedieningssyteem |
| DCM::LifecycleStatus | Final |
| DCM::ModelerList | Werkgroep RadB Verpleegkundige Gegevens |
| DCM::Name | nl.zorg.SondeSysteem |
| DCM::PublicationDate | 10-06-2022 |
| DCM::PublicationStatus | Prepublished |
| DCM::ReviewerList | Projectgroep RadB Verpleegkundige Gegevens & |
| | Kerngroep Registratie aan de Bron |
| DCM::RevisionDate | 10-05-2022 |
| DCM::Supersedes | nl.zorg.SondeSysteem-v3.3.1 |
| DCM::Version | 3.4 |
| HCIM::PublicationLanguage | EN |
| | |

1.1 Revision History

Publicatieversie 1.0 (01-07-2015)

Publicatieversie 3.0 (01-05-2016) Bevat: ZIB-453.

Publicatieversie 3.1 (04-09-2017) Bevat: ZIB-530, ZIB-545, ZIB-607.

Publicatieversie 3.2 (31-12-2017) Bevat: ZIB-646.

Publicatieversie <u>3.3</u> (06-07-2019) Bevat: ZIB-732.

Publicatieversie <u>3.3.1</u> (01-12-2021) Bevat: ZIB-1575.

Publicatieversie <u>3.4</u> (10-06-2022) Bevat: ZIB-1614.

1.2 Concept

A feeding tube is a special catheter used to:

- administer liquid food to people who are incapable of oral intake of food or liquid,
- administer medication,
- drain (siphon) or pump out gastric juice.

There are different ways to place a feeding tube. A feeding tube can be inserted through the nose, in the stomach or in the intestines (duodenum, jejunum).

Percutaneous endoscopic gastrostomy (PEG) is a technique in which a feeding tube is placed into the stomach through the abdominal wall. This thin tube (PEG tube) is used to feed a patient who is incapable of oral food intake for a prolonged period of time.

1.3 Mindmap

1.4 Purpose


The purpose of a feeding tube is usually to administer food and/or medication.

Information on present feeding tubes is recorded to inform other health professionals. This information is of importance in determining the care required for the patient and in safely administering medication. In a transfer situation, the information offers the option to realize continuity of care by organizing specific expertise and materials in advance, for example.

1.5 Patient Population

1.6 Evidence Base

1.7 Information Model



| «rootconcept» | FeedingTubeSystem |
|--|---|
| Definitie Root concept of the FeedingTubeSystem information model. T | |
| | concept contains all data elements of the FeedingTubeSystem information |

| | model. |
|----------------|--------------|
| Datatype | |
| DCM::ConceptId | NL-CM:10.3.1 |
| Opties | |

| «data» | FeedingTube::MedicalDevice | | | |
|------------------------------|---|--|--|--|
| Definitie | FeedingTube describes the presence of a feeding tube. If this is the case, the date of placement and insertion location can be described in addition to the type of feeding tube. Furthermore, it offers the option to record identification information of the feeding tube if desired. | | | |
| Datatype | | | | |
| DCM::ConceptId | NL-CM:10.3.2 | | | |
| DCM::DefinitionCode | SNOMED CT: 83059008 Tube | | | |
| DCM::ReferencedConc eptId | NL-CM:10.1.1 This is a reference to the rootconcept of information model MedicationAdministration. | | | |
| Opties | | | | |

| «data» | ProductType | ProductType | | |
|----------------|---|--|--|--|
| Definitie | | A description of the type of feeding tube based on the location where it was inserted and the position of the tip of the tube. | | |
| Datatype | CD | CD | | |
| DCM::ConceptId | NL-CM:10.1.3 | NL-CM:10.1.3 | | |
| DCM::ValueSet | FeedingTubeTypeCodelist OID: 2.16.840.1.113883.2.4.3.11.60.40.2.10.3.1 | | | |
| Opties | | | | |

| «data» | FeedingTubeLength | | |
|----------------|---|--|--|
| Definitie | The input length of the feeding tube in cm for the patient in question as determined by formulas based on for example the NEX i.e. nosepoint-earlobe-xyphoid distance (adults) or body length (children). | | |
| Datatype | PQ | | |
| DCM::ConceptId | NL-CM:10.3.8 | | |
| Opties | | | |

| «data» | EnteralNutrition::MedicationAdministration | | | |
|------------------------------|---|--|--|--|
| Definitie | The description of the fluid administered through the feeding tube and the dose administered, as given in the medication prescription. Though most cases involve food being administered through the feeding tube, medication is often administered through these tubes as well. | | | |
| Datatype | | | | |
| DCM::ConceptId | NL-CM:10.3.3 | | | |
| DCM::DefinitionCode | SNOMED CT: 225748000 Artificial feed | | | |
| DCM::ExampleValue | Nutrison | | | |
| DCM::ReferencedConc eptId | NL-CM:9.13.20928 This is a reference to the rootconcept of information model MedicationAdministration2. | | | |
| Opties | | | | |

| «data» | MedicalDevice | | |
|----------------|--|--|--|
| Definitie | A description of aids required to use the feeding tube, such as an enteral feeding pump or a vacuum pump in the event of draining fluid. | | |
| Datatype | | | |
| DCM::ConceptId | NL-CM:10.3.7 | | |

| DCM::ReferencedConc | c NL-CM:10.1.1 This is a reference to the rootconcept of | | |
|---------------------|---|---------------------------|--|
| eptId | | information model | |
| | | MedicationAdministration. | |
| Opties | | | |

| «data» | Comment | | |
|---------------------|--------------------------------|--|--|
| Definitie | A comment on the feeding tube. | | |
| Datatype | ST | | |
| DCM::ConceptId | NL-CM:10.3.6 | | |
| DCM::DefinitionCode | LOINC: 48767-8 Annotation | | |
| | comment | | |
| Opties | | | |

| «document» | FeedingTu | beTypeCod | elist | |
|---|-----------------------------|----------------------|------------------------------|------------------------|
| Definitie | | | | |
| Datatype | | | | |
| DCM::ValueSetBinding | Extensible | | | |
| DCM::ValueSetId | 2.16.840.1.113883.2.4.3.11. | | | |
| | 60.40.2.10.3. | 1 | | |
| HCIM::ValueSetLangu | | | | |
| age | | | | |
| Opties | | | | |
| SondeTypeCodelijst | | 1 | OID: 2.16.840.1.113883.2 | .4.3.11.60.40.2.10.3.1 |
| Concept Name | Concept Code | Coding Syst. Name | Coding System OID | Description |
| Jejunostomy tube | 126065006 | SNOMED CT | 2.16.840.1.113883.6.96 | Jejunostomie katheter |
| Gastrostomy tube | 470571004 | SNOMED CT | 2.16.840.1.113883.6.96 | Gastrostomie katheter |
| Percutaneous endoscopic gastrostomy catheter | 108541000 146103 | SNOMED CT | 2.16.840.1.113883.6.96 | PEG sonde |
| Percutaneous radiological gastrostomy catheter | 892100014 6109 | SNOMED CT | 2.16.840.1.113883.6.96 | PRG sonde |
| Percutaneous endoscopic gastrojejunostomy catheter | 885100014 6109 | SNOMED CT | 2.16.840.1.113883.6.96 | PEG-J sonde |
| Percutaneous endoscopic jejunostomy catheter | 891100014 6104 | SNOMED CT | 2.16.840.1.113883.6.96 | PEJ sonde |
| Nasogastric tube | 17102003 | SNOMED CT | 2.16.840.1.113883.6.96 | Neus-maagsonde |
| Nasojejunal tube | 858100014 6101 | SNOMED CT | 2.16.840.1.113883.6.96 | Neus-jejunumsonde |
| Nasoduodenal tube | 859100014 6104 | SNOMED CT | 2.16.840.1.113883.6.96 | Neus-duodenumsonde |
| Other | отн | NullFlavor | 2.16.840.1.113883.5.10 08 | Anders |

| | Legend | |
|-----------|--------|--|
| Definitie | | |
| Datatype | | |
| | | |
| Opties | | |

1.8 Example Instances

| SondeSysteem | | |
|--------------|------------|--|
| Sonde | | |
| ProductType | PEG sonde | |
| SondeLengte | | |
| BeginDatum | 30-11-2014 | |
| SondeVoeding | | |
| ProductNaam | Nutrison | |

1.9 Instructions

1.10 Interpretation

1.11 Care Process

1.12 Example of the Instrument

1.13 Constraints

1.14 Issues

1.15 References

1. V&VN. Landelijke multidisciplinaire richtlijn Neusmaagsonde. (2011) [Online] Beschikbaar op: http://www.stuurgroepondervoeding.nl/wp-content/uploads/2015/02/Richtlijn-Neusmaagsonde-definitief. pdf [Geraadpleegd: 13 februari 2015]

1.16 Functional Model

1.17 Traceability to other Standards

1.18 Disclaimer

The Health and Care Information Models (a.k.a Clinical Building Block) has been made in collaboration with several different parties in healthcare. These parties asked Nictiz to manage good maintenance and development of the information models. Hereafter, these parties and Nictiz are referred to as the collaborating parties. The collaborating parties paid utmost attention to the reliability and topicality of the data in these Health and Care Information Models. Omissions and inaccuracies may however occur. The collaborating parties are not liable for any damages resulting from omissions or inaccuracies in the information provided, nor are they liable for damages resulting from problems caused by or inherent to distributing information on the internet, such as malfunctions, interruptions, errors or delays in information or services provide by the parties to you or by you to the parties via a website or via e-mail, or any other digital means. The collaborating parties will also not accept liability for any damages resulting from the use of data, advice or ideas provided by or on behalf of the parties by means of the Health and Care Information Models. The parties will not accept any liability for the content of information in this Health and Care Information Model to which or from which a hyperlink is referred. In the event of contradictions in mentioned Health and Care Information Model documents and files, the most recent and highest version of the listed order in the revisions will indicate the priority of the documents in question. If information included in the digital version of a Health and Care Information Model is also distributed in writing, the written version will be leading in case of textual differences. This will apply if both have the same version number and date. A definitive version has priority over a draft version. A revised version has priority over previous versions.

1.19 Terms of Use

The user may use the Health and Care Information Models without limitations. The copyright provisions in the paragraph concerned apply to copying, distributing and passing on the Health and Care Information Models.

1.20 Copyrights

A Health and Care Information Model qualifies as a work within the meaning of Section 10 of the Copyright Act (Auteurswet). Copyrights protect the Health and Care Information Modesl and these rights are owned by the cooperating parties.

The user may copy, distribute and pass on the information in this Health and Care Information Model under the conditions that apply for Creative Commons license Attribution-NonCommercial-ShareAlike 3.0 Netherlands (CC BY-NCSA-3.0).

The content is available under Creative Commons Attribution-NonCommercial-ShareAlike 3.0 (see also http://creativecommons.org/licenses/by-nc-sa/3.0/nl/)

This does not apply to information from third parties that sometimes is used and / or referred to in a Health and Care Information Model, for example to an international medical terminology system. Any (copyright) rights that protect this information are not owned by the cooperating parties but by those third parties.

Nictiz is the independent national competence centre for electronic exchange of health and care information. The activities of Nictiz include the targeted development and management of information standards at the request of and in partnership with the stakeholders in healthcare. Nictiz advises these parties on all aspects of information exchange and identifies (future) national and international developments.

Nictiz

P.O. Box 19121 2500 CC Den Haag Oude Middenweg 55 2491 AC Den Haag

070-3173450 info@nictiz.nl www.nictiz.nl

