

# Health & Care Information Model: nl.zorg.MedicationAgreement-v1.0.1

Status:Final

Release:2017

Release status: Published

Managed by:



# Content

<b>1. nl.zorg.MedicationAgreement-v1.0.1</b>	<b>3</b>
1.1 Revision History	3
1.2 Concept	3
1.3 Mindmap	3
1.4 Purpose	3
1.5 Patient Population	3
1.6 Evidence Base	4
1.7 Information Model	4
1.8 Example Instances	9
1.9 Instructions	10
1.10 Interpretation	10
1.11 Care Process	10
1.12 Example of the Instrument	10
1.13 Constraints	10
1.14 Issues	10
1.15 References	10
1.16 Functional Model	10
1.17 Traceability to other Standards	10
1.18 Disclaimer	10
1.19 Terms of Use	11
1.20 Copyrights	11

# 1. nl.zorg.MedicationAgreement-v1.0.1

DCM::CoderList	Projectgroep Medicatieproces
DCM::ContactInformation.Address	
DCM::ContactInformation.Name	*
DCM::ContactInformation.Telecom	
DCM::ContentAuthorList	Projectgroep Medicatieproces
DCM::CreationDate	1-2-2017
DCM::DeprecatedDate	
DCM::DescriptionLanguage	nl
DCM::EndorsingAuthority.Address	
DCM::EndorsingAuthority.Name	PM
DCM::EndorsingAuthority.Telecom	
DCM::Id	2.16.840.1.113883.2.4.3.11.60.40.3.9.6
DCM::KeywordList	Medicatie, Afspraak
DCM::LifecycleStatus	Final
DCM::ModelerList	Kerngroep Registratie aan de Bron
DCM::Name	nl.zorg.Medicatieafspraak
DCM::PublicationDate	31-12-2017
DCM::PublicationStatus	Published
DCM::ReviewerList	Projectgroep Medicatieproces & Architectuurgroep Registratie aan de Bron
DCM::RevisionDate	31-12-2017
DCM::Superseeds	nl.zorg.Medicatieafspraak-v1.0
DCM::Version	1.0.1
HCIM::PublicationLanguage	EN

## 1.1 Revision History

Publicatieversie 1.0 (04-09-2017)

Publicatieversie 1.0.1 (31-12-2017)

Bevat: ZIB-618, ZIB-643.

## 1.2 Concept

A medication agreement is a prescriber's proposal for a patient to use medication. An agreement to discontinue the use of medication is also a medication agreement.

## 1.3 Mindmap


## 1.4 Purpose

The goal of the medication agreement is to provide insight into the agreements reached between the prescriber and the patient on the use of medication.

## 1.5 Patient Population

## 1.6 Evidence Base

## 1.7 Information Model



«rootconcept»	MedicationAgreement
<b>Definitie</b>	Root concept of the MedicationAgreement information model. This root concept contains all data elements of the MedicationAgreement information model.
<b>Datatype</b>	
<b>DCM::ConceptId</b>	NL-CM:9.6.9580
<b>Opties</b>	

«context»	Prescriber::HealthProfessional	
<b>Definitie</b>	The health professional that entered the medication agreement with the patient.	
<b>Datatype</b>		
<b>DCM::ConceptId</b>	NL-CM:9.6.1030	
<b>DCM::ReferencedConceptId</b>	NL-CM:17.1.1	This is a reference to the rootconcept of information model HealthProfessional.
<b>Opties</b>		

«context»	PrescriptionReason::Problem
<b>Definitie</b>	The medical reason for the prescription or for use of the medication. This can be used to enter a medical indication which was the direct cause for prescription or for use of the medication in question.  It can concern every type of problem (or condition) of the patient, almost all diagnoses, complaints or symptoms.

	Please note: The BST401T file of the G standard contains a “special reference” to indicate that “exchange of the reason for prescription is essential”.	
<b>Datatype</b>		
<b>DCM::ConceptId</b>	NL-CM:9.6.23133	
<b>DCM::ReferencedConceptId</b>	NL-CM:5.1.1	This is a reference to the rootconcept of information model Problem.
<b>Opties</b>		

<b>«context»</b>	<b>BodyWeight</b>	
<b>Definitie</b>	Weight the dose is based on, relevant to this agreement.	
<b>Datatype</b>		
<b>DCM::ConceptId</b>	NL-CM:9.6.23028	
<b>DCM::ReferencedConceptId</b>	NL-CM:12.1.1	This is a reference to the rootconcept of information model BodyWeight.
<b>Opties</b>		

<b>«context»</b>	<b>BodyHeight</b>	
<b>Definitie</b>	Height the dose is based on, relevant to this agreement.	
<b>Datatype</b>		
<b>DCM::ConceptId</b>	NL-CM:9.6.23023	
<b>DCM::ReferencedConceptId</b>	NL-CM:12.2.1	This is a reference to the rootconcept of information model BodyHeight.
<b>Opties</b>		

<b>«data»</b>	<b>AgreedMedicine::FarmaceuticProduct</b>	
<b>Definitie</b>	The medicine agreed upon to be used.	
<b>Datatype</b>		
<b>DCM::ConceptId</b>	NL-CM:9.6.19925	
<b>DCM::ReferencedConceptId</b>	NL-CM:9.7.19926	This is a reference to the rootconcept of the partial information model Product.
<b>Opties</b>		

<b>«data»</b>	<b>InstructionsForUse</b>	
<b>Definitie</b>	Instructions for the use of the medication, e.g. dose and route of administration.	
<b>Datatype</b>		
<b>DCM::ConceptId</b>	NL-CM:9.6.23240	
<b>DCM::ReferencedConceptId</b>	NL-CM:9.12.22504	This is a reference to the rootconcept of the partial information model InstructionsForUse.
<b>Opties</b>		

<b>«data»</b>	<b>MedicationAgreementDateTime</b>	
<b>Definitie</b>	The time at which the agreement was made. Appointment date + time are required (order of the appointments must be clear in cases with multiple appointments on one day)	
<b>Datatype</b>	TS	

DCM::ConceptId	NL-CM:9.6.19757	
DCM::ExampleValue	27-01-2015	
Opties		

«data»	PeriodOfUse	
Definitie	<p>Start date: This is the time at which the agreement was to take effect (or took effect or will take effect). This is the time at which the instructions for use in this agreement start. In the case of an agreement to discontinue use, this is the start date of the original medication agreement. The end date indicates from when the medication is to be discontinued.</p> <p><b>Duration:</b> The intended duration of use. E.g. 5 days or 8 weeks. It is not allowed to indicate the duration in months, because different months have a variable duration in days.</p> <p><b>End date:</b> The time at which the period of use ends (or ended or will end). In the case of an agreement to discontinue use, this is the time at which the medication is to be discontinued. To avoid confusion between 'to' and 'up to', the submission of time is always mandatory for the end date.</p> <p>With medication for an indefinite period only a start date is indicated.</p>	
Datatype		
DCM::ConceptId	NL-CM:9.6.19936	
DCM::ExampleValue	12-03-2012 16:00	
DCM::ReferencedConceptId	NL-CM:20.3.1	This is a reference to the rootconcept of partial information model TimeInterval.
Opties		

«data»	CanceledIndicator	
Definitie	In the event of an error correction of the medication agreement, this indicator is to be put on for the incorrect agreement.	
Datatype	BL	
DCM::ConceptId	NL-CM:9.6.23033	
Opties		

«data»	MedicationAgreementStopType	
Definitie	Stop type, the manner in which this medication is discontinued (temporary or definitive).	
Datatype	CD	
DCM::ConceptId	NL-CM:9.6.19954	
DCM::ValueSet	MedicationAgreementStopTypeCodeList	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.6.1
Opties		

«data»	ReasonMedicationAgreement	
Definitie	Reason for this agreement. This can be the reason to start, change or stop the medication treatment.	
Datatype	CD	
DCM::ConceptId	NL-CM:9.6.22094	
DCM::ValueSet	MedicationAgreementReasonCodeList	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.6.2

<b>Opties</b>	
---------------	--

<b>«data»</b>		<b>MedicationAgreementAdditionalInformation</b>	
<b>Definitie</b>	Additional information includes details on the structure of the agreement made that are relevant for pharmacovigilance and fulfillment by the pharmacist. This can be used e.g. to indicate that there was a conscious decision to deviate from the norm or that the agreement is to be structured in a certain way. See also the Instructions section for more information about use of the element.		
<b>Datatype</b>	CD		
<b>DCM::ConceptId</b>	NL-CM:9.6.23283		
<b>DCM::ValueSet</b>	MedicationAgreementAdditionalInformationCodeList	OID:	2.16.840.1.113883.2.4.3.11.60.40.2.9.6.3
<b>Opties</b>			

<b>«data»</b>		<b>Comment</b>	
<b>Definitie</b>	Comments regarding to the medication agreement. For example: in consultation with the medical specialist.		
<b>Datatype</b>	ST		
<b>DCM::ConceptId</b>	NL-CM:9.6.22273		
<b>DCM::DefinitionCode</b>	LOINC: 48767-8 Annotation comment		
<b>Opties</b>			

<b>«document»</b>		<b>MedicationAgreementAdditionalInformationCodeList</b>	
<b>Definitie</b>			
<b>Datatype</b>			
<b>DCM::ValueSetId</b>	2.16.840.1.113883.2.4.3.11.60.40.2.9.6.3		
<b>Opties</b>			

<b>MedicatieafsprakenAanvullendeInformatieCodeList</b>			<b>OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.6.3</b>	
<b>Concept Name</b>	<b>Concept Code</b>	<b>Coding Syst. Name</b>	<b>Coding System OID</b>	<b>Description</b>
Bewust hoge dosering	1	Voorlopige G-std thesaurus 2050	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.2050	Bewust hoge dosering
Bewust lage dosering	2	Voorlopige G-std thesaurus 2050	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.2050	Bewust lage dosering
Bewust afwijkende toedieningsweg	3	Voorlopige G-std thesaurus 2050	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.2050	Bewust afwijkende toedieningsweg
Medische noodzaak	4	Voorlopige G-std thesaurus 2050	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.2050	Medische noodzaak
Profylaxe	5	Voorlopige G-std thesaurus 2050	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.2050	Profylaxe
Wijziging in GDS per direct	6	Voorlopige G-std thesaurus 2050	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.2050	Wijziging in GDS per direct
Wijziging in GDS per rolwissel	7	Voorlopige G-std thesaurus 2050	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.2050	Wijziging in GDS per rolwissel

<b>«document»</b>	<b>MedicationAgreementReasonCodeList</b>	
<b>Definitie</b>		
<b>Datatype</b>		
<b>DCM::ValueSetId</b>	2.16.840.1.113883.2.4.3.11.60.40.2.9.6.2	
<b>Opties</b>		

<b>RedenMedicatieafpraakCodelijst</b>			<b>OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.6.2</b>	
Concept Name	Concept Code	Coding Syst. Name	Coding System OID	Description
Medication commenced (finding)	266709005	SNOMED CT	2.16.840.1.113883.6.96	Starten medicamenteuze behandeling
Administration of drug or medicament contraindicated (situation)	438833006	SNOMED CT	2.16.840.1.113883.6.96	Contra-indicatie
Drug interaction (disorder)	79899007	SNOMED CT	2.16.840.1.113883.6.96	Interactie
Hypersensitivity condition (disorder)	473010000	SNOMED CT	2.16.840.1.113883.6.96	Overgevoeligheid
Geen of onvoldoende effect	5	Medicatieafpraak Reden	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.2	Geen of onvoldoende effect
Te sterk effect	6	Medicatieafpraak Reden	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.2	Te sterk effect
(Mogelijke) bijwerking	7	Medicatieafpraak Reden	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.2	(Mogelijke) bijwerking
Toedieningsweg voldoet niet	8	Medicatieafpraak Reden	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.2	Toedieningsweg voldoet niet
Indicatie vervallen	9	Medicatieafpraak Reden	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.2	Indicatie vervallen
Beleidswijziging	10	Medicatieafpraak Reden	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.2	Beleidswijziging
Admission to establishment (procedure)	305335007	SNOMED CT	2.16.840.1.113883.6.96	Opname
Wens patiënt	12	Medicatieafpraak Reden	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.2	Wens patiënt
Volgens afspraak	13	Medicatieafpraak Reden	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.2	Volgens afspraak
Hervatten beleid vorige voorschrijver	14	Medicatieafpraak Reden	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.2	Hervatten beleid vorige voorschrijver
Geplande procedure	15	Medicatieafpraak Reden	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.2	Procedure waaronder ingreep, interferentie met gepland labonderzoek, etc.



Overig	OTH	NullFlavour	2.16.840.1.113883.5.1008	Overig
--------	-----	-------------	--------------------------	--------

«document»		MedicationAgreementStopTypeCodeList		
Definitie				
Datatype				
DCM::ValueSetId		2.16.840.1.113883.2.4.3.11.60.40.2.9.6.1		
Opties				
MedicatieafspraakStopTypeCodelijst			OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.6.1	
Concept Name	Concept Code	Coding Syst. Name	Coding System OID	Description
Tijdelijk	1	StopType	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.1	Tijdelijke onderbreking van medicamenteuze behandeling (bijvoorbeeld tijdelijk stoppen gebruik vanwege operatie).
Definitief	2	StopType	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.1	Het staken van een bestaande medicamenteuze behandeling.

## 1.8 Example Instances

MedicatieAfspraak DatumTijd	Gebruiksperiode			Afgesproken geneesmiddel	Voorschrijver	Geannuleerd Indicator	MedicatieAfspraak Stoptype	MedicatieAfspraak .Reden
	Ingangsdatum	Einddatum	Duur	FarmaceutischProduct	Zorgverlener			
18-9-2016 18:00:00	08-09-16	18-09-16		Lisinopril tablet 10mg	D. Bakker	Nee	Definitief	Geen of onvoldoende effect
6-3-2016 9:12:30	06-03-2016			Methotrexaat injvst 25mg/ml 0,6 ml	R. Jansen	Nee		Starten medicamenteuze behandeling

RedenVan Voorschrijven	Gebruiksaanwijzing			
	Probleem	Omschrijving	Doseerinstructie	Toedieningsschema   Frequentie   Interval   Toedientijd   Weekdag   Dagdeel
			Doseerduur	Dosering   Keerdosis
	Van 8-9-2017 tot 18-9-2017 1x per dag 1 stuk. Vanaf 18-9-2017 staken.			1 stuk
Reumatoïde Artritis	Vanaf 6 maart 2016 1x per week op maandag om 14uur 15 mg (=0,6 ml)			15 mg (=0,6 ml)
				1x per week op maandag (14u)

## 1.9 Instructions

### **Medication Agreement Additional Information:**

When choosing a medicine, you can deviate from what is expected or from what the standard is. For example, when the hospital uses a different formulary than the community pharmacy. For reasons of efficiency, for example, one gastric acid inhibitor has been chosen in the hospital: pantoprazole.

Upon admission, a patient with omeprazole is converted to pantoprazole for the duration of the stay. When discharged, the patient goes back to omeprazole.

It is clear that something can go wrong here and that the patient takes both omeprazole and pantoprazole when there is no intervention. In the hospital's medication agreement for pantoprazole a remark can be made about the deviation so that it is clear that pantoprazole is the substitute for omeprazole or that it should be used in addition to omeprazole.

Another example are the half strengths. The hospital sometimes stocks tablets with half the strength of the normal trade preparation (own production). Where the patient enters the hospital on 25 mg chlortalidone, half a tablet once a day, he receives 12.5 mg intramural chlortalidone, one tablet once a day. Then the nursing does not have to break tablets in this case. Here there is a risk that the patient will use the 25 mg again at home, but then a whole tablet at a time instead of half a tablet. By means of an explanation in the medication agreement (Additional information) of the last chlortalidone 25 mg, it can be indicated whether this has been an intended increase.

## 1.10 Interpretation

## 1.11 Care Process

## 1.12 Example of the Instrument

## 1.13 Constraints

## 1.14 Issues

## 1.15 References

## 1.16 Functional Model

## 1.17 Traceability to other Standards

## 1.18 Disclaimer

This Health and Care Information Model (a.k.a Clinical Building Block) has been made in collaboration with several different parties in healthcare. These parties asked Nictiz to manage good maintenance and development of the information models. Hereafter, these parties and Nictiz are referred to as the collaborating parties. The collaborating parties paid utmost attention to the reliability and topicality of the

data in these Health and Care Information Models. Omissions and inaccuracies may however occur. The collaborating parties are not liable for any damages resulting from omissions or inaccuracies in the information provided, nor are they liable for damages resulting from problems caused by or inherent to distributing information on the internet, such as malfunctions, interruptions, errors or delays in information or services provide by the parties to you or by you to the parties via a website or via e-mail, or any other digital means. The collaborating parties will also not accept liability for any damages resulting from the use of data, advice or ideas provided by or on behalf of the parties by means of this Health and Care Information Model. The parties will not accept any liability for the content of information in this Health and Care Information Model to which or from which a hyperlink is referred. In the event of contradictions in mentioned Health and Care Information Model documents and files, the most recent and highest version of the listed order in the revisions will indicate the priority of the documents in question. If information included in the digital version of this Health and Care Information Model is also distributed in writing, the written version will be leading in case of textual differences. This will apply if both have the same version number and date. A definitive version has priority over a draft version. A revised version has priority over previous versions.

## **1.19 Terms of Use**

The user may use the information in this Health and Care Information Model without limitations. The copyright provisions in the paragraph concerned apply to copying, distributing and passing on information from this Health and Care Information Model.

## **1.20 Copyrights**

The user may copy, distribute and pass on the information in this Health and Care Information Model under the conditions that apply for Creative Commons license Attribution-NonCommercial-ShareAlike 3.0 Netherlands (CC BY-NC-SA-3.0). The content is available under Creative Commons Attribution-NonCommercial-ShareAlike 3.0 (see also <http://creativecommons.org/licenses/by-nc-sa/3.0/nl/>)