

Zorginformatiebouwsteen: nl.zorg.BarthelADLIndex-v3.2

Status: Final
Publicatie: 2022
Publicatie status: Prepublished

Beheerd door:



Inhoudsopgave

| | |
|--|----------|
| 1. nl.zorg.BarthelADLIndex-v3.2 | 3 |
| 1.1 Revision History | 3 |
| 1.2 Concept | 4 |
| 1.3 Mindmap | 4 |
| 1.4 Purpose | 4 |
| 1.5 Patient Population | 4 |
| 1.6 Evidence Base | 4 |
| 1.7 Information Model | 4 |
| 1.8 Example Instances | 12 |
| 1.9 Instructions | 13 |
| 1.10 Interpretation | 13 |
| 1.11 Care Process | 13 |
| 1.12 Example of the Instrument | 13 |
| 1.13 Constraints | 13 |
| 1.14 Issues | 13 |
| 1.15 References | 13 |
| 1.16 Functional Model | 14 |
| 1.17 Traceability to other Standards | 14 |
| 1.18 Disclaimer | 14 |
| 1.19 Terms of Use | 14 |
| 1.20 Copyrights | 14 |

1. nl.zorg.BarthelADLIndex-v3.2

| | |
|---------------------------------|--|
| DCM::CoderList | Kerngroep Registratie aan de Bron |
| DCM::ContactInformation.Address | * |
| DCM::ContactInformation.Name | * |
| DCM::ContactInformation.Telecom | * |
| DCM::ContentAuthorList | Projectgroep Generieke Overdrachtsgegevens & Kerngroep Registratie aan de Bron |
| DCM::CreationDate | 2-2-2013 |
| DCM::DeprecatedDate | |
| DCM::DescriptionLanguage | nl |
| DCM::EndorsingAuthority.Address | |
| DCM::EndorsingAuthority.Name | PM |
| DCM::EndorsingAuthority.Telecom | |
| DCM::Id | 2.16.840.1.113883.2.4.3.11.60.40.3.4.2 |
| DCM::KeywordList | score, index, ADL, afhankelijkheid, barthel |
| DCM::LifecycleStatus | Final |
| DCM::ModelerList | Kerngroep Registratie aan de Bron |
| DCM::Name | nl.zorg.BarthelIndex |
| DCM::PublicationDate | 15-10-2023 |
| DCM::PublicationStatus | Prepublished |
| DCM::ReviewerList | Projectgroep Generieke Overdrachtsgegevens & Kerngroep Registratie aan de Bron |
| DCM::RevisionDate | 08-02-2023 |
| DCM::Supersedes | nl.zorg.BarthelIndex-v3.1 |
| DCM::Version | 3.2 |
| HCIM::PublicationLanguage | EN |

1.1 Revision History

Publicatieversie 1.0 (15-02-2013)

-

Publicatieversie 1.1 (01-07-2013)

-

Publicatieversie 1.2 (01-04-2015)

Bevat: ZIB-166, ZIB-168, ZIB-208, ZIB-209, ZIB-210, ZIB-211, ZIB-212, ZIB-308.

Incl. algemene wijzigingsverzoeken:

ZIB-94, ZIB-154, ZIB-200, ZIB-201, ZIB-309, ZIB-324, ZIB-326.

Publicatieversie 1.2.1 (22-05-2015)

Bevat: ZIB-375.

Publicatieversie 3.0 (01-05-2016)

Bevat: ZIB-453.

Publicatieversie 3.1 (04-09-2017)

Bevat: ZIB-564.

Publicatieversie 3.2 (15-10-2023)

Bevat: ZIB-1692.

1.2 Concept

The Barthel ADL index is a validated scale used to measure and track patients' activities of daily living (ADL) and indirectly, the extent to which they are dependent on help.

The list comprises 10 variables: bowels, bladder, grooming, toilet use, feeding, transfers (from chair to bed and vice versa), mobility, dressing, climbing stairs and bathing, which are all given a score.

The total score is the sum of the scores of the 10 variables.

1.3 Mindmap


1.4 Purpose

Gaining insight into the dependence on healthcare for carrying out general daily activities by means of a validated score. This is done in order to adjust the care to meet the needs of the patient if necessary.

1.5 Patient Population

1.6 Evidence Base

1.7 Information Model



| «rootconcept» | BarthelADLIndex |
|----------------|---|
| Definitie | Root concept of the BarthelADLIndex information model. This root concept contains all data elements of the BarthelADLIndex information model. |
| Datatype | |
| DCM::ConceptId | NL-CM:4.2.1 |

| | | |
|----------------------------|--|--|
| DCM::DefinitionCode | SNOMED CT: 273302005 Barthel index (assessment scale) | |
| Opties | | |

| «data» | | Bowels |
|----------------------------|--|--|
| Definitie | <p>The bowel function describes the extent of fecal incontinence.</p> <p>The measurement takes the condition as measured in the preceding week. In this scale, the following interpretations are used:</p> <ul style="list-style-type: none"> • Incontinent: incontinent or enema required. • Accident: max. 1 accident per week. • Continent: continent for the entire week. | |
| Datatype | CO | |
| DCM::ConceptId | NL-CM:4.2.4 | FECAL |
| DCM::DefinitionCode | ScoreObservaties: 4002004 BarthelADLIndex Bowels | OID: 2.16.840.1.113883.2.4.3.11.60.40.4.0.1 |
| DCM::ValueSet | BowelsCodelist | OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.1 |
| Opties | | |

| «data» | | Bladder |
|----------------------------|--|--|
| Definitie | <p>The bladder function describes the extent of urinary incontinence.</p> <p>The measurement takes the condition as measured in the preceding week. In this scale, the following interpretations are used:</p> <ul style="list-style-type: none"> • Incontinent: incontinent or catheter required. • Accident: max. 1 accident per 24 hours. • Continent: continent for the entire week or patients who can attend to their own catheter. | |
| Datatype | CO | |
| DCM::ConceptId | NL-CM:4.2.3 | URIN |
| DCM::DefinitionCode | ScoreObservaties: 4002003 BarthelADLIndex Bladder | OID: 2.16.840.1.113883.2.4.3.11.60.40.4.0.1 |
| DCM::ValueSet | BladderCodelist | OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.2 |
| Opties | | |

| «data» | | Grooming |
|----------------------------|--|--|
| Definitie | <p>Grooming indicates the extent to which a patient is capable of maintaining their hygiene and appearance. This refers to personal hygiene such as brushing teeth, brushing hair, shaving and washing.</p> <p>The measurement takes the condition as measured in the preceding 24-48 hours. In this scale, the following interpretations are used:</p> <ul style="list-style-type: none"> • Dependent: not capable of grooming independently. • Independent: capable of brushing teeth, brushing hair, shaving and washing independently. | |
| Datatype | CO | |
| DCM::ConceptId | NL-CM:4.2.5 | GROOM |
| DCM::DefinitionCode | ScoreObservaties: 4002005 BarthelADLIndex Grooming | OID: 2.16.840.1.113883.2.4.3.11.60.40.4.0.1 |
| DCM::ValueSet | GroomingCodelist | OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.3 |
| Opties | | |

| «data» ToiletUse | |
|----------------------------|--|
| Definitie | <p>Toilet use indicates the extent to which a patient is capable of using the toilet independently.</p> <p>In this scale, the following interpretations are used:</p> <ul style="list-style-type: none"> • Dependent: dependent. • Help: needs some help but can do certain things themselves, like wiping. • Independent: capable of using the toilet, sufficiently undressing, cleaning, getting dressed and leaving. |
| Datatype | CO |
| DCM::ConceptId | NL-CM:4.2.6 |
| DCM::DefinitionCode | ScoreObservaties: 4002006 BarthelADLIndex ToiletUse |
| DCM::ValueSet | ToiletUseCodelist |
| Opties | |

| «data» Feeding | |
|----------------------------|--|
| Definitie | <p>Feeding indicates the extent to which a patient is capable of eating independently.</p> <p>In this scale, the following interpretations are used:</p> <ul style="list-style-type: none"> • Not independent: not capable of eating independently. • Help: food is puréed; patient does feed themselves, but needs help cutting food, spreading butter, et cetera. • Independent: capable of eating normal food (including hard food). The food can be cooked and served by others, but is not to be puréed. |
| Datatype | CO |
| DCM::ConceptId | NL-CM:4.2.7 |
| DCM::DefinitionCode | ScoreObservaties: 4002007 BarthelADLIndex Feeding |
| DCM::ValueSet | FeedingCodelist |
| Opties | |

| «data» Transfers | |
|----------------------------|--|
| Definitie | <p>Transfers indicates the extent to which a patient is capable of independently getting from a chair to the bed and vice versa.</p> <p>In this scale, the following interpretations are used:</p> <ul style="list-style-type: none"> • Not independent: not capable of sitting up; the use of a patient hoist is required. • Major help: help from a strong, trained individual or 2 regular individuals, but the patient can sit up by themselves. • Minor help: a person to supervise or provide some help, either verbally or physically. • Independent: does not need help. |
| Datatype | CO |
| DCM::ConceptId | NL-CM:4.2.8 |
| DCM::DefinitionCode | ScoreObservaties: 4002008 BarthelADLIndex Transfers |
| DCM::ValueSet | TransfersCodelist |
| Opties | |

| «data» | | Mobility |
|----------------------------|--|--|
| Definitie | <p>Mobility indicates the extent to which a patient is capable of moving independently.</p> <p>In this scale, the following interpretations are used:</p> <ul style="list-style-type: none"> • Dependent: cannot move themselves. • Independent with wheelchair: uses a wheelchair, with the ability to go around corners or open doors without help. • Assisted walking: help from one person, for example verbally or physically. • Independent: can move within the home or department; aids may be used. | |
| Datatype | CO | |
| DCM::ConceptId | NL-CM:4.2.9 | MOB |
| DCM::DefinitionCode | ScoreObservaties: 4002009 BarthelADLIndex Mobility | OID: 2.16.840.1.113883.2.4.3.11.60.40.4.0.1 |
| DCM::ValueSet | MobilityCodelist | OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.7 |
| Opties | | |

| «data» | | Dressing |
|----------------------------|---|--|
| Definitie | <p>Dressing indicates the extent to which a patient is capable of dressing and undressing themselves independently.</p> <p>In this scale, the following interpretations are used:</p> <ul style="list-style-type: none"> • Dependent: dependent. • Help: needs help but can do about half themselves, such as only needing help with buttons and/or zippers. • Independent: capable of selecting and putting on clothes. | |
| Datatype | CO | |
| DCM::ConceptId | NL-CM:4.2.10 | DRESS |
| DCM::DefinitionCode | ScoreObservaties: 4002010 BarthelADLIndex Dressing | OID: 2.16.840.1.113883.2.4.3.11.60.40.4.0.1 |
| DCM::ValueSet | DressingCodelist | OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.8 |
| Opties | | |

| «data» | | ManagingStairs |
|----------------------------|---|--|
| Definitie | <p>Managing stairs indicates the extent to which a patient is capable of going up and down stairs independently.</p> <p>In this scale, the following interpretations are used:</p> <ul style="list-style-type: none"> • Dependent: not capable of going up and down stairs. • Help: needs help, for example verbally, physically or in the form of an aid. • Independent: capable of going up and down stairs independently, and if necessary can carry their own aid. | |
| Datatype | CO | |
| DCM::ConceptId | NL-CM:4.2.11 | CLIMB |
| DCM::DefinitionCode | ScoreObservaties: 4002011 BarthelADLIndex ManagingStairs | OID: 2.16.840.1.113883.2.4.3.11.60.40.4.0.1 |
| DCM::ValueSet | ClimbingstairsCodelist | OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.9 |
| Opties | | |

| «data» | | Bathing | |
|---------------------|--|---|--|
| Definitie | Bathing indicates the extent to which a patient is capable of independently taking a bath or shower. In this scale, the following interpretations are used: <ul style="list-style-type: none"> • Dependent: not capable of bathing independently. • Independent: capable of getting in and out of the bath or shower and bathing without help or supervision. | | |
| Datatype | CO | | |
| DCM::ConceptId | NL-CM:4.2.12 | BATH | |
| DCM::DefinitionCode | ScoreObservaties: 4002012 BarthelADLIndex Bathing | OID: 2.16.840.1.113883.2.4.3.11.60.40.4.0.1 | |
| DCM::ValueSet | BathingCodelist | OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.10 | |
| Opties | | | |

| «data» | | TotalScore | |
|---------------------|---|------------|--|
| Definitie | The Barthel ADL index is the sum of the scores of the individual variables. The interpretation of this total score is 0-9 for serious dependence, 10-19 for slight dependence and 20 for independence. Twenty is the maximum score. | | |
| Datatype | INT | | |
| DCM::ConceptId | NL-CM:4.2.2 | TOTSCORE | |
| DCM::DefinitionCode | SNOMED CT: 725594005 Barthel Index of Activities of Daily Living score | | |
| Opties | | | |
| Constraint | Range: 0-20 | | |

| «document» | | DressingCodelist | |
|------------------------|--|------------------|--|
| Definitie | | | |
| Datatype | | | |
| DCM::ValueSetBinding | Required | | |
| DCM::ValueSetId | 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.8 | | |
| HCIM::ValueSetLanguage | NL | | |
| Opties | | | |

| AanUitkledenCodelijst | | | OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.8 | | |
|-----------------------|--------------|---------------|---|--|--|
| Concept Name | Concept Code | Concept Value | Coding Syst. Name | Coding System OID | Description |
| Afhankelijk | DRESS0 | 0 | BarthelAanUitkleden | 2.16.840.1.113883.2.4.3.11.60.40.4.1.8 | Afhankelijk |
| Hulp | DRESS1 | 1 | BarthelAanUitkleden | 2.16.840.1.113883.2.4.3.11.60.40.4.1.8 | Heeft hulp nodig maar kan ongeveer de helft zelf |
| Onafhankelijk | DRESS2 | 2 | BarthelAanUitkleden | 2.16.840.1.113883.2.4.3.11.60.40.4.1.8 | Onafhankelijk |

| «document» | | BathingCodelist | |
|------------|--|-----------------|--|
|------------|--|-----------------|--|

| | |
|-------------------------------|---|
| Definitie | |
| Datatype | |
| DCM::ValueSetBinding | Required |
| DCM::ValueSetId | 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.10 |
| HCIM::ValueSetLanguage | NL |
| Opties | |

| BadenDouchenCodelijst | | | OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.10 | | |
|-----------------------|--------------|---------------|--|---|---------------|
| Concept Name | Concept Code | Concept Value | Coding Syst. Name | Coding System OID | Description |
| Afhankelijk | BATH0 | 0 | BarthelBadenDouchen | 2.16.840.1.113883.2.4.3.11.60.40.4.1.10 | Afhankelijk |
| Onafhankelijk | BATH1 | 1 | BarthelBadenDouchen | 2.16.840.1.113883.2.4.3.11.60.40.4.1.10 | Onafhankelijk |

| | |
|-------------------------------|--|
| «document» | BladderCodelist |
| Definitie | |
| Datatype | |
| DCM::ValueSetBinding | Required |
| DCM::ValueSetId | 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.2 |
| HCIM::ValueSetLanguage | NL |
| Opties | |

| BlaasCodelijst | | | OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.2 | | |
|----------------|--------------|---------------|---|--|--|
| Concept Name | Concept Code | Concept Value | Coding Syst. Name | Coding System OID | Description |
| Incontinent | URIN0 | 0 | BarthelBlaas | 2.16.840.1.113883.2.4.3.11.60.40.4.1.2 | Incontinent of katheter |
| Ongelukje | URIN1 | 1 | BarthelBlaas | 2.16.840.1.113883.2.4.3.11.60.40.4.1.2 | Af en toe een ongelukje (max. 1 keer per 24 uur) |
| Continent | URIN2 | 2 | BarthelBlaas | 2.16.840.1.113883.2.4.3.11.60.40.4.1.2 | Continent (gedurende meer dan 7 dagen) |

| | |
|-------------------------------|--|
| «document» | BowelsCodelist |
| Definitie | |
| Datatype | |
| DCM::ValueSetBinding | Required |
| DCM::ValueSetId | 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.1 |
| HCIM::ValueSetLanguage | NL |
| Opties | |

| DarmCodelijst | | | OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.1 | | |
|---------------|--------------|---------------|---|--------------------------|-------------|
| Concept Name | Concept Code | Concept Value | Coding Syst. Name | Coding System OID | Description |
| Incontinent | FECALO | 0 | | 2.16.840.1.113883.2.4.3. | Incontinent |

| | | | | | |
|-----------|--------|---|-------------|--|-------------------------|
| | | | BarthelDarm | 11.60.40.4.1.1 | |
| Ongelukje | FECAL1 | 1 | BarthelDarm | 2.16.840.1.113883.2.4.3.11.60.40.4.1.1 | Af en toe een ongelukje |
| Continent | FECAL2 | 2 | BarthelDarm | 2.16.840.1.113883.2.4.3.11.60.40.4.1.1 | Continent |

| «document» | FeedingCodelist | |
|------------------------|--|--|
| Definitie | | |
| Datatype | | |
| DCM::ValueSetBinding | Required | |
| DCM::ValueSetId | 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.5 | |
| HCIM::ValueSetLanguage | NL | |
| Opties | | |

| EtenCodelijst | | | OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.5 | | |
|------------------|--------------|---------------|---|--|--|
| Concept Name | Concept Code | Concept Value | Coding Syst. Name | Coding System OID | Description |
| Niet zelfstandig | FEED0 | 0 | BarthelEten | 2.16.840.1.113883.2.4.3.11.60.40.4.1.5 | Niet in staat (niet zelfstandig) |
| Hulp | FEED1 | 1 | BarthelEten | 2.16.840.1.113883.2.4.3.11.60.40.4.1.5 | Heeft hulp nodig bij snijden, smeren van boter, enz. |
| Onafhankelijk | FEED2 | 2 | BarthelEten | 2.16.840.1.113883.2.4.3.11.60.40.4.1.5 | Onafhankelijk |

| «document» | MobilityCodelist | |
|------------------------|--|--|
| Definitie | | |
| Datatype | | |
| DCM::ValueSetBinding | Required | |
| DCM::ValueSetId | 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.7 | |
| HCIM::ValueSetLanguage | NL | |
| Opties | | |

| MobiliteitCodelijst | | | OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.7 | | |
|----------------------------|--------------|---------------|---|--|---|
| Concept Name | Concept Code | Concept Value | Coding Syst. Name | Coding System OID | Description |
| Afhankelijk | MOBIL0 | 0 | BarthelMobiliteit | 2.16.840.1.113883.2.4.3.11.60.40.4.1.7 | Kan zich niet verplaatsen |
| Onafhankelijk met rolstoel | MOBIL1 | 1 | BarthelMobiliteit | 2.16.840.1.113883.2.4.3.11.60.40.4.1.7 | Onafhankelijk, maar maakt gebruik van rolstoel, incl. het zonder hulp nemen van hoeken en deuren. |
| Loopt met hulp | MOBIL2 | 2 | BarthelMobiliteit | 2.16.840.1.113883.2.4.3.11.60.40.4.1.7 | Loopt met hulp van 1 persoon (hulp van |

| | | | | | |
|---------------|--------|---|-----------------------|--|----------------------------|
| | | | teit | .7 | woorden of lichamelijk) |
| Onafhankelijk | MOBIL3 | 3 | BarthelMobili teit | 2.16.840.1.113883 .2.4.3.11.60.40.4.1 .7 | Onafhankelijk |

| «document» | | ToiletUseCodelist | |
|------------------------|--|-------------------|--|
| Definitie | | | |
| Datatype | | | |
| DCM::ValueSetBinding | Required | | |
| DCM::ValueSetId | 2.16.840.1.113883.2.4.3.11. 60.40.2.4.2.4 | | |
| HCIM::ValueSetLanguage | NL | | |
| Opties | | | |

| ToiletgebruikCodelijst | | | OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.4 | | |
|------------------------|--------------|---------------|---|--|--|
| Concept Name | Concept Code | Concept Value | Coding Syst. Name | Coding System OID | Description |
| Afhankelijk | TOILO | 0 | BarthelToiletg ebruik | 2.16.840.1.113883. 2.4.3.11.60.40.4.1. 4 | Afhankelijk |
| Hulp | TOIL1 | 1 | BarthelToiletg ebruik | 2.16.840.1.113883. 2.4.3.11.60.40.4.1. 4 | Heeft enige hulp nodig maar kan sommige dingen zelf |
| Onafhankelijk | TOIL2 | 2 | BarthelToiletg ebruik | 2.16.840.1.113883. 2.4.3.11.60.40.4.1. 4 | Onafhankelijk (op en af, uit- en aankleden, afvegen) |

| «document» | | TransfersCodelist | |
|------------------------|--|-------------------|--|
| Definitie | | | |
| Datatype | | | |
| DCM::ValueSetBinding | Required | | |
| DCM::ValueSetId | 2.16.840.1.113883.2.4.3.11. 60.40.2.4.2.6 | | |
| HCIM::ValueSetLanguage | NL | | |
| Opties | | | |

| TransfersCodelijst | | | OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.6 | | |
|---------------------|--------------|---------------|---|--|---|
| Concept Name | Concept Code | Concept Value | Coding Syst. Name | Coding System OID | Description |
| Niet zelfstandig | TRANS0 | 0 | BarthelTransfe r | 2.16.840.1.113883.2.4.3 .11.60.40.4.1.6 | Niet in staat (niet zelfstandig) |
| Veel hulp | TRANS1 | 1 | BarthelTransfe r | 2.16.840.1.113883.2.4.3 .11.60.40.4.1.6 | Veel hulp (1-2 mensen lichamelijk) |
| Weinig hulp | TRANS2 | 2 | BarthelTransfe r | 2.16.840.1.113883.2.4.3 .11.60.40.4.1.6 | Weinig hulp (met hulp van woorden of lichamelijk) |
| Onafhankelijk | TRANS3 | 3 | BarthelTransfe r | 2.16.840.1.113883.2.4.3 .11.60.40.4.1.6 | Onafhankelijk |

| «document» | | ClimbingstairsCodelist | |
|------------|--|------------------------|--|
|------------|--|------------------------|--|

| | |
|-------------------------------|--|
| Definitie | |
| Datatype | |
| DCM::ValueSetBinding | Required |
| DCM::ValueSetId | 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.9 |
| HCIM::ValueSetLanguage | NL |
| Opties | |

| TrappenLopenCodelijst | | | OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.9 | | |
|-----------------------|--------------|---------------|---|--|---|
| Concept Name | Concept Code | Concept Value | Coding Syst. Name | Coding System OID | Description |
| Afhankelijk | CLIMB0 | 0 | BarthelTrappenLopen | 2.16.840.1.113883.2.4.3.11.60.40.4.1.9 | Niet in staat |
| Hulp | CLIMB1 | 1 | BarthelTrappenLopen | 2.16.840.1.113883.2.4.3.11.60.40.4.1.9 | Heeft hulp nodig (woorden, lichamelijk of hulpmiddel) |
| Onafhankelijk | CLIMB2 | 2 | BarthelTrappenLopen | 2.16.840.1.113883.2.4.3.11.60.40.4.1.9 | Onafhankelijk naar boven en naar beneden |

| | |
|-------------------------------|--|
| «document» | GroomingCodelist |
| Definitie | |
| Datatype | |
| DCM::ValueSetBinding | Required |
| DCM::ValueSetId | 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.3 |
| HCIM::ValueSetLanguage | NL |
| Opties | |

| UiterlijkeVerzorgingCodelijst | | | OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.2.3 | | |
|-------------------------------|--------------|---------------|---|--|--|
| Concept Name | Concept Code | Concept Value | Coding Syst. Name | Coding System OID | Description |
| Hulp | GROOM0 | 0 | BarthelUiterlijkeVerzorging | 2.16.840.1.113883.2.4.3.11.60.40.4.1.3 | Heeft hulp nodig |
| Onafhankelijk | GROOM1 | 1 | BarthelUiterlijkeVerzorging | 2.16.840.1.113883.2.4.3.11.60.40.4.1.3 | Onafhankelijk (gezicht, haar, tanden, scheren) |

| | |
|------------------|---------------|
| | Legend |
| Definitie | |
| Datatype | |
| Opties | |

1.8 Example Instances

| BarthelIndex | |
|----------------------|----|
| Blaas | 1 |
| Darm | 2 |
| UiterlijkeVerzorging | 1 |
| Toiletgebruik | 2 |
| Eten | 2 |
| Transfers | 1 |
| Mobiliteit | 1 |
| AanUitkleden | 1 |
| TrappenLopen | 2 |
| BadenDouchen | 1 |
| TotaalScore | 14 |

1.9 Instructions

1.10 Interpretation

1.11 Care Process

1.12 Example of the Instrument

1.13 Constraints

1.14 Issues

1.15 References

1. Barthel Index [Online] Beschikbaar op: http://www.zorginformatiemodel.nl/1_documentatie/Doc_Obs_Barthel_Index_R01_V1_3.pdf [Geraadpleegd: 23 februari 2015].
2. Barthel Index [Online] Beschikbaar op: <http://www.openehr.org/knowledge/> [Geraadpleegd: 18 februari 2013].
3. GOOSSEN, W.T.F. et al. (2004) *Specificaties CVA keteninformatiesysteem*. Versie 1.1. Leidschendam, Nictiz.
4. HAAN DE, R. et al. (1993) Klinimetrische evaluatie van de Barthel-index, een maat voor beperkingen in het dagelijks functioneren. *Nederlands Tijdschrift voor Geneeskunde*. 37 (18), p. 917-921.
5. MAHONY, F.I. et al. (1965) Functional Evaluation: The Barthel Index. *Maryland State Medical Journal*. 1965 (14), p .61-65.
6. PEPPEN VAN, R.P.S. et al. (2004) *Richtlijn Beroerte*. Amersfoort, Koninklijk Nederlands Genootschap voor

1.16 Functional Model

1.17 Traceability to other Standards

1.18 Disclaimer

The Health and Care Information Models (a.k.a Clinical Building Block) has been made in collaboration with several different parties in healthcare. These parties asked Nictiz to manage good maintenance and development of the information models. Hereafter, these parties and Nictiz are referred to as the collaborating parties. The collaborating parties paid utmost attention to the reliability and topicality of the data in these Health and Care Information Models. Omissions and inaccuracies may however occur. The collaborating parties are not liable for any damages resulting from omissions or inaccuracies in the information provided, nor are they liable for damages resulting from problems caused by or inherent to distributing information on the internet, such as malfunctions, interruptions, errors or delays in information or services provide by the parties to you or by you to the parties via a website or via e-mail, or any other digital means. The collaborating parties will also not accept liability for any damages resulting from the use of data, advice or ideas provided by or on behalf of the parties by means of the Health and Care Information Models. The parties will not accept any liability for the content of information in this Health and Care Information Model to which or from which a hyperlink is referred. In the event of contradictions in mentioned Health and Care Information Model documents and files, the most recent and highest version of the listed order in the revisions will indicate the priority of the documents in question. If information included in the digital version of a Health and Care Information Model is also distributed in writing, the written version will be leading in case of textual differences. This will apply if both have the same version number and date. A definitive version has priority over a draft version. A revised version has priority over previous versions.

1.19 Terms of Use

The user may use the Health and Care Information Models without limitations. The copyright provisions in the paragraph concerned apply to copying, distributing and passing on the Health and Care Information Models.

1.20 Copyrights

A Health and Care Information Model qualifies as a work within the meaning of Section 10 of the Copyright Act (Auteurswet). Copyrights protect the Health and Care Information Model and these rights are owned by the cooperating parties.

The user may copy, distribute and pass on the information in this Health and Care Information Model under the conditions that apply for Creative Commons license Attribution-NonCommercial-ShareAlike 3.0 Netherlands (CC BY-NC-SA-3.0).

The content is available under Creative Commons Attribution-NonCommercial-ShareAlike 3.0 (see also <http://creativecommons.org/licenses/by-nc-sa/3.0/nl/>)

This does not apply to information from third parties that sometimes is used and / or referred to in a Health and Care Information Model, for example to an international medical terminology system. Any (copyright) rights that protect this information are not owned by the cooperating parties but by those third parties.

Nictiz is de landelijke, onafhankelijke kennisorganisatie die zich inzet voor digitale informatie-uitwisseling in de zorg. Nictiz doet dit onder meer door het gebruiksgericht ontwikkelen en het beheren van informatiestandaarden in opdracht van en samen met de partijen in de zorg. Nictiz signaleert en adviseert partijen in de zorg over informatie-uitwisseling en over (toekomstige) nationale en internationale ontwikkelingen.

Nictiz

Postbus 19121
2500 CC Den Haag
Oude Middenweg 55
2491 AC Den Haag

070-3173450
info@nictiz.nl
www.nictiz.nl

