

# Zorginformatiebouwsteen: nl.zorg.Refraction-v2.0

Status: Final  
Publicatie: 2022  
Publicatie status: Prepublished

Beheerd door:



# Inhoudsopgave

<b>1. nl.zorg.Refractation-v2.0</b>	<b>3</b>
1.1 Revision History	3
1.2 Concept	3
1.3 Mindmap	3
1.4 Purpose	3
1.5 Patient Population	4
1.6 Evidence Base	4
1.7 Information Model	4
1.8 Example Instances	7
1.9 Instructions	7
1.10 Interpretation	7
1.11 Care Process	7
1.12 Example of the Instrument	7
1.13 Constraints	7
1.14 Issues	8
1.15 References	8
1.16 Functional Model	8
1.17 Traceability to other Standards	8
1.18 Disclaimer	8
1.19 Terms of Use	8
1.20 Copyrights	8

# 1. nl.zorg.Refraction-v2.0

DCM::CoderList	*
DCM::ContactInformation.Address	*
DCM::ContactInformation.Name	*
DCM::ContactInformation.Telecom	*
DCM::ContentAuthorList	*
DCM::CreationDate	17-5-2020
DCM::DeprecatedDate	
DCM::DescriptionLanguage	nl
DCM::EndorsingAuthority.Address	
DCM::EndorsingAuthority.Name	*
DCM::EndorsingAuthority.Telecom	
DCM::Id	2.16.840.1.113883.2.4.3.11.60.40.3.12.20
DCM::KeywordList	
DCM::LifecycleStatus	Final
DCM::ModelerList	*
DCM::Name	nl.zorg.Refractie
DCM::PublicationDate	15-10-2023
DCM::PublicationStatus	Prepublished
DCM::ReviewerList	
DCM::RevisionDate	04-09-2023
DCM::Supersedes	nl.zorg.Refractie-v1.2
DCM::Version	2.0
HCIM::PublicationLanguage	EN

## 1.1 Revision History

Publicatieversie 1.0 (01-09-2020)

Publicatieversie 1.1 (01-12-2021)

Bevat: ZIB-1420, ZIB-1421, ZIB-1442, ZIB-1443, ZIB-1449, ZIB-1522.

Publicatieversie 1.2 (10-06-2022)

Bevat: ZIB-1716.

Publicatieversie 2.0 (15-10-2023)

Bevat: ZIB-1889, ZIB-1868.

## 1.2 Concept

The refraction measurement is a measurement with which the refractive error of the eye is determined. During the refraction measurement, the necessary correction is established: the spherical power (in diopters), the cylindrical power (in diopters), the axis direction (in degrees) for any cylindrical correction, the prism (in prism diopters) and any additional power of the reading area (in diopters), the so-called reading addition

## 1.3 Mindmap

## 1.4 Purpose


The purpose of a refraction measurement is to determine the correction (through glasses or lenses) with which the patient can see optimally.

## 1.5 Patient Population

Adults and children from the age that they can interpret a picture chart.

## 1.6 Evidence Base

## 1.7 Information Model



«rootconcept»	Refraction	
Definitie	Root concept of the Refraction information model. This root concept contains all data elements of the Refraction information model.	
Datatype		
DCM::ConceptId	NL-CM:12.20.1	
DCM::DefinitionCode	SNOMED CT: 366060000 Refraction measurement - finding	
Opties		

«data»	RefractionMeasurementMethod	
Definitie	The method used to measure the refraction.	
Datatype	CD	
DCM::ConceptId	NL-CM:12.20.4	
DCM::DefinitionCode	SNOMED CT: 252886007 Refraction assessment	
DCM::ValueSet	RefractionMeasurementMethodCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.12.20.1
Opties		

«data»	RefractionDateTime	
Definitie	The date and time when the refraction measurement was carried out.	
Datatype	TS	
DCM::ConceptId	NL-CM:12.20.3	
DCM::DefinitionCode	SNOMED CT: 439771001	
	Date of event	
Opties		

«container»	CylindricalRefraction	
Definitie	Container of the CylindricalRefraction concept.This container contains all data elements of the CylindricalRefraction concept.	
Datatype		
DCM::ConceptId	NL-CM:12.20.12	
Opties		

«data»	CylindricalRefractionValue	
Definitie	The power of the cylinder needed to correct the cylindrical error (astigmatism), expressed in diopters, increasing per 0.25D. When a cylindrical refraction is registered, the axis of the cylinder must also be specified.	
Datatype	PQ	
DCM::ConceptId	NL-CM:12.20.11	
DCM::DefinitionCode	SNOMED CT: 251797004	
	Power of cylinder	
DCM::ExampleValue	-0.75	
Opties		

«data»	CylindricalRefractionAxis	
Definitie	The axis direction of the cylindrical refraction value expressed in degrees.	
Datatype	PQ	
DCM::ConceptId	NL-CM:12.20.13	
DCM::DefinitionCode	SNOMED CT: 251799001	
	Axis of cylinder	
DCM::ExampleValue	18 graden	
Opties		

«container»	Prism	
Definitie	Container of the Prism concept.This container contains all data elements of the Prism container.	
Datatype		
DCM::ConceptId	NL-CM:12.20.5	
Opties		

«data»	PrismValue	
Definitie	The power of the prism, expressed in prism diopters.	
Datatype	PQ	
DCM::ConceptId	NL-CM:12.20.6	
DCM::DefinitionCode	SNOMED CT: 251762001	
	Prism strength	
DCM::ExampleValue	2.00	
Opties		

«data»	PrismBase	
--------	-----------	--

<b>Definitie</b>	The base of the prism, expressed in degrees.	
<b>Datatype</b>	PQ	
<b>DCM::ConceptId</b>	NL-CM:12.20.7	
<b>DCM::DefinitionCode</b>	SNOMED CT: 246223004 Prism base direction	
<b>DCM::ExampleValue</b>	90	
<b>Opties</b>		

<b>«container»</b>	<b>SphericalRefraction</b>	
<b>Definitie</b>	Container of the SphericalRefraction concept. This container contains all data elements of the SphericalRefraction concept.	
<b>Datatype</b>		
<b>DCM::ConceptId</b>	NL-CM:12.20.14	
<b>Opties</b>		

<b>«data»</b>	<b>SphericalRefractionValue</b>	
<b>Definitie</b>	The spherical spectacle strength power needed to correct nearsightedness (myopia) or farsightedness (hyperopia), expressed in diopters, ascending by 0.25D.	
<b>Datatype</b>	PQ	
<b>DCM::ConceptId</b>	NL-CM:12.20.9	
<b>DCM::DefinitionCode</b>	SNOMED CT: 251795007 Power of sphere	
<b>DCM::ExampleValue</b>	+2 diopter	
<b>Opties</b>		

<b>«data»</b>	<b>SphericalEquivalent</b>	
<b>Definitie</b>	The spherical power added to half of the cylindrical power. Expressed in diopters, with two digits after the decimal point. Some equipment automatically calculates the spherical equivalent.	
<b>Datatype</b>	PQ	
<b>DCM::ConceptId</b>	NL-CM:12.20.10	
<b>DCM::DefinitionCode</b>	SNOMED CT: 112881000146107 Spherical equivalent	
<b>Opties</b>		

<b>«data»</b>	<b>ReadAddition</b>	
<b>Definitie</b>	A supplement that is added to the refraction value to determine the strength of the reading glasses, expressed in diopters.	
<b>Datatype</b>	PQ	
<b>DCM::ConceptId</b>	NL-CM:12.20.8	
<b>DCM::DefinitionCode</b>	SNOMED CT: 251796008 Spherical addition	
<b>DCM::ExampleValue</b>	1,25 diopter	
<b>Opties</b>		

<b>«data»</b>	<b>AnatomicalLocation</b>	
<b>Definitie</b>	Indication and the laterality of the eye of which the refraction measurement relates to.	
<b>Datatype</b>		
<b>DCM::ConceptId</b>	NL-CM:12.20.2	
<b>DCM::ExampleValue</b>	Links	
<b>DCM::ReferencedConceptId</b>	NL-CM:20.7.1	This is a reference to the rootconcept of information model AnatomicalLocation.

<b>Opties</b>	
---------------	--

<b>«document»</b>	RefractionMeasurementMethodCodelist	
<b>Definitie</b>		
<b>Datatype</b>		
<b>DCM::ValueSetBinding</b>	Extensible	
<b>DCM::ValueSetId</b>	2.16.840.1.113883.2.4.3.11.60.40.2.12.20.1	
<b>HCIM::ValueSetLanguage</b>	--	
<b>Opties</b>		

<b>RefractieMeetMethodeCodelijst</b>			<b>OID: 2.16.840.1.113883.2.4.3.11.60.40.2.12.20.1</b>	
<b>Concept Name</b>	<b>Concept Code</b>	<b>Coding System Name</b>	<b>Coding System OID</b>	<b>Description</b>
Subjective refraction (procedure)	397277005	SNOMED CT	2.16.840.1.113883.6.96	Subjectieve refractie
Objective refraction (procedure)	397276001	SNOMED CT	2.16.840.1.113883.6.96	Objectieve refractie

	<b>Legend</b>
<b>Definitie</b>	
<b>Datatype</b>	
<b>Opties</b>	

## 1.8 Example Instances

Refractie DatumTijd	Refractie Methode	Refractie Lateraliteit	SferischeRefractie		CilindrischeRefractie		Lees additie	Prisma	
			SferischeRefractieWaarde	SferischEquivalent	CilindrischeRefractie Waarde	CilindrischeRefractieAs		PrismaWaarde	PrismaBasist
1-1-2020	Subjectieve refractie	Rechts	+1.00	0.63	-0.75	90	1.00	2.00	90
1-1-2020	Subjectieve refractie	Links	+0.5	0	-1.00	45	1.00	1.50	45
12-1-2020	Objectieve refractie	Rechts	-	-	-	-	-	-	-
12-1-2020	Objectieve refractie	Links	-	-	-	-	-	-	-

## 1.9 Instructions

### 1.10 Interpretation

### 1.11 Care Process

### 1.12 Example of the Instrument

### 1.13 Constraints

## 1.14 Issues

## 1.15 References

## 1.16 Functional Model

## 1.17 Traceability to other Standards

## 1.18 Disclaimer

The Health and Care Information Models (a.k.a Clinical Building Block) has been made in collaboration with several different parties in healthcare. These parties asked Nictiz to manage good maintenance and development of the information models. Hereafter, these parties and Nictiz are referred to as the collaborating parties. The collaborating parties paid utmost attention to the reliability and topicality of the data in these Health and Care Information Models. Omissions and inaccuracies may however occur. The collaborating parties are not liable for any damages resulting from omissions or inaccuracies in the information provided, nor are they liable for damages resulting from problems caused by or inherent to distributing information on the internet, such as malfunctions, interruptions, errors or delays in information or services provide by the parties to you or by you to the parties via a website or via e-mail, or any other digital means. The collaborating parties will also not accept liability for any damages resulting from the use of data, advice or ideas provided by or on behalf of the parties by means of the Health and Care Information Models. The parties will not accept any liability for the content of information in this Health and Care Information Model to which or from which a hyperlink is referred. In the event of contradictions in mentioned Health and Care Information Model documents and files, the most recent and highest version of the listed order in the revisions will indicate the priority of the documents in question. If information included in the digital version of a Health and Care Information Model is also distributed in writing, the written version will be leading in case of textual differences. This will apply if both have the same version number and date. A definitive version has priority over a draft version. A revised version has priority over previous versions.

## 1.19 Terms of Use

The user may use the Health and Care Information Models without limitations. The copyright provisions in the paragraph concerned apply to copying, distributing and passing on the Health and Care Information Models.

## 1.20 Copyrights

A Health and Care Information Model qualifies as a work within the meaning of Section 10 of the Copyright Act (Auteurswet). Copyrights protect the Health and Care Information Models and these rights are owned by the cooperating parties.

The user may copy, distribute and pass on the information in this Health and Care Information Model under the conditions that apply for Creative Commons license Attribution-NonCommercial-ShareAlike 3.0 Netherlands (CC BY-NC-SA-3.0).

The content is available under Creative Commons Attribution-NonCommercial-ShareAlike 3.0 (see also <http://creativecommons.org/licenses/by-nc-sa/3.0/nl/>)

This does not apply to information from third parties that sometimes is used and / or referred to in a Health and Care Information Model, for example to an international medical terminology system. Any (copyright) rights that protect this information are not owned by the cooperating parties but by those third parties.





Nictiz is de landelijke, onafhankelijke kennisorganisatie die zich inzet voor digitale informatie-uitwisseling in de zorg. Nictiz doet dit onder meer door het gebruiksgericht ontwikkelen en het beheren van informatiestandaarden in opdracht van en samen met de partijen in de zorg. Nictiz signaleert en adviseert partijen in de zorg over informatie-uitwisseling en over (toekomstige) nationale en internationale ontwikkelingen.

**Nictiz**

Postbus 19121  
2500 CC Den Haag  
Oude Middenweg 55  
2491 AC Den Haag

070-3173450  
info@nictiz.nl  
[www.nictiz.nl](http://www.nictiz.nl)

