

Zorginformatiebouwsteen: nl.zorg.MedicationAgreement-v2.1

Status: Final
Publicatie: 2022
Publicatie status: Prepublished

Beheerd door:



Inhoudsopgave

1. nl.zorg.MedicationAgreement-v2.1	3
1.1 Revision History	3
1.2 Concept	3
1.3 Mindmap	3
1.4 Purpose	4
1.5 Patient Population	4
1.6 Evidence Base	4
1.7 Information Model	4
1.8 Example Instances	9
1.9 Instructions	10
1.10 Interpretation	10
1.11 Care Process	10
1.12 Example of the Instrument	10
1.13 Constraints	10
1.14 Issues	10
1.15 References	10
1.16 Functional Model	10
1.17 Traceability to other Standards	10
1.18 Disclaimer	10
1.19 Terms of Use	11
1.20 Copyrights	11

1. nl.zorg.MedicationAgreement-v2.1

DCM::CoderList	Projectgroep Medicatieproces
DCM::ContactInformation.Address	
DCM::ContactInformation.Name	*
DCM::ContactInformation.Telecom	
DCM::ContentAuthorList	Projectgroep Medicatieproces
DCM::CreationDate	1-2-2017
DCM::DeprecatedDate	
DCM::DescriptionLanguage	nl
DCM::EndorsingAuthority.Address	
DCM::EndorsingAuthority.Name	PM
DCM::EndorsingAuthority.Telecom	
DCM::Id	2.16.840.1.113883.2.4.3.11.60.40.3.9.6
DCM::KeywordList	Medicatie, Afspraak
DCM::LifecycleStatus	Final
DCM::ModelerList	Kerngroep Registratie aan de Bron
DCM::Name	nl.zorg.Medicatieafspraak
DCM::PublicationDate	15-10-2023
DCM::PublicationStatus	Prepublished
DCM::ReviewerList	Projectgroep Medicatieproces & Architectuurgroep Registratie aan de Bron
DCM::RevisionDate	17-07-2023
DCM::Supersedes	nl.zorg.Medicatieafspraak-v2.0
DCM::Version	2.1
HCIM::PublicationLanguage	EN

1.1 Revision History

Publicatieversie 1.0 (04-09-2017)

Publicatieversie 1.0.1 (31-12-2017)

Bevat: ZIB-618, ZIB-643.

Publicatieversie 1.1 (31-01-2020)

Bevat: ZIB-888.

Publicatieversie 1.2 (01-09-2020)

Bevat: ZIB-911, ZIB-1020, ZIB-1021.

Publicatieversie 1.3 (01-12-2021)

Bevat: ZIB-1261, ZIB-1454, ZIB-1457, ZIB-1458, ZIB-1575.

Publicatieversie 2.0 (10-06-2022)

Bevat: ZIB-1659, ZIB-1685, ZIB-1696, ZIB-1720.

Publicatieversie 2.1 (15-10-2023)

Bevat: ZIB-1852, ZIB-1939, ZIB-1940.

1.2 Concept

A medication agreement is a prescriber's proposal for a patient to use medication. An agreement to discontinue the use of medication is also a medication agreement.

1.3 Mindmap


1.4 Purpose

The goal of the medication agreement is to provide insight into the agreements reached between the prescriber and the patient on the use of medication.

1.5 Patient Population

1.6 Evidence Base

1.7 Information Model



«rootconcept»	MedicationAgreement
Definitie	Root concept of the MedicationAgreement information model. This root concept contains all data elements of the MedicationAgreement information model.
Datatype	
DCM::ConceptId	NL-CM:9.6.9580
DCM::DefinitionCode	SNOMED CT: 33633005 Prescription of drug
Opties	

«context»	Prescriber::HealthProfessional
Definitie	The health professional that entered the medication agreement with the patient.
Datatype	
DCM::ConceptId	NL-CM:9.6.1030
DCM::ReferencedConceptId	NL-CM:17.1.1 This is a reference to the rootconcept of information model HealthProfessional.

Opties	
---------------	--

«context»	PrescriptionReason::Problem	
Definitie	<p>The medical reason for the prescription or for use of the medication. This can be used to enter a medical indication which was the direct cause for prescription or for use of the medication in question.</p> <p>It can concern every type of problem (or condition) of the patient, almost all diagnoses, complaints or symptoms.</p> <p>Please note: The BST401T file of the G standard contains a “special reference” to indicate that “exchange of the reason for prescription is essential”.</p>	
Datatype		
DCM::ConceptId	NL-CM:9.6.23133	
DCM::DefinitionCode	SNOMED CT: 112201000146104 Medical reason for prescription (observable entity)	
DCM::ReferencedConceptId	NL-CM:5.1.1	This is a reference to the rootconcept of information model Problem.
Opties		

«data»	AgreedMedicine::PharmaceuticalProduct	
Definitie	The medicine agreed upon to be used.	
Datatype		
DCM::ConceptId	NL-CM:9.6.19925	
DCM::ReferencedConceptId	NL-CM:9.7.1	This is a reference to the rootconcept of information model PharmaceuticalProduct.
Opties		

«data»	InstructionsForUse	
Definitie	Instructions for the use of the medication, e.g. dose and route of administration.	
Datatype		
DCM::ConceptId	NL-CM:9.6.23240	
DCM::ReferencedConceptId	NL-CM:9.12.1	This is a reference to the rootconcept of information model InstructionsForUse.
Opties		

«data»	MedicationAgreementDateTime	
Definitie	<p>The time at which the agreement was made.</p> <p>Appointment date + time are required (order of the appointments must be clear in cases with multiple appointments on one day)</p>	
Datatype	TS	
DCM::ConceptId	NL-CM:9.6.19757	
DCM::ExampleValue	27-01-2015	
Opties		

«data»	PeriodOfUse::TimeInterval	
Definitie	<p>Start date: This is the time at which the agreement was to take effect (or took effect or will take effect). This is the time at which the instructions for use in this agreement start. In the case of an agreement to discontinue use, this is the start date of the original medication agreement. The end date indicates from when the medication is to be discontinued.</p>	

	<p>Duration: The intended duration of use. E.g. 5 days or 8 weeks. It is not allowed to indicate the duration in months, because different months have a variable duration in days.</p> <p>End date: The time at which the period of use ends (or ended or will end). In the case of an agreement to discontinue use, this is the time at which the medication is to be discontinued. To avoid confusion between 'to' and 'up until and including', the submission of time is always mandatory for the end date.</p> <p>With medication for an indefinite period only a start date is indicated.</p>	
Datatype		
DCM::ConceptId	NL-CM:9.6.19936	
DCM::ExampleValue	12-03-2012 16:00	
DCM::ReferencedConceptId	NL-CM:20.3.1	This is a reference to the rootconcept of partial information model TimeInterval.
Opties		

«data»	MedicationAgreementStopType	
Definitie	Stop type, the manner in which this medication is discontinued (temporary or definitive).	
Datatype	CD	
DCM::ConceptId	NL-CM:9.6.19954	
DCM::DefinitionCode	SNOMED CT: 274512008 Drug therapy discontinued (situation)	
DCM::ValueSet	MedicationAgreementStopTypeCodeList	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.6.1
Opties		

«data»	ReasonModificationOrDiscontinuation	
Definitie	Reason for modification or discontinuation of the medication agreement.	
Datatype	CD	
DCM::ConceptId	NL-CM:9.6.22094	
DCM::DefinitionCode	SNOMED CT: 160111000146106 Reason for change of prescription	
DCM::ValueSet	ReasonModificationOrDiscontinuationCodeList	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.6.2
Opties		

«data»	MedicationAgreementAdditionalInformation	
Definitie	Additional information includes details on the structure of the agreement made that are relevant for pharmacovigilance and fulfillment by the pharmacist. This can be used e.g. to indicate that there was a conscious decision to deviate from the norm or that the agreement is to be structured in a certain way. See also the Instructions section for more information about use of the element.	
Datatype	CD	
DCM::ConceptId	NL-CM:9.6.23283	
DCM::ValueSet	MedicationAgreementAdditionalInformationCodeList	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.6.3
Opties		

«data»	Comment
Definitie	Comments regarding to the medication agreement. For example: in consultation with the medical specialist.
Datatype	ST
DCM::ConceptId	NL-CM:9.6.22273
DCM::DefinitionCode	LOINC: 48767-8 Annotation comment
Opties	

«document»	MedicationAgreementAdditionalInformationCodeList
Definitie	
Datatype	
DCM::ValueSetBinding	Extensible
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.60.40.2.9.6.3
HCIM::ValueSetLanguage	NL
Opties	

MedicatieafpraakAanvullendeInformatieCodelijst			OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.6.3	
--	--	--	---	--

Concept Name	Concept Code	Coding Syst. Name	Coding System OID	Description
Bewust hoge dosering	1	G-std thesaurus 2050	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.14.2050	Bewust hoge dosering
Bewust lage dosering	2	G-std thesaurus 2050	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.14.2050	Bewust lage dosering
Bewust afwijkende toedieningsweg	3	G-std thesaurus 2050	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.14.2050	Bewust afwijkende toedieningsweg
Medische noodzaak	4	G-std thesaurus 2050	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.14.2050	Medische noodzaak
Profylaxe	5	G-std thesaurus 2050	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.14.2050	Profylaxe
Wijziging in GDS per direct	6	G-std thesaurus 2050	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.14.2050	Wijziging in GDS per direct
Wijziging in GDS per rolwissel	7	G-std thesaurus 2050	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.14.2050	Wijziging in GDS per rolwissel
Bewust afwijken van leeftijdsgrenzen	8	G-std thesaurus 2050	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.14.2050	Bewust afwijken van leeftijdsgrenzen
Bewust van te lage nierfunctie voor deze dosering	9	G-std thesaurus 2050	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.14.2050	Bewust van te lage nierfunctie voor deze dosering
Bewust van eerder gemelde overgevoeligheid	10	G-std thesaurus 2050	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.14.2050	Bewust van eerder gemelde overgevoeligheid

«document»	ReasonModificationOrDiscontinuationCodeList
Definitie	
Datatype	
DCM::ValueSetBinding	Extensible
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.60.40.2.9.6.2
HCIM::ValueSetLanguage	NL
Opties	

RedenWijzigenOfStakenCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.6.2
--------------------------------	---

Concept Name	Concept Code	Coding Syst. Name	Coding System OID	Description
Medication commenced	266709005	SNOMED CT	2.16.840.1.113883.6.96	Starten medicamenteuze behandeling [DEPRECATED]
Administration of drug or medicament contraindicated (situation)	438833006	SNOMED CT	2.16.840.1.113883.6.96	Toedienen van medicatie gecontra-indiceerd
Drug interaction (disorder)	79899007	SNOMED CT	2.16.840.1.113883.6.96	Geneesmiddelinteractie
Adverse reaction to drug	62014003	SNOMED CT	2.16.840.1.113883.6.96	Ongewenste reactie op medicatie en/of drugs
Hypersensitivity condition (disorder)	473010000	SNOMED CT	2.16.840.1.113883.6.96	Overgevoeligheid [DEPRECATED]
Lack of drug action (finding)	58848006	SNOMED CT	2.16.840.1.113883.6.96	Gebrek aan geneesmiddeleffect
Too strong drug action (finding)	112251000146103	SNOMED CT	2.16.840.1.113883.6.96	Te sterk effect van medicatie
At risk of medication side effect (finding)	704417003	SNOMED CT	2.16.840.1.113883.6.96	(Mogelijke) bijwerking [DEPRECATED]
Insufficient route of administration (finding)	112191000146101	SNOMED CT	2.16.840.1.113883.6.96	Medicatie-toedieningsweg voldoet niet
Drug treatment not indicated (situation)	183966005	SNOMED CT	2.16.840.1.113883.6.96	Geen indicatie voor medicamenteuze behandeling
Medication management changed (situation)	112751000146109	SNOMED CT	2.16.840.1.113883.6.96	Medicatiebeleids veranderd
Admission to establishment (procedure)	305335007	SNOMED CT	2.16.840.1.113883.6.96	Opname in instelling
Patient requested modification of treatment	159711000146106	SNOMED CT	2.16.840.1.113883.6.96	Verzoek van zorgafnemer om behandeling te wijzigen
Patient requested treatment (situation)	184003006	SNOMED CT	2.16.840.1.113883.6.96	Wens patiënt [DEPRECATED]
Patient agreed with treatment (situation)	112211000146102	SNOMED CT	2.16.840.1.113883.6.96	Volgens afspraak [DEPRECATED]
Treatment previous prescriber continued (situation)	112261000146100	SNOMED CT	2.16.840.1.113883.6.96	Hervatten beleid vorige voorschrijver
Planned procedure (situation)	405613005	SNOMED CT	2.16.840.1.113883.6.96	Verrichting gepland
Incorrect registration of medication	159691000146109	SNOMED CT	2.16.840.1.113883.6.96	Foutieve registratie van medicatie
Drug not available - out of stock	182856006	SNOMED CT	2.16.840.1.113883.6.96	Geneesmiddel niet voorradig
Change in lab value	160131000146104	SNOMED CT	2.16.840.1.113883.6.96	Verandering in labwaarde
Duplicate registration of medication treatment	160161000146108	SNOMED CT	2.16.840.1.113883.6.96	Dubbele registratie van medicamenteuze behandeling
Patient takes medication as prescribed	112221000146107	SNOMED CT	2.16.840.1.113883.6.96	Medicatiegebruik van patient volgens afspraak
Overig	OTH	NullFlavor	2.16.840.1.113883.5.1008	Overig

«document»	MedicationAgreementStopTypeCodeList	
Definitie		
Datatype		
DCM::ValueSetBinding	Extensible	
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.60.40.2.9.6.1	
HCIM::ValueSetLanguage	NL	
Opties		

MedicatieafpraakStopTypeCodelijst			OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.6.1	
Concept Name	Concept Code	Coding Syst. Name	Coding System OID	Description
Drug therapy temporarily stopped	113381000146106	SNOMED CT	2.16.840.1.113883.6.96	Tijdelijke onderbreking van medicamenteuze behandeling (bijvoorbeeld tijdelijk stoppen gebruik vanwege operatie).
Drug therapy definitively stopped	113371000146109	SNOMED CT	2.16.840.1.113883.6.96	Het staken van een bestaande medicamenteuze behandeling.

	Legend
Definitie	
Datatype	
Opties	

«invariant»	Constraint
Definitie	Permitted units for the duration: hour, day, week, year
Datatype	
Opties	

1.8 Example Instances

MedicatieAfspraak DatumTijd	Gebruiksperiode			Afgesproken geneesmiddel	Voorschrijver	MedicatieAfspraak Stoptype	MedicatieAfspraak RedenWijzigenOfStaken
	Ingangsdatum	Einddatum	Duur				
				FarmaceutischProduct	Zorgverlener		
					Naamgegevens		
18-9-2016 18:00:00	08-09-16	18-09-16		Lisinopril tablet 10mg	D. Bakker	Definitief	Geen of onvoldoende effect
6-3-2016 9:12:30	06-03-2016			Methotrexaat injvlst 25mg/ml 0,6 ml	R. Jansen		

RedenVan Voorschrijven	Gebruiksaanwijzing				
	Probleem	Omschrijving	Doseerinstructie		
Doseerduur			Dosering Keerdosis	Toedieningsschema Frequentie Interval Toedientijd Weekdag Dagdeel	
				1 stuk	1x per dag
Reumatoïde Artritis	Vanaf 8-9-2017 tot 18-9-2017 1x per dag 1 stuk. Vanaf 18-9-2017 staken.			15 mg (=0,6 ml)	1x per week op maandag (14u)

1.9 Instructions

1.10 Interpretation

1.11 Care Process

1.12 Example of the Instrument

1.13 Constraints

1.14 Issues

1.15 References

1.16 Functional Model

1.17 Traceability to other Standards

1.18 Disclaimer

The Health and Care Information Models (a.k.a Clinical Building Block) has been made in collaboration with several different parties in healthcare. These parties asked Nictiz to manage good maintenance and development of the information models. Hereafter, these parties and Nictiz are referred to as the collaborating parties. The collaborating parties paid utmost attention to the reliability and topicality of the

data in these Health and Care Information Models. Omissions and inaccuracies may however occur. The collaborating parties are not liable for any damages resulting from omissions or inaccuracies in the information provided, nor are they liable for damages resulting from problems caused by or inherent to distributing information on the internet, such as malfunctions, interruptions, errors or delays in information or services provided by the parties to you or by you to the parties via a website or via e-mail, or any other digital means. The collaborating parties will also not accept liability for any damages resulting from the use of data, advice or ideas provided by or on behalf of the parties by means of the Health and Care Information Models. The parties will not accept any liability for the content of information in this Health and Care Information Model to which or from which a hyperlink is referred. In the event of contradictions in mentioned Health and Care Information Model documents and files, the most recent and highest version of the listed order in the revisions will indicate the priority of the documents in question. If information included in the digital version of a Health and Care Information Model is also distributed in writing, the written version will be leading in case of textual differences. This will apply if both have the same version number and date. A definitive version has priority over a draft version. A revised version has priority over previous versions.

1.19 Terms of Use

The user may use the Health and Care Information Models without limitations. The copyright provisions in the paragraph concerned apply to copying, distributing and passing on the Health and Care Information Models.

1.20 Copyrights

A Health and Care Information Model qualifies as a work within the meaning of Section 10 of the Copyright Act (Auteurswet). Copyrights protect the Health and Care Information Model and these rights are owned by the cooperating parties.

The user may copy, distribute and pass on the information in this Health and Care Information Model under the conditions that apply for Creative Commons license Attribution-NonCommercial-ShareAlike 3.0 Netherlands (CC BY-NC-SA-3.0).

The content is available under Creative Commons Attribution-NonCommercial-ShareAlike 3.0 (see also <http://creativecommons.org/licenses/by-nc-sa/3.0/nl/>)

This does not apply to information from third parties that sometimes is used and / or referred to in a Health and Care Information Model, for example to an international medical terminology system. Any (copyright) rights that protect this information are not owned by the cooperating parties but by those third parties.

Nictiz is de landelijke, onafhankelijke kennisorganisatie die zich inzet voor digitale informatie-uitwisseling in de zorg. Nictiz doet dit onder meer door het gebruiksgericht ontwikkelen en het beheren van informatiestandaarden in opdracht van en samen met de partijen in de zorg. Nictiz signaleert en adviseert partijen in de zorg over informatie-uitwisseling en over (toekomstige) nationale en internationale ontwikkelingen.

Nictiz

Postbus 19121
2500 CC Den Haag
Oude Middenweg 55
2491 AC Den Haag

070-3173450
info@nictiz.nl
www.nictiz.nl

