

Health & Care Information Model:

nl.zorg.DAS-v1.1

Status: Final

Release: 2021

Release status: Prepublished

Managed by:



Content

1. nl.zorg.DAS-v1.1	3
1.1 Revision History	3
1.2 Concept	3
1.3 Mindmap	3
1.4 Purpose	3
1.5 Patient Population	3
1.6 Evidence Base	4
1.7 Information Model	4
1.8 Example Instances	11
1.9 Instructions	11
1.10 Interpretation	11
1.11 Care Process	11
1.12 Example of the Instrument	12
1.13 Constraints	12
1.14 Issues	12
1.15 References	12
1.16 Functional Model	12
1.17 Traceability to other Standards	12
1.18 Disclaimer	12
1.19 Terms of Use	12
1.20 Copyrights	12

1. nl.zorg.DAS-v1.1

DCM::CoderList	*
DCM::ContactInformation.Address	*
DCM::ContactInformation.Name	*
DCM::ContactInformation.Telecom	*
DCM::ContentAuthorList	*
DCM::CreationDate	26-03-2020
DCM::DeprecatedDate	
DCM::DescriptionLanguage	nl
DCM::EndorsingAuthority.Address	
DCM::EndorsingAuthority.Name	*
DCM::EndorsingAuthority.Telecom	
DCM::Id	2.16.840.1.113883.2.4.3.11.60.40.3.12.18
DCM::KeywordList	
DCM::LifecycleStatus	Final
DCM::ModelerList	Linda Mook
DCM::Name	nl.zorg.DAS
DCM::PublicationDate	01-12-2021
DCM::PublicationStatus	Prepublished
DCM::ReviewerList	
DCM::RevisionDate	28-07-2021
DCM::Supersedes	nl.zorg.DAS-v1.0
DCM::Version	1.1
HCIM::PublicationLanguage	EN

1.1 Revision History

Publicatieversie 1.0 (01-09-2020)

Publicatieversie 1.1 (01-12-2021)

Bevat: ZIB-1248, ZIB-1404, ZIB-1508, ZIB-1567.

1.2 Concept

The Disease Activity Score (DAS) is a combined index developed in Nijmegen around 1990 to measure disease activity in patients with rheumatoid arthritis (RA). It concerns a formula with 28 or 44 painful and swollen joints, a blood value for inflammation (BSE or CRP) and the overall experience of disease activity by the patient. The DAS results in a number between 0 and 10, which indicates how active rheumatoid arthritis is at present. The score has been validated for use in clinical trials in combination with the EULAR response criteria.

1.3 Mindmap

1.4 Purpose


In addition to frequent use in trials, the DAS is used to measure the disease activity of RA patients in daily clinical practice, supporting the "treat-to-target" strategy recommended in guidelines. The DAS is also used as an outcome measure for the care of RA patients in a national quality registration.

1.5 Patient Population

Adult patients with rheumatoid arthritis (RA).

1.6 Evidence Base

1.7 Information Model



«rootconcept»	DAS
Definitie	Root concept of the information model. This root concept contains all data elements of the information model DAS.
Datatype	
DCM::ConceptId	NL-CM:12.18.1
DCM::DefinitionCode	SNOMED CT: 443349002 Disease activity score in rheumatoid arthritis
Opties	

«data»	DASValue
Definitie	The result (value).
Datatype	
DCM::ConceptId	NL-CM:12.18.15
DCM::DefinitionCode	SNOMED CT: 763259004 Disease Activity Score (observable entity)
DCM::ExampleValue	5,27
Opties	

«data»		DASMethod	
Definitie	The specification of the DAS method used. There are different DAS scores. Each type has a different formula. DAS-28 or DAS-44 stands for 28 or 44 painful and swollen joints. One blood value for inflammation (a ESR or a CRP laboratory result) and the overall experience of disease activity by the patient via a Visual Analog Scale (VAS).		
Datatype			
DCM::ConceptId	NL-CM:12.18.14		
DCM::DefinitionCode	SNOMED CT: 443349002 Disease activity score in rheumatoid arthritis		
DCM::ExampleValue	DAS-28 CRP		
DCM::ValueSet	DASMethodCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.12.18.2	
Opties			

«data»		DASFormula	
Definitie	The specification of the type of DAS. There are different DAS scores. Each type has a different formula.		
Datatype			
DCM::ConceptId	NL-CM:12.18.21		
Opties			

«container»		AffectedJoint	
Definitie	Container of the AffectedJoint concept.This container contains all data elements of the AffectedJoint concept.		
Datatype			
DCM::ConceptId	NL-CM:12.18.2		
DCM::DefinitionCode	SNOMED CT: 118952005 Joint finding		
DCM::ExampleValue	Wrist		
Opties			

«data»		AnatomicalLocation	
Definitie	Joints that are tender and/or swollen.		
Datatype			
DCM::ConceptId	NL-CM:12.18.16		
DCM::ExampleValue	Links		
DCM::ReferencedConceptId	NL-CM:20.7.1	This is a reference to the rootconcept of information model AnatomicLocation.	
Opties			

«data»		Location	
Definitie	The location and laterality of joints in the body.		
Datatype			
DCM::ConceptId	NL-CM:20.7.4		
DCM::DefinitionCode	SNOMED CT: 363698007 Finding site		
DCM::ValueSet	LocationCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.12.18.1	
Opties			

«data»		Swollen	
--------	--	---------	--

Definitie	Swolen joint indicator.	
Datatype		
DCM::ConceptId	NL-CM:12.18.4	
DCM::DefinitionCode	SNOMED CT: 271771009 Joint swelling	
DCM::ExampleValue	False	
Opties		

«data»	Tender	
Definitie	Tender joint indicator.	
Datatype		
DCM::ConceptId	NL-CM:12.18.3	
DCM::DefinitionCode	SNOMED CT: 110288007 Tenderness of joint	
DCM::ExampleValue	True	
Opties		

«data»	CountOfTenderJoints	
Definitie	Count of tender joints as reported by the patient.	
Datatype		
DCM::ConceptId	NL-CM:12.18.11	
DCM::DefinitionCode	SNOMED CT: 442521001 Tender joint count for rheumatoid arthritis assessment	
DCM::ExampleValue	10	
Opties		

«data»	CountOfSwolenJoints	
Definitie	Count of swollen joints.	
Datatype		
DCM::ConceptId	NL-CM:12.18.12	
DCM::DefinitionCode	SNOMED CT: 442194005 Swollen joint count for rheumatoid arthritis assessment	
DCM::ExampleValue	20	
Opties		

«container»	InflammationIndicator	
Definitie	Container of the InflammationIndicator concept.This container contains all data elements of the InflammationIndicator concept.	
Datatype		
DCM::ConceptId	NL-CM:12.18.22	
Opties		

«data»	ESR::LaboratoryResult	
Definitie	The C-reactive protein (CRP) is a laboratory measurement valuable for determining the presence of inflammation or to monitor the effect of a medical treatment on the inflammation. The erythrocyte sedimentation rate (ESR or sed rate) is the rate at which red blood cells in anticoagulated whole blood descend in a standardized tube over a period of one hour. Both test results can be used to calculate the DAS.	
Datatype		
DCM::ConceptId	NL-CM:12.18.20	

DCM::DefinitionCode	LOINC: 4537-7 Erythrocyte sedimentation rate by Westergren method	
DCM::DefinitionCode	LOINC: 4539-3 Erythrocyte sedimentation rate Zeta by Zetafuge	
DCM::ExampleValue	20 (mm/hr)	
DCM::ReferencedConceptId	NL-CM:13.1.1	This is a reference to the rootconcept of information model LaboratoryTestResult.
Opties		

«data»	CRP::LaboratoryResult	
Definitie	The C-reactive protein (CRP) is a laboratory measurement valuable for determining the presence of inflammation or to monitor the effect of a medical treatment on the inflammation. The erythrocyte sedimentation rate (ESR or sed rate) is the rate at which red blood cells in anticoagulated whole blood descend in a standardized tube over a period of one hour. Both test results can be used to calculate the DAS.	
Datatype		
DCM::ConceptId	NL-CM:12.18.19	
DCM::DefinitionCode	LOINC: 1988-5 C reactive protein [Mass/volume] in Serum or Plasma	
DCM::DefinitionCode	LOINC: 30522-7 C reactive protein [Mass/volume] in Serum or Plasma by High sensitivity method	
DCM::ExampleValue	4 (mg/l)	
DCM::ReferencedConceptId	NL-CM:13.1.1	This is a reference to the rootconcept of information model LaboratoryTestResult.
Opties		

«data»	DASDateTime	
Definitie	The date and possibly time when the DAS score measurement was carried out.	
Datatype		
DCM::ConceptId	NL-CM:12.18.17	
DCM::DefinitionCode	SNOMED CT: 439771001	Date of event
Opties		

«data»	VASGeneralHealth	
Definitie	The VAS score for general health as experienced by the patient on a scale of 1 to 100	
Datatype		
DCM::ConceptId	NL-CM:12.18.8	
DCM::DefinitionCode	SNOMED CT: 446661009	Visual analog scale score
DCM::ExampleValue	68	
Opties		

«document»	DASMethodCodelist	
Definitie		
Datatype		
DCM::ValueSetBinding	Extensible	

DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.60.40.2.12.18.2			
HCIM::ValueSetLanguage	--			
Opties				
DASMethodecodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.12.18.2		
Concept Name	Concept Code	Coding Syst. Name	Coding System OID	Description
"Disease Activity Score" van 28 gewrichten bij reumatoïde artritis met bepaling van C-reactieve proteïne (beoordelingsschaal)	117651000146103	SNOMED CT	2.16.840.1.113883.6.96	DAS 28-CRP
"Disease Activity Score" van 28 gewrichten bij reumatoïde artritis met bepaling van bloedbezinking (beoordelingsschaal)	117661000146100	SNOMED CT	2.16.840.1.113883.6.96	DAS28-BSE
"Disease Activity Score" van 44 gewrichten bij reumatoïde artritis met bepaling van C-reactieve proteïne (beoordelingsschaal)	117681000146108	SNOMED CT	2.16.840.1.113883.6.96	DAS44-CRP
"Disease Activity Score" van 44 gewrichten bij reumatoïde artritis met bepaling van bloedbezinking (beoordelingsschaal)	117691000146105	SNOMED CT	2.16.840.1.113883.6.96	DAS44-BSE

«document»	LocationCodelist			
Definitie				
Datatype				
DCM::ValueSetBinding	Extensible			
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.60.40.2.12.18.1			
HCIM::ValueSetLanguage	--			
Opties				

LocatieCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.12.18.1		
Concept Name	Concept Code	Codesystem	Codesystem OID	Description
Temporomandibular joint structure	53620006	SNOMED CT	2.16.840.1.113883.6.96	Kaakgewricht
Sternoclavicular joint structure	7844006	SNOMED CT	2.16.840.1.113883.6.96	Sternoclaviculair gewricht
Acromioclavicular joint structure	85856004	SNOMED CT	2.16.840.1.113883.6.96	Acromioclaviculair gewricht
Glenohumeral joint structure	85537004	SNOMED CT	2.16.840.1.113883.6.96	Schoudergewricht
Elbow joint structure	16953009	SNOMED CT	2.16.840.1.113883.6.96	Ellebooggewricht
Wrist joint structure	74670003	SNOMED CT	2.16.840.1.113883.6.96	Polsgewricht
Carpometacarpal	30099006	SNOMED CT	2.16.840.1.113883.6.96	Carpometacarpaal

joint structure of thumb				gewricht van duim
Metacarpophalangeal joint structure of thumb	56310002	SNOMED CT	2.16.840.1.113883.6.96	Metacarpofalangeaal gewricht van duim
Metacarpophalangeal joint structure of index finger	289002	SNOMED CT	2.16.840.1.113883.6.96	Metacarpofalangeaal gewricht van wijsvinger
Metacarpophalangeal joint structure of middle finger	6059006	SNOMED CT	2.16.840.1.113883.6.96	Metacarpofalangeaal gewricht van middelvinger
Metacarpophalangeal joint structure of ring finger	13822002	SNOMED CT	2.16.840.1.113883.6.96	Metacarpofalangeaal gewricht van ringvinger
Metacarpophalangeal joint structure of little finger	5493005	SNOMED CT	2.16.840.1.113883.6.96	Metacarpofalangeaal gewricht van pink
Structure of interphalangeal joint of thumb	115955008	SNOMED CT	2.16.840.1.113883.6.96	Interfalangeaal gewricht van duim
Structure of proximal interphalangeal joint of index finger	371270005	SNOMED CT	2.16.840.1.113883.6.96	Proximaal interfalangeaal gewricht van wijsvinger
Structure of proximal interphalangeal joint of middle finger	371263005	SNOMED CT	2.16.840.1.113883.6.96	Proximaal interfalangeaal gewricht van middelvinger
Structure of proximal interphalangeal joint of ring finger	371267006	SNOMED CT	2.16.840.1.113883.6.96	Proximaal interfalangeaal gewricht van ringvinger
Structure of proximal interphalangeal joint of little finger	371233001	SNOMED CT	2.16.840.1.113883.6.96	Proximaal interfalangeaal gewricht van pink
Structure of distal interphalangeal joint of index finger	371210002	SNOMED CT	2.16.840.1.113883.6.96	Distaal interfalangeaal gewricht van wijsvinger
Structure of distal interphalangeal joint of middle finger	371218009	SNOMED CT	2.16.840.1.113883.6.96	Distaal interfalangeaal gewricht van middelvinger
Structure of distal interphalangeal joint of ring finger	371204002	SNOMED CT	2.16.840.1.113883.6.96	Distaal interfalangeaal gewricht van ringvinger
Structure of distal interphalangeal joint of little finger	371202003	SNOMED CT	2.16.840.1.113883.6.96	Distaal interfalangeaal gewricht van pink
Sacroiliac joint structure	39723000	SNOMED CT	2.16.840.1.113883.6.96	Sacroiliacaal gewricht
Hip joint structure	24136001	SNOMED CT	2.16.840.1.113883.6.96	Heupgewricht
Knee joint structure	49076000	SNOMED CT	2.16.840.1.113883.6.96	Kniegewricht
Ankle joint structure	70258002	SNOMED CT	2.16.840.1.113883.6.96	Enkelgewricht
Intertarsal joint structure	27949001	SNOMED CT	2.16.840.1.113883.6.96	structuur van articulatio

				intertarsalis
First metatarsophalangeal joint structure	27824001	SNOMED CT	2.16.840.1.113883.6.96	Metatarsofalangeaal gewricht van grote teen
Metatarsophalangeal joint structure of second toe	71721008	SNOMED CT	2.16.840.1.113883.6.96	Metatarsofalangeaal gewricht van tweede teen
Metatarsophalangeal joint structure of third toe	81247008	SNOMED CT	2.16.840.1.113883.6.96	Metatarsofalangeaal gewricht van derde teen
Metatarsophalangeal joint structure of fourth toe	45230000	SNOMED CT	2.16.840.1.113883.6.96	Metatarsofalangeaal gewricht van vierde teen
Metatarsophalangeal joint structure of fifth toe	50133002	SNOMED CT	2.16.840.1.113883.6.96	Metatarsofalangeaal gewricht van kleine teen
Interphalangeal joint structure of great toe	363670009	SNOMED CT	2.16.840.1.113883.6.96	Interfalangeaal gewricht van grote teen
Proximal interphalangeal joint structure of second toe	371292009	SNOMED CT	2.16.840.1.113883.6.96	Proximaal interfalangeaal gewricht van tweede teen
Proximal interphalangeal joint structure of third toe	371255009	SNOMED CT	2.16.840.1.113883.6.96	Proximaal interfalangeaal gewricht van derde teen
Proximal interphalangeal joint structure of fourth toe	371288002	SNOMED CT	2.16.840.1.113883.6.96	Proximaal interfalangeaal gewricht van vierde teen
Proximal interphalangeal joint structure of fifth toe	371284000	SNOMED CT	2.16.840.1.113883.6.96	Proximaal interfalangeaal gewricht van kleine (vijfde) teen
Distal interphalangeal joint structure of second toe	371216008	SNOMED CT	2.16.840.1.113883.6.96	Distaal interfalangeaal gewricht van tweede teen
Distal interphalangeal joint structure of third toe	371219001	SNOMED CT	2.16.840.1.113883.6.96	Distaal interfalangeaal gewricht van derde teen
Distal interphalangeal joint structure of fourth toe	371205001	SNOMED CT	2.16.840.1.113883.6.96	Distaal interfalangeaal gewricht van vierde teen
Distal interphalangeal joint structure of fifth toe	371203008	SNOMED CT	2.16.840.1.113883.6.96	Distaal interfalangeaal gewricht van kleine (vijfde) teen

Constraint	
Definitie	One concept must be selected in this selection box
Datatype	
Opties	

Legend	
Definitie	
Datatype	
Opties	

1.8 Example Instances

DAS						
DatumTijd	Methode	Waarde	Aantal gewrichten		OntstekingIndicator	
			Pijnlijk	Gezwellen	BSE (mm/hr)	CRP (mg/l)
01/08/2020	DAS 28-CRP	5,34	8	2	20	
01/08/2020	DAS28-BSE	4,78	8	2		4

Aangedaan Gewricht				
	Pijnlijk		Gezwellen	
	L	R	L	R
Schoudergewricht				
Ellebooggewricht				
Polsgewricht				
Metacarpofalangeaal gewricht van:				
duim				
wijsvinger				
middelvinger				
ringvinger				
pink		x		
duim		x		
wijsvinger	x	x		x
middelvinger		x		
ringvinger	x	x		x
pink		x		
Kniegewricht				
Aantal pijnlijk	8			
Aantal gezwollen			2	

1.9 Instructions

1.10 Interpretation

1.11 Care Process

1.12 Example of the Instrument

1.13 Constraints

1.14 Issues

1.15 References

Informatie over het DAS instrument [Online] Beschikbaar op: <https://www.das-score.nl/das28/en/>
[Geraadpleegd: 8 oktober 2019]

1.16 Functional Model

1.17 Traceability to other Standards

1.18 Disclaimer

The Health and Care Information Models (a.k.a Clinical Building Block) has been made in collaboration with several different parties in healthcare. These parties asked Nictiz to manage good maintenance and development of the information models. Hereafter, these parties and Nictiz are referred to as the collaborating parties. The collaborating parties paid utmost attention to the reliability and topicality of the data in these Health and Care Information Models. Omissions and inaccuracies may however occur. The collaborating parties are not liable for any damages resulting from omissions or inaccuracies in the information provided, nor are they liable for damages resulting from problems caused by or inherent to distributing information on the internet, such as malfunctions, interruptions, errors or delays in information or services provide by the parties to you or by you to the parties via a website or via e-mail, or any other digital means. The collaborating parties will also not accept liability for any damages resulting from the use of data, advice or ideas provided by or on behalf of the parties by means of the Health and Care Information Models. The parties will not accept any liability for the content of information in this Health and Care Information Model to which or from which a hyperlink is referred. In the event of contradictions in mentioned Health and Care Information Model documents and files, the most recent and highest version of the listed order in the revisions will indicate the priority of the documents in question. If information included in the digital version of a Health and Care Information Model is also distributed in writing, the written version will be leading in case of textual differences. This will apply if both have the same version number and date. A definitive version has priority over a draft version. A revised version has priority over previous versions.

1.19 Terms of Use

The user may use the Health and Care Information Models without limitations. The copyright provisions in the paragraph concerned apply to copying, distributing and passing on the Health and Care Information Models.

1.20 Copyrights

A Health and Care Information Model qualifies as a work within the meaning of Section 10 of the Copyright Act (Auteurswet). Copyrights protect the Health and Care Information Models and these rights are owned by the cooperating parties.

The user may copy, distribute and pass on the information in this Health and Care Information Model under

the conditions that apply for Creative Commons license Attribution-NonCommercial-ShareAlike 3.0 Netherlands (CC BY-NC-SA-3.0).

The content is available under Creative Commons Attribution-NonCommercial-ShareAlike 3.0 (see also <http://creativecommons.org/licenses/by-nc-sa/3.0/nl/>)

This does not apply to information from third parties that sometimes is used and / or referred to in a Health and Care Information Model, for example to an international medical terminology system. Any (copyright) rights that protect this information are not owned by the cooperating parties but by those third parties.

Nictiz is the independent national competence centre for electronic exchange of health and care information. The activities of Nictiz include the targeted development and management of information standards at the request of and in partnership with the stakeholders in healthcare. Nictiz advises these parties on all aspects of information exchange and identifies (future) national and international developments.

Nictiz

P.O. Box 19121
2500 CC Den Haag
Oude Middenweg 55
2491 AC Den Haag

070-3173450
info@nictiz.nl
www.nictiz.nl



