

Health & Care Information Model: nl.zorg.Burnwound-v3.1

Status:Final

Release:2017

Release status: Prepublished

Managed by:

Better health
through better IT

Nictiz 

Content

1. nl.zorg.Burnwound-v3.1	3
1.1 Revision History	3
1.2 Concept	3
1.3 Mindmap	4
1.4 Purpose	4
1.5 Patient Population	4
1.6 Evidence Base	4
1.7 Information Model	5
1.8 Example Instances	9
1.9 Instructions	9
1.10 Interpretation	10
1.11 Care Process	10
1.12 Example of the Instrument	10
1.13 Constraints	10
1.14 Issues	11
1.15 References	11
1.16 Functional Model	11
1.17 Traceability to other Standards	11
1.18 Disclaimer	11
1.19 Terms of Use	11
1.20 Copyrights	12

1. nl.zorg.Brandwound-v3.1

DCM::CoderList	Werkgroep RadB Verpleegkundige Gegevens
DCM::ContactInformation.Address	*
DCM::ContactInformation.Name	*
DCM::ContactInformation.Telecom	*
DCM::ContentAuthorList	Werkgroep RadB Verpleegkundige Gegevens
DCM::CreationDate	18-9-2014
DCM::DeprecatedDate	
DCM::DescriptionLanguage	nl
DCM::EndorsingAuthority.Address	
DCM::EndorsingAuthority.Name	PM
DCM::EndorsingAuthority.Telecom	
DCM::Id	2.16.840.1.113883.2.4.3.11.60.40.3.19.4
DCM::KeywordList	Brandwond
DCM::LifecycleStatus	Final
DCM::ModelerList	Werkgroep RadB Verpleegkundige Gegevens
DCM::Name	nl.zorg.Brandwond
DCM::PublicationDate	04-09-2017
DCM::PublicationStatus	Prepublished
DCM::ReviewerList	Projectgroep RadB Verpleegkundige Gegevens & Kerngroep Registratie aan de Bron
DCM::RevisionDate	04-09-2017
DCM::Superseeds	nl.zorg.Brandwond-v3.0
DCM::Version	3.1
HCIM::PublicationLanguage	EN

1.1 Revision History

Publicatieversie 1.0 (01-07-2015)

Publicatieversie 3.0 (01-05-2016)

Bevat: ZIB-453

Publicatieversie 3.1 (04-09-2017)

Bevat: ZIB-530, ZIB-532, ZIB-585.

1.2 Concept

A burn wound is a wound caused by skin being exposed to heat for a certain time above a certain critical temperature. Heat above this critical temperature (+/- 40°C) will cause damage to the skin. There are different types of burn wounds, which are categorized according to the depth of the burn wound. The depth of the burn wound depends on:

- the temperature of the impacting heat;
- the duration of the impact of heat on the skin;
- the source of the burn (e.g. fire, fluid).

1.3 Mindmap

1.4 Purpose

The description of the burn wound is of importance for starting or continuing the best possible wound treatment and to be able to properly monitor the wound healing process.

1.5 Patient Population

1.6 Evidence Base

Different degrees are used to evaluate the depth of the burn wound:

First-degree burn (no wound):

- redness
- good capillary refill
- supple
- painful

Superficial second-degree burn wound (partial thickness of the skin):

- intact / broken blisters
- pink, shiny, uniform
- good capillary refill
- supple
- painful

• Deep second-degree burn wound:

- intact / broken blisters
- pink, matte, not homogenous, damp


- slow capillary refill
- slightly more firm
- painful

Third-degree burn wound

- intact / broken blisters, epidermis stuck to burned dermis
- white, brown, yellow, red (when kept in hot water for a prolonged period of time)
- no capillary refill, non-removable redness
- firm
- less painful than the size of the wound makes it appear

(Source: Brandwondenprotocol 2010, Rode Kruis Brandwondencentrum Beverwijk [2010 Burn wound protocol, Beverwijk Red Cross Burn Wound Center])

1.7 Information Model



«rootconcept»	BurnWound	
Definitie	Root concept of the BurnWound information model. This concept contains all data elements of the BurnWound information model.	
Datatype		
DCM::ConceptId	NL-CM:19.4.1	
DCM::DefinitionCode	SNOMED CT: 125666000 Brandwond	
Opties		

«data»	DateOfOnset	
Definitie	Date on which the burn wound appeared.	
Datatype	TS	
DCM::ConceptId	NL-CM:19.4.3	
DCM::ExampleValue	01-07-2014	
Opties		

«data»	Extent	
Definitie	<p>The extent of a burn wound is indicated in a percentage of the 'Total Body Surface Area' (TBSA). For adults, the TBSA can be calculated on the basis of the 'rule of nines', in which body parts are expressed in the percentage 9 and multiples of 9. This 'rule of nines' cannot be used for children because a child's body proportions are different from those of an adult. For children, separate tables were developed per age group to determine the extent of burn wounds. Another option is measuring the extent using the patient's hand surface area. The surface area of a patient's hand (including the fingers) equals approximately 1% of their total body surface area.</p> <p>(Source: Brandwonden genezen. Hoe verder? [Healing Burn Wounds. What now?])</p>	
Datatype	PQ	
DCM::ConceptId	NL-CM:19.4.7	
DCM::ExampleValue	27%	
Opties		

«data»	BrandwondSoort	
Definitie	Indication of the kind of the burn wound, differentiated into the cause of the injury.	
Datatype	CD	
DCM::ConceptId	NL-CM:19.4.9	
DCM::ExampleValue	Chemische brandwond	
DCM::ValueSet	BurnTypeCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.19.4.3
Opties		

«data»	AnatomicalLocation	
Definitie	The location of the burn wound on the body.	
Datatype	CD	
DCM::ConceptId	NL-CM:19.4.4	

DCM::DefinitionCode	SNOMED CT: 363698007 Finding site	
DCM::ExampleValue	Bil	
DCM::ValueSet	BurnWoundAnatomicalLocationCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.19.4.2
Opties		

«data»	Laterality	
Definitie	Laterality adds information about body side to the anatomic location, e.g. left	
Datatype	CD	
DCM::ConceptId	NL-CM:19.4.10	
DCM::DefinitionCode	SNOMED CT: 272741003 Laterality	
DCM::ExampleValue	Links	
DCM::ValueSet	BurnWoundLateralityCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.19.4.4
Opties		

«data»	Depth	
Definitie	Description of the severity of the burn wound, ranging from degree 1 - 3.	
Datatype	CO	
DCM::ConceptId	NL-CM:19.4.2	
DCM::ExampleValue	2e graads, oppervlakkig	
DCM::ValueSet	DepthCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.19.4.1
Opties		

«data»	Comment	
Definitie	Comment on the burn wound.	
Datatype	ST	
DCM::ConceptId	NL-CM:19.4.5	
DCM::DefinitionCode	LOINC: 48767-8 Annotation comment	
Opties		

«data»	DateOfLastDressingChange	
Definitie	Date on which the dressing was last changed.	
Datatype	TS	
DCM::ConceptId	NL-CM:19.4.8	
DCM::ExampleValue	10-10-2014	
Opties		

«document»	BurnWoundLateralityCodelist	
Definitie		
Datatype		
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.60.40.2.19.4.4	
Opties		

BrandwondLateraleiteitCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.19.4.4		
Concept Name	Concept Code	CodeSys.	CodeSystem OID	Description

		Name		
Left	7771000	SNOMED CT	2.16.840.1.113883.6.96	Links
Right	24028007	SNOMED CT	2.16.840.1.113883.6.96	Rechts
Right and left	51440002	SNOMED CT	2.16.840.1.113883.6.96	Rechts en links

«document»		BurnWoundAnatomicalLocationCodelist	
Definitie			
Datatype			
DCM::ValueSetId		2.16.840.1.113883.2.4.3.11.60.40.2.19.4.2	
Opties			
BrandwondAnatomischeLocatieCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.19.4.2	
Codes	Coding Syst. Name	Coding System OID	
SNOMED CT: < 442083009 Anatomical or acquired body structure	SNOMED CT	2.16.840.1.113883.6.96	

«document»		BurnTypeCodelist		
Definitie				
Datatype				
DCM::ValueSetId		2.16.840.1.113883.2.4.3.11.60.40.2.19.4.3		
Opties				
BrandwondSoortCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.19.4.3		
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Chemical burn	26696002	SNOMED CT	2.16.840.1.113883.6.96	Chemisch brandwond
Electrical burn	21720007	SNOMED CT	2.16.840.1.113883.6.96	Elektrische brandwond
Thermal burn	105594005	SNOMED CT	2.16.840.1.113883.6.96	Thermische brandwond



«document»		DepthCodelist		
Definitie				
Datatype				
DCM::ValueSetId		2.16.840.1.113883.2.4.3.11.60.40.2.19.4.1		
Opties				
DieptegraadCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.19.4.1		
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
first degree burn injury	77140003	SNOMED CT	2.16.840.1.113883.6.96	1 ^e graad
superficial partial thickness burn	262587005	SNOMED CT	2.16.840.1.113883.6.96	2 ^e graad, oppervlakkig
deep partial thickness burn	262588000	SNOMED CT	2.16.840.1.113883.6.96	2 ^e graad, diep
third degree burn injury	80247002	SNOMED CT	2.16.840.1.113883.6.96	3 ^e graad

1.8 Example Instances

Brandwond	
Dieptegraad	2 ^e graad, oppervlakkig
Uitgebreidheid	1%
AnatomischeLocatie	onderarm
Lateraliteit	rechts
Soort	thermische brandwond
OntstaansDatum	29-09-2014
DatumLaatste Verbandwissel	10-10-2014
Toelichting	Mevrouw kreeg hete thee over zich heen, wond is ongeveer 10 bij 4 cm.

1.9 Instructions

TVLO kinderen TVLO volwassenen



1 jaar oud

hoofd: 18% | been: 14%

Per jaar ouder dan 1

hoofd: - 1% | been: + 1/2%

www.brandwondenstichting.nl

1.10 Interpretation

1.11 Care Process

1.12 Example of the Instrument

1.13 Constraints

1.14 Issues

Damages to the skin as a result of exposure to intense heat and cold can lead to similar wounds. Nevertheless, we have decided not to expand the information model to become a generic thermal wound information model. The reason for this was the lack of a guideline for treating freeze wounds and insufficient agreement in the field on the applicability of the burn wound classification for freeze wounds. Freeze wounds also rarely occur in the Netherlands, due to the climate.

1.15 References

1. Brandwondenprotocol 2010 [Online] Beschikbaar op: https://www.rkz.nl/brandwondenprotocol_online [Geraadpleegd: 13 februari 2015]
2. Brandwonden genezen. Hoe verder? [Online] Beschikbaar op: http://brandwondenstichting.nl/wp-content/uploads/2013/08/NBS_Hoe-verder-huisartsen-2011.pdf [Geraadpleegd: 13 februari 2015]

1.16 Functional Model

1.17 Traceability to other Standards

1.18 Disclaimer

This Health and Care Information Model (a.k.a Clinical Building Block) has been made in collaboration with several different parties in healthcare. These parties asked Nictiz to manage good maintenance and development of the information models. Hereafter, these parties and Nictiz are referred to as the collaborating parties. The collaborating parties paid utmost attention to the reliability and topicality of the data in these Health and Care Information Models. Omissions and inaccuracies may however occur. The collaborating parties are not liable for any damages resulting from omissions or inaccuracies in the information provided, nor are they liable for damages resulting from problems caused by or inherent to distributing information on the internet, such as malfunctions, interruptions, errors or delays in information or services provide by the parties to you or by you to the parties via a website or via e-mail, or any other digital means. The collaborating parties will also not accept liability for any damages resulting from the use of data, advice or ideas provided by or on behalf of the parties by means of this Health and Care Information Model. The parties will not accept any liability for the content of information in this Health and Care Information Model to which or from which a hyperlink is referred. In the event of contradictions in mentioned Health and Care Information Model documents and files, the most recent and highest version of the listed order in the revisions will indicate the priority of the documents in question. If information included in the digital version of this Health and Care Information Model is also distributed in writing, the written version will be leading in case of textual differences. This will apply if both have the same version number and date. A definitive version has priority over a draft version. A revised version has priority over previous versions.

1.19 Terms of Use

The user may use the information in this Health and Care Information Model without limitations. The copyright provisions in the paragraph concerned apply to copying, distributing and passing on information from this Health and Care Information Model.

1.20 Copyrights

The user may copy, distribute and pass on the information in this Health and Care Information Model under the conditions that apply for Creative Commons license Attribution-NonCommercial-ShareAlike 3.0 Netherlands (CC BY-NC-SA-3.0). The content is available under Creative Commons Attribution-NonCommercial-ShareAlike 3.0 (see also <http://creativecommons.org/licenses/by-nc-sa/3.0/nl/>)