

Health & Care Information Model: nl.zorg.MedicationUse2-v1.0.1

Status:Final

Release:2017

Release status: Published

Managed by:



Content

1. nl.zorg.MedicationUse2-v1.0.1	3
1.1 Revision History	3
1.2 Concept	3
1.3 Mindmap	3
1.4 Purpose	3
1.5 Patient Population	3
1.6 Evidence Base	3
1.7 Information Model	4
1.8 Example Instances	9
1.9 Instructions	9
1.10 Interpretation	9
1.11 Care Process	9
1.12 Example of the Instrument	9
1.13 Constraints	9
1.14 Issues	9
1.15 References	9
1.16 Functional Model	9
1.17 Traceability to other Standards	9
1.18 Disclaimer	10
1.19 Terms of Use	10
1.20 Copyrights	10

1. nl.zorg.MedicationUse2-v1.0.1

DCM::CoderList	Projectgroep Medicatieproces
DCM::ContactInformation.Address	
DCM::ContactInformation.Name	*
DCM::ContactInformation.Telecom	
DCM::ContentAuthorList	Projectgroep Medicatieproces
DCM::CreationDate	1-2-2017
DCM::DeprecatedDate	
DCM::DescriptionLanguage	nl
DCM::EndorsingAuthority.Address	
DCM::EndorsingAuthority.Name	PM
DCM::EndorsingAuthority.Telecom	
DCM::Id	2.16.840.1.113883.2.4.3.11.60.40.3.9.11
DCM::KeywordList	Medicatie, Gebruik
DCM::LifecycleStatus	Final
DCM::ModelerList	Architectuurgroep Registratie aan de Bron
DCM::Name	nl.zorg.MedicatieGebruik2
DCM::PublicationDate	31-12-2017
DCM::PublicationStatus	Published
DCM::ReviewerList	Projectgroep Medicatieproces & Architectuurgroep Registratie aan de Bron
DCM::RevisionDate	31-12-2017
DCM::Superseeds	nl.zorg.MedicatieGebruik2-v1.0
DCM::Version	1.0.1
HCIM::PublicationLanguage	EN

1.1 Revision History

Publicatieversie 1.0 (04-09-2017)

Publicatieversie 1.0.1 (31-12-2017)

Bevat: ZIB-618, ZIB-643.

1.2 Concept

MedicationUse is a statement on the historic, current or intended use of a certain medicine.

1.3 Mindmap


1.4 Purpose

The goal of the medication use is to provide insight into the patient's pattern of use.

1.5 Patient Population

1.6 Evidence Base

1.7 Information Model



«rootconcept»	MedicationUse
Definitie	Root concept of the MedicationUse information model. This root concept contains all data elements of the MedicationUse information model.
Datatype	
DCM::ConceptId	NL-CM:9.11.21338
Opties	

«context»	Prescriber::HealthProfessional	
Definitie	The health professional that entered the medication agreement with the patient.	
Datatype		
DCM::ConceptId	NL-CM:9.11.23290	
DCM::ReferencedConceptId	NL-CM:17.1.1	This is a reference to the rootconcept of information model HealthProfessional.
Opties		

«data»	ProductUsed::FarmaceuticalProduct	
Definitie	The product used. This is usually medication. Food, blood products, aids and bandages do not strictly fall under the category of medication, but can be recorded as well. In principle, this will be the prescribed product, but the product used may differ from the prescribed product.	
Datatype		
DCM::ConceptId	NL-CM:9.11.21339	
DCM::ReferencedConceptId	NL-CM:9.7.19926	This is a reference to the rootconcept of the partial information model Product.

Opties	
--------	--

«data»	InstructionsForUse	
Definitie	Instructions for the use of the medication, e.g. dose and route of administration. In the event of medication use, this is the pattern of use established by the patient or which the patient followed.	
Datatype		
DCM::ConceptId	NL-CM:9.11.22504	
DCM::ReferencedConceptId	NL-CM:9.12.22504	This is a reference to the rootconcept of the partial information model InstructionsForUse.
Opties		

«data»	MedicationUseDateTime	
Definitie	Date on which this use is entered.	
Datatype	TS	
DCM::ConceptId	NL-CM:9.11.22398	
Opties		

«data»	PeriodOfUse	
Definitie	<p>Medication use can be recorded for a certain moment or over a certain period. Thus, medication use can be recorded multiple times during the use of medication. The usage period is the period or moment over which the data is recorded.</p> <p>Start date: This is the time at which the agreement was to take effect (or took effect or will take effect).</p> <p>Duration: The intended duration of use. E.g. 5 days or 8 weeks. It is not allowed to indicate the duration in months, because different months have a variable duration in days.</p> <p>End date: The time at which the period of use ends (or ended or will end). To avoid confusion between 'to' and 'up to', the submission of time is always mandatory for the end date.</p>	
Datatype		
DCM::ConceptId	NL-CM:9.11.22663	
DCM::ReferencedConceptId	NL-CM:20.3.1	This is a reference to the rootconcept of partial information model TimeInterval.
Opties		

«data»	AsAgreedIndicator	
Definitie	Is the medicine used as outlined in the medication agreement?	
Datatype	BL	
DCM::ConceptId	NL-CM:9.11.22492	
DCM::ExampleValue	nee	
Opties		

«data»	UseIndicator	
Definitie	Is this medicine used or not?	
Datatype	BL	
DCM::ConceptId	NL-CM:9.11.22399	
Opties		

«data»	ReasonForUse	
Definitie	The reason for using the medication, particularly in self-care medicine purchased by the patient themselves.	
Datatype	ST	
DCM::ConceptId	NL-CM:9.11.22491	
Opties		

«data»	MedicationUseStopType	
Definitie	Stop type, the manner in which this medication is discontinued (temporary or definitive).	
Datatype	CD	
DCM::ConceptId	NL-CM:9.11.23132	
DCM::ValueSet	MedicationUseStopTypeCodeList	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.11.1
Opties		

«data»	ReasonForChangeOrDiscontinuationOfUse	
Definitie	Reason for changing or discontinuing use of medication.	
Datatype	CD	
DCM::ConceptId	NL-CM:9.11.22493	
DCM::ValueSet	ReasonForChangeOrDiscontinuationOfUseCodeList	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.11.2
Opties		

«data»	Comment	
Definitie	Comments on the medication use.	
Datatype	ST	
DCM::ConceptId	NL-CM:9.11.21624	
DCM::DefinitionCode	LOINC: 48767-8 Annotation comment	
Opties		

«document»	MedicationUseStopTypeCodeList	
Definitie		
Datatype		
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.60.40.2.9.11.1	
Opties		

MedicatiegebruikStopTypeCodelijst			OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.11.1	
Concept Name	Concept Code	Coding Syst. Name	Coding System OID	Description

Tijdelijk	1	Medicatieafspraak StopType	2.16.840.1.113883.2. 4.3.11.60.20.77.5.2.1	Tijdelijke onderbreking van medicamenteuze behandeling (bijvoorbeeld tijdelijk stoppen gebruik vanwege operatie).
Definitief	2	Medicatie afspraak StopType	2.16.840.1.113883.2. 4.3.11.60.20.77.5.2.1	Het staken van een bestaande medicamenteuze behandeling.

«document»	ReasonForChangeOrDiscontinuationOfUseCodList	
Definitie		
Datatype		
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11. 60.40.2.9.11.2	
Opties		

RedenWijzigenOfStoppenGebruikCodelijst			OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.11.2	
Concept Name	Concept Code	Coding Syst. Name	Coding System OID	Description
Medication commenced (finding)	266709005	SNOMED CT	2.16.840.1.113883.6.96	Starten medicamenteuze behandeling
Administration of drug or medicament contraindicated (situation)	438833006	SNOMED CT	2.16.840.1.113883.6.96	Contra-indicatie
Drug interaction (disorder)	79899007	SNOMED CT	2.16.840.1.113883.6.96	Interactie
Hypersensitivity condition (disorder)	473010000	SNOMED CT	2.16.840.1.113883.6.96	Overgevoeligheid
Geen of onvoldoende effect	5	Medicatieafpraak Reden	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.2	Geen of onvoldoende effect
Te sterk effect	6	Medicatieafpraak Reden	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.2	Te sterk effect
(Mogelijke) bijwerking	7	Medicatieafpraak Reden	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.2	(Mogelijke) bijwerking
Toedieningsweg voldoet niet	8	Medicatieafpraak Reden	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.2	Toedieningsweg voldoet niet
Indicatie vervallen	9	Medicatieafpraak Reden	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.2	Indicatie vervallen
Beleidswijziging	10	Medicatieafpraak Reden	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.2	Beleidswijziging
Admission to establishment (procedure)	305335007	SNOMED CT	2.16.840.1.113883.6.96	Opname
Wens patiënt	12	Medicatieafpraak Reden	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.2	Wens patiënt
Volgens afspraak	13	Medicatieafpraak Reden	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.2	Volgens afspraak
Hervatten beleid vorige voorschrijver	14	Medicatieafpraak Reden	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.2	Hervatten beleid vorige voorschrijver
Geplande procedure	15	Medicatieafpraak Reden	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.2	Procedure waaronder ingreep, interferentie met gepland labonderzoek, etc.
Overig	OTH	NullFlavour	2.16.840.1.113883.5.1008	Overig

1.8 Example Instances

MedicatieGebruik DatumTijd	GebruikIndicator	VolgensAfspraak Indicator	Medicatiegebruik Stoptype	Gebruiksperiode			Gebruiksproduct
				Ingangsdatum	Einddatum	Gebruiksduur	ProductCode
3-6-2014 16:19:07	Ja			Mei 2014		1 maand	Paracetamol tablet 500 mg
11-9-2012 17:21:00	Ja	Ja		01-09-12	05-09-12		Pantoprazol injpdr 40 mg fl
19-9-2014 4:12:11	Nee	Nee	Definitief	17-09-14			Dalteparine 2500 injvst 12.500 ie/ml wwsp 0,2ml

RedenGebruik	RedenWijzigenOf StoppenGebruik	GebruiksInstructie						
		Omschrijving	Toedienings Weg	Aanvullende instructie	Doseerinstructie	Doseerduur	Dosering Keerdosis	Toedieningsschema Frequentie Interval Toedientijd Weekda g Dagdeel
Pijn		In de maand mei heb ik regelmatig paracetamol gebruikt.						
Ulcusprofylaxe		Vanaf 1 september 2012 gedurende 5 dagen 1x per dag om 8uur 40 mg (=1 st)	iv				40 mg (=1 st)	1x per dag om 8.00 uur
	(Mogelijke) bijwerking	Tijdelijk gestopt vanwege toenemende bijwerkingen: duizeligheid en misselijkheid.	subcutaan				2500 IE	1x per dag om 18.00 uur

1.9 Instructions

1.10 Interpretation

1.11 Care Process

1.12 Example of the Instrument

1.13 Constraints

1.14 Issues

1.15 References

1.16 Functional Model

1.17 Traceability to other Standards

1.18 Disclaimer

This Health and Care Information Model (a.k.a Clinical Building Block) has been made in collaboration with several different parties in healthcare. These parties asked Nictiz to manage good maintenance and development of the information models. Hereafter, these parties and Nictiz are referred to as the collaborating parties. The collaborating parties paid utmost attention to the reliability and topicality of the data in these Health and Care Information Models. Omissions and inaccuracies may however occur. The collaborating parties are not liable for any damages resulting from omissions or inaccuracies in the information provided, nor are they liable for damages resulting from problems caused by or inherent to distributing information on the internet, such as malfunctions, interruptions, errors or delays in information or services provide by the parties to you or by you to the parties via a website or via e-mail, or any other digital means. The collaborating parties will also not accept liability for any damages resulting from the use of data, advice or ideas provided by or on behalf of the parties by means of this Health and Care Information Model. The parties will not accept any liability for the content of information in this Health and Care Information Model to which or from which a hyperlink is referred. In the event of contradictions in mentioned Health and Care Information Model documents and files, the most recent and highest version of the listed order in the revisions will indicate the priority of the documents in question. If information included in the digital version of this Health and Care Information Model is also distributed in writing, the written version will be leading in case of textual differences. This will apply if both have the same version number and date. A definitive version has priority over a draft version. A revised version has priority over previous versions.

1.19 Terms of Use

The user may use the information in this Health and Care Information Model without limitations. The copyright provisions in the paragraph concerned apply to copying, distributing and passing on information from this Health and Care Information Model.

1.20 Copyrights

The user may copy, distribute and pass on the information in this Health and Care Information Model under the conditions that apply for Creative Commons license Attribution-NonCommercial-ShareAlike 3.0 Netherlands (CC BY-NC-SA-3.0). The content is available under Creative Commons Attribution-NonCommercial-ShareAlike 3.0 (see also <http://creativecommons.org/licenses/by-nc-sa/3.0/nl/>)