

Health & Care Information Model:

nl.zorg.LaboratoryTestResultForTransfer-

v3.0

Status:Final
Release:2016
Release status: Published

Managed by:

Better health
through better IT



Content

1. nl.zorg.LaboratoryTestResultForTransfer-v3.0	4
1.1 Revision History	4
1.2 Concept	4
1.3 Mindmap	5
1.4 Purpose	5
1.5 Patient Population	5
1.6 Evidence Base	5
1.7 Information Model	5
1.7.1 LaboratoriumTest	8
1.7.2 Monster	10
1.8 Example Instances	13
1.9 Instructions	13
1.10 Interpretation	13
1.11 Care Process	13
1.12 Example of the Instrument	13
1.13 Constraints	13
1.14 Issues	13
1.15 References	13
1.16 Functional Model	14
1.17 Traceability to other Standards	14
1.18 Disclaimer	14
1.19 Terms of Use	14
1.20 Copyrights	14

1. nl.zorg.LaboratoryTestResultForTransfer-v3.0

DCM::CoderList	Kerngroep Registratie aan de Bron
DCM::ContactInformation.Address	*
DCM::ContactInformation.Name	*
DCM::ContactInformation.Telcom	*
DCM::ContentAuthorList	Projectgroep Generieke Overdrachtsgegevens & Kerngroep Registratie aan de Bron
DCM::CreationDate	7-6-2012
DCM::DeprecatedDate	
DCM::DescriptionLanguage	nl
DCM::EndorsingAuthority.Address	
DCM::EndorsingAuthority.Name	PM
DCM::EndorsingAuthority.Telcom	
DCM::Id	2.16.840.1.113883.2.4.3.11.60.40.3.13.1
DCM::KeywordList	laboratorium uitslag, lab, laboratorium bepaling
DCM::LifecycleStatus	Final
DCM::ModelerList	Kerngroep Registratie aan de Bron
DCM::Name	nl.zorg.OverdrachtLaboratoriumUitslag
DCM::PublicationDate	1-5-2016
DCM::PublicationStatus	Published
DCM::ReviewerList	Projectgroep Generieke Overdrachtsgegevens & Kerngroep Registratie aan de Bron
DCM::RevisionDate	25-8-2015
DCM::Supersedes	nl.nfu.OverdrachtLaboratoriumUitslag-v1.2.2
DCM::Version	3.0
HCIM::PublicationLanguage	EN

1.1 Revision History

Publicatieversie 1.0 (15-02-2013)

Publicatieversie 1.1 (01-07-2013)

Publicatieversie 1.2 (01-04-2015)

Bevat: ZIB-238, ZIB-239, ZIB-240, ZIB-241, ZIB-242, ZIB-243, ZIB-244, ZIB-245, ZIB-246, ZIB-353, ZIB-361, ZIB-367, ZIB-370.

Incl. algemene wijzigingsverzoeken:

ZIB-94, ZIB-154, ZIB-200, ZIB-201, ZIB-309, ZIB-324, ZIB-326.

Publicatieversie 1.2.1 (22-05-2015)

Bevat: ZIB-392.

Publicatieversie 1.2.2 (16-07-2015)

Bevat: ZIB-420.

Publicatieversie 3.0 (01-05-2016)

Bevat: ZIB-453.

1.2 Concept

A laboratory result describes the result of a laboratory analysis.

In addition to the results of tests with a singular result, the results of more complex tests with multiple

results or a ‘panel’ can also be recorded.

1.3 Mindmap

1.4 Purpose

Laboratory tests are done for the purpose of diagnosing and preventing disease and follow-up on the effects of treatment.

1.5 Patient Population

1.6 Evidence Base

There are two information models for recording laboratory test results: TextResultTransfer and LaboratoryResultTransfer.

In the case of laboratory test results, it is difficult to clearly indicate exactly when to use this information model and when to use the TextResultTransfer information model.



In general, laboratory tests resulting in a value (7.1 mmol/L), ordinal number (++ from series to +++) or a quantitative result (Low) are recorded using this information model. The TextResultTransfer information model is better suited for textual results that are more descriptive in nature and which are longer than just a few words. Both types of tests occur in almost all laboratories.

The applicability of the aforementioned information models is not determined by the kind of lab but by the kind of result.

In developing the information model, the definitions were used from the data set and coding choices from the IHE/Nictiz e-Lab program.

The now determined information model is a subset of the e-Lab data set, provided that the detailing that is less relevant to the general transfer use case was left out. If this information is required, it can be entered in the comments field.

1.7 Information Model



«rootconcept»	LaboratoryTestResult
Definitie	Root concept of the LaboratoryTestResultTransfer information model. This root concept contains all data elements of the Laboratory TestResultTransfer information model.
Datatype	
DCM::ConceptId	NL-CM:13.1.1
Opties	

«data»	Test
Definitie	For laboratory tests comprising multiple subtests and often requested together as a whole, this concept contains the name of the compound request (often indicated as a ‘panel’, ‘battery’ or ‘cluster’). Examples include: blood gases and EBV serology.
Datatype	CD
DCM::ConceptId	NL-CM:13.1.4
DCM::ExampleValue	Bloedgassen
DCM::ValueSet	TestCodelist OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.5
Opties	

«data»	ResultStatus
Definitie	The status of the laboratory test result.
Datatype	CD
DCM::ConceptId	NL-CM:13.1.6
DCM::ExampleValue	Definitief
DCM::ValueSet	ResultStatusCodelist OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.8
Opties	

«data»	Explanation
Definitie	Comments, such as a textual interpretation or advice accompanying the result, for example.

Datatype	ST
DCM::ConceptId	NL-CM:13.1.5
DCM::DefinitionCode	LOINC: 48767-8 Annotation comment
Opties	

«data»	ResultType
Definitie	The type of result defines the laboratory specialty under which the test is categorized.
Datatype	CD
DCM::ConceptId	NL-CM:13.1.7
DCM::ExampleValue	Klinische Chemie
DCM::ValueSet	ResultTypeCodelist
	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.1
Opties	


«document»	ResultStatusCodelist			
Definitie				
Datatype				
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11. 60.40.2.13.1.8			
Opties				
ResultaatStatusCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.8			
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Pending	pending	ResultaatStatus	2.16.840.1.113883.2.4.3	Uitslag volgt .11.60.40.4.16.1
Preliminary	preliminary	ResultaatStatus	2.16.840.1.113883.2.4.3	Voorlopig .11.60.40.4.16.1
Final	final	ResultaatStatus	2.16.840.1.113883.2.4.3	Definitief .11.60.40.4.16.1
Appended	appended	ResultaatStatus	2.16.840.1.113883.2.4.3	Aanvullend .11.60.40.4.16.1
Corrected	corrected	ResultaatStatus	2.16.840.1.113883.2.4.3	Gecorrigeerd .11.60.40.4.16.1

«document»	TestCodelist
Definitie	
Datatype	
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11. 60.40.2.13.1.5
Opties	
OnderzoekCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.5
Codes	Coding Syst. Name
Alle waarden	LOINC
	2.16.840.1.113883.6.1

«document»	ResultTypeCodelist
Definitie	
Datatype	
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11. 60.40.2.13.1.1

Opties				
ResultaatTypeCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.1		
Concept Name	Concept Code	Coding Syst. Name	Coding System OID	Omschrijving
Hematology	252275004	SNOMED CT	2.16.840.1.113883.6.96	Hematologie
Chemistry	275711006	SNOMED CT	2.16.840.1.113883.6.96	Klinische chemie
Serology	68793005	SNOMED CT	2.16.840.1.113883.6.96	Serologie/ immunologie
Virology	395124008	SNOMED CT	2.16.840.1.113883.6.96	Virologie
Toxicology	314076009	SNOMED CT	2.16.840.1.113883.6.96	Toxicologie
Microbiology	19851009	SNOMED CT	2.16.840.1.113883.6.96	Microbiologie

1.7.1 LaboratoriumTest



«container»	LaboratoryTest
Definitie	Container of the LaboratoryTest concept. This container contains all data elements of the LaboratoryTest concept.
Datatype	
DCM::ConceptId	NL-CM:13.1.3
Opties	

«data»	TestName
Definitie	The TestName is the name of the executed test.
Datatype	CD
DCM::ConceptId	NL-CM:13.1.8

DCM::ExampleValue	HbA1c	
DCM::ValueSet	TestNameCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.3
Opties		

«data»	TestMethod	
Definitie	The test method used to obtain the result.	
Datatype	CD	
DCM::ConceptId	NL-CM:13.1.9	
DCM::ExampleValue	IFCC	
DCM::ValueSet	TestMethodCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.4
Opties		

«data»	TestDateTime	
Definitie	The date and if possible the time at which the test was carried out.	
Datatype	TS	
DCM::ConceptId	NL-CM:13.1.13	
DCM::ExampleValue	10-07-2012 20:15	
Opties		

«data»	Result	
Definitie	The test result. Depending on the type of test, the result will consist of a value with a unit or a coded value (ordinal or nominal).	
Datatype	ANY	
DCM::ConceptId	NL-CM:13.1.10	
DCM::ExampleValue	53 mmol/mol	
Opties		

«data»	UpperReferenceLimit	
Definitie	The upper reference limit for the patient of the value measured in the test.	
Datatype	ANY	
DCM::ConceptId	NL-CM:13.1.11	
DCM::ExampleValue	42 mmol/mol	
Opties		

«data»	LowerReferenceLimit	
Definitie	The lower reference limit for the patient of the value measured with the test.	
Datatype	ANY	
DCM::ConceptId	NL-CM:13.1.12	
DCM::ExampleValue	20 mmol/mol	
Opties		

«data»	ResultFlags	
Definitie	Attention codes indicating whether the result is above or below certain reference values.	
Datatype	CD	


DCM::ConceptId	NL-CM:13.1.14	
DCM::ExampleValue	High	
DCM::ValueSet	ResultFlagsCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.7
Opties		

«document»	TestMethodCodelist	
Definitie		
Datatype		
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11. 60.40.2.13.1.4	
Opties		
TestmethodeCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.4	
Codes	Coding Syst. Name	Coding System OID
Alle waarden	SNOMED CT	2.16.840.1.113883.6.96

«document»	TestNameCodelist	
Definitie		
Datatype		
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11. 60.40.2.13.1.3	
Opties		
TestNaamCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.3	
Codes	Coding Syst. Name	Coding System OID
Alle waarden	LOINC	2.16.840.1.113883.6.1

«document»	ResultFlagsCodelist			
Definitie				
Datatype				
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11. 60.40.2.13.1.7			
Opties				
ResultaatVlaggenCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.7			
Concept Name	Concept Code	Coding Syst. Name	Coding System OID	Description
High	H	ObservationInterpretation	2.16.840.1.113883.5.83	Boven referentiewaarde
Low	L	ObservationInterpretation	2.16.840.1.113883.5.83	Onder referentiewaarde
Intermediate	I	ObservationInterpretation	2.16.840.1.113883.5.83	Variabel
Resistant	R	ObservationInterpretation	2.16.840.1.113883.5.83	Resistent
Susceptible	S	ObservationInterpretation	2.16.840.1.113883.5.83	Sensitief

1.7.2 Monster



«container»	Specimen
Definitie	Container of the Specimen concept. This container contains all data elements of the Specimen concept.
Datatype	
DCM::ConceptId	NL-CM:13.1.2
Opties	

«data»	SpecimenNumber
Definitie	Identification number of the material obtained, as a reference for inquiries to the source organization. In a transmural setting, this number will consist of a specimen number including the identification of the issuing organization, to be unique outside of the borders of an organization.
Datatype	II
DCM::ConceptId	NL-CM:13.1.15
Opties	

«data»	SpecimenMaterial
Definitie	<p>SpecimenMaterial describes the material obtained. If the LOINC test code also implicitly describes a material, this element may not conflict with the description. If desired, this component can provide a more detailed description of the material: LOINC codes only contain the materials at a main level.</p> <p>This is in line with the agreements made in the IHE/Nictiz program e-Lab.</p> <p>If the test is carried out on derived material (such as plasma), this element will still contain the material drawn (in this case, blood). In this case, the LOINC code will generally refer to plasma.</p>
Datatype	CD

DCM::ConceptId	NL-CM:13.1.16	
DCM::ExampleValue	Urine	
DCM::ValueSet	SpecimenMaterialCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.6
Opties		

«data»	DrawingDateTime
Definitie	Time at which the material was drawn.
Datatype	TS
DCM::ConceptId	NL-CM:13.1.17
DCM::DefinitionCode	SNOMED CT: 399445004 specimen collection date
DCM::ExampleValue	10-07-2012 17:20
Opties	

«data»	DrawingProcedure
Definitie	If relevant for the results, the method of obtaining the specimen can be entered as well.
Datatype	CD
DCM::ConceptId	NL-CM:13.1.18
DCM::ExampleValue	Midstream
DCM::ValueSet	DrawingProcedureCodelist
	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.2
Opties	

«data»	Explanation
Definitie	Comments on administering the test, such as drawing material after a (glucose) stimulus or taking medicine.
Datatype	ST
DCM::ConceptId	NL-CM:13.1.19
DCM::DefinitionCode	LOINC: 48767-8 Annotation comment
DCM::ExampleValue	Na (glucose)stimulus
Opties	

«document»	DrawingProcedureCodelist	
Definitie		
Datatype		
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11. 60.40.2.13.1.2	
Opties		
AfnameprocedureCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.2	
Codes	Coding Syst. Name	Coding System OID
SNOMED CT: <17636008 specimen collection	SNOMED CT	2.16.840.1.113883.6.96

«document»	SpecimenMaterialCodelist	
Definitie		
Datatype		

DCM::ValueSetId	2.16.840.1.113883.2.4.3.11. 60.40.2.13.1.6	
Opties		
MonstermateriaalCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.6
Codes	Coding Syst. Name	Coding System OID
SNOMED CT: <123038009 specimen 	SNOMED CT	2.16.840.1.113883.6.96

1.8 Example Instances

LaboratoriumUitslag										
Resultaat Type	Resultaat Status	Monster		LaboratoriumTest						
		Monster materiaal	Afname DatumTijd	TestNaam	Test DatumTijd	Uitslag	Referentie Ondergrens	Referentie Bovengrens	Resultaat Vlaggen	
Klinische chemie	Definitief	Bloed	12-06-2012 09:00	Natrium	12-06-2012 13:15	138 mmol/l	136 mmol/l	146 mmol/l		

LaboratoriumUitslag										
Resultaat Type	Resultaat Status	Monster		LaboratoriumTest						
		Monster materiaal	Afname DatumTijd	TestNaam	Test DatumTijd	Uitslag	Referentie Ondergrens	Referentie Bovengrens	Resultaat Vlaggen	
Klinische chemie	Definitief	Bloed	23-05-2012 08:08	Chloride	23-05-2012 12:00	109 mmol/l	99 mmol/l	108 mmol/l	Boven referentiewaarde	

LaboratoriumUitslag										
Resultaat Type	Resultaat Status	Monster		LaboratoriumTest						
		Monster materiaal	Afname DatumTijd	TestNaam	Test DatumTijd	Uitslag	Referentie Ondergrens	Referentie Bovengrens	Resultaat Vlaggen	
Virologie	Definitief	Bloed	16-01-2012 08:00	Hepatitis A IgM	16-01-2012 10:12	Negatief				

1.9 Instructions

1.10 Interpretation

1.11 Care Process

1.12 Example of the Instrument

1.13 Constraints

1.14 Issues

1.15 References

1. Nederlandse Vereniging voor Medische Microbiologie (2010) *ELab en EvT*. [Online] Beschikbaar op:

1.16 Functional Model

1.17 Traceability to other Standards

1.18 Disclaimer

This Health and Care Information Model (a.k.a Clinical Building Block) has been made in collaboration with several different parties in healthcare. These parties asked Nictiz to manage good maintenance and development of the information models. Hereafter, these parties and Nictiz are referred to as the collaborating parties. The collaborating parties paid utmost attention to the reliability and topicality of the data in these Health and Care Information Models. Omissions and inaccuracies may however occur. The collaborating parties are not liable for any damages resulting from omissions or inaccuracies in the information provided, nor are they liable for damages resulting from problems caused by or inherent to distributing information on the internet, such as malfunctions, interruptions, errors or delays in information or services provided by the parties to you or by you to the parties via a website or via e-mail, or any other digital means. The collaborating parties will also not accept liability for any damages resulting from the use of data, advice or ideas provided by or on behalf of the parties by means of this Health and Care Information Model. The parties will not accept any liability for the content of information in this Health and Care Information Model to which or from which a hyperlink is referred. In the event of contradictions in mentioned Health and Care Information Model documents and files, the most recent and highest version of the listed order in the revisions will indicate the priority of the documents in question. If information included in the digital version of this Health and Care Information Model is also distributed in writing, the written version will be leading in case of textual differences. This will apply if both have the same version number and date. A definitive version has priority over a draft version. A revised version has priority over previous versions.

1.19 Terms of Use

The user may use the information in this Health and Care Information Model without limitations. The copyright provisions in the paragraph concerned apply to copying, distributing and passing on information from this Health and Care Information Model.

1.20 Copyrights

The user may copy, distribute and pass on the information in this Health and Care Information Model under the conditions that apply for Creative Commons license Attribution-NonCommercial-ShareAlike 3.0 Netherlands (CC BY-NCSA-3.0). The content is available under Creative Commons Attribution-NonCommercial-ShareAlike 3.0 (see also <http://creativecommons.org/licenses/by-nc-sa/3.0/nl/>)