

Health & Care Information Model: nl.zorg.AdministrationAgreement-v1.0

Status:Final

Release:2017

Release status: Prepublished

Managed by:

Better health
through better IT

Nictiz 

Content

1. nl.zorg.AdministrationAgreement-v1.0	3
1.1 Revision History	3
1.2 Concept	3
1.3 Mindmap	3
1.4 Purpose	3
1.5 Patient Population	3
1.6 Evidence Base	3
1.7 Information Model	4
1.8 Example Instances	8
1.9 Instructions	8
1.10 Interpretation	9
1.11 Care Process	9
1.12 Example of the Instrument	9
1.13 Constraints	9
1.14 Issues	9
1.15 References	9
1.16 Functional Model	9
1.17 Traceability to other Standards	9
1.18 Disclaimer	9
1.19 Terms of Use	9
1.20 Copyrights	10

1. nl.zorg.AdministrationAgreement-v1.0

DCM::CoderList	Projectgroep Medicatieproces
DCM::ContactInformation.Address	
DCM::ContactInformation.Name	*
DCM::ContactInformation.Telecom	
DCM::ContentAuthorList	Projectgroep Medicatieproces
DCM::CreationDate	1-2-2017
DCM::DeprecatedDate	
DCM::DescriptionLanguage	nl
DCM::EndorsingAuthority.Address	
DCM::EndorsingAuthority.Name	PM
DCM::EndorsingAuthority.Telecom	
DCM::Id	2.16.840.1.113883.2.4.3.11.60.40.3.9.8
DCM::KeywordList	Medicatie, Toediening
DCM::LifecycleStatus	Final
DCM::ModelerList	Architectuurgroep Registratie aan de Bron
DCM::Name	nl.zorg.Toedieningsafpraak
DCM::PublicationDate	04-09-2017
DCM::PublicationStatus	Prepublished
DCM::ReviewerList	Projectgroep Medicatieproces & Architectuurgroep Registratie aan de Bron
DCM::RevisionDate	04-09-2017
DCM::Superseeds	nl.zorg.MedicatieVerstrekking-v3.0
DCM::Version	1.0
HCIM::PublicationLanguage	EN

1.1 Revision History

Publicatieversie 1.0 (04-09-2017)

1.2 Concept

An administration agreement is the use (or administering) instructions from the pharmacist to the patient (or their representative or administrator), whereby a medication agreement is structured at a concrete level.

1.3 Mindmap


1.4 Purpose

The goal of the administration agreement is to provide insight into the concrete instructions for administration/use of medication.

1.5 Patient Population

1.6 Evidence Base

1.7 Information Model



«rootconcept»	AdministrationAgreement	
Definitie	Root concept of the AdministrationAgreement information model. This root concept contains all data elements of the AdministrationAgreement information model.	
Datatype		
DCM::ConceptId	NL-CM:9.8.20132	
Opties		

«context»	Supplier::HealthProfessional	
Definitie	The supplier (pharmacist) that entered the administration agreement.	
Datatype		
DCM::ConceptId	NL-CM:9.8.22097	
DCM::ReferencedConceptId	NL-CM:17.2.1	This is a reference to the rootconcept of information model HealthcareProvider
Opties		

«data»	MedicineForAdministrationAgreement::Product	
Definitie	Medicine in the AdministrationAgreement.	
Datatype		
DCM::ConceptId	NL-CM:9.8.20237	
DCM::ReferencedConceptId	NL-CM:9.7.19926	This is a reference to the rootconcept of the partial information model Product.
Opties		

«data»	InstructionsForUse	
Definitie	Instructions for administering the medication, e.g. dose and route of administration.	

Datatype		
DCM::ConceptId	NL-CM:9.8.22098	
DCM::ReferencedConceptId	NL-CM:9.12.22504	This is a reference to the rootconcept of partial information model InstructionsForUse.
Opties		

«data»	AdministrationAgreementDateTime	
Definitie	The time at which the agreement was made.	
Datatype	TS	
DCM::ConceptId	NL-CM:9.8.20133	
Opties		

«data»	AgreementReason	
Definitie	Reason for this agreement. This will often be the same reason as the one for the medication agreement. This field has the option to - if applicable - enter a specific reason for the administration agreement. Examples include: substitution, transfer to GDS, patient request for different product, etc.	
Datatype	ST	
DCM::ConceptId	NL-CM:9.8.22499	
Opties		

«data»	PeriodOfUse	
Definitie	<p>Start date: This is the time at which the agreement was to take effect (or took effect or will take effect). This is the time at which the instructions for use in this agreement start. In the case of an agreement to discontinue use, this is the start date of the original medication agreement. The end date indicates from when the medication is to be discontinued.</p> <p>Duration: The intended duration of use. E.g. 5 days or 8 weeks. It is not allowed to indicate the duration in months, because different months have a variable duration in days.</p> <p>End date: The time at which the period of use ends (or ended or will end). In the case of an agreement to discontinue use, this is the time at which the medication is to be discontinued. To avoid confusion between 'to' and 'up to', the submission of time is always mandatory for the end date.</p>	
Datatype		
DCM::ConceptId	NL-CM:9.8.22660	
DCM::ReferencedConceptId	NL-CM:20.3.1	This is a reference to the rootconcept of partial information model TimeInterval.
Opties		

«data»	MedicationAgreement	
Definitie	Relationship to the medication agreement on which the administration agreement is based.	
Datatype		
DCM::ConceptId	NL-CM:9.8.22394	

DCM::ReferencedConceptId	NL-CM:9.6.9580	This is a reference to the rootconcept information model MedicationAgreement.
Opties		

«data»	AdministrationAgreementStopType	
Definitie	Stop type, the manner in which this medication is discontinued (temporary or definitive).	
Datatype	CD	
DCM::ConceptId	NL-CM:9.8.22498	
DCM::ValueSet	AdministrationAgreementStopTypeCodeList	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.8.1
Opties		

«data»	CanceledIndicator	
Definitie	In the event of an error correction, this indicator is to be put on for the incorrect agreement.	
Datatype	BL	
DCM::ConceptId	NL-CM:9.8.23034	
Opties		

«data»	AdministrationAgreementAdditionalInformation	
Definitie	<p>Additional information includes details on the structure of the agreement made.</p> <p>This element mainly contains information that until now has been structured with ZZ rules. The medication-related topics that are now supported by the ZZ rules are best supported with a system functionality. A process has been started for this by Z-index/KNMP. For now, the following list will be used. This list will be replaced by a thesaurus in the G standard at a later stage.</p>	
Datatype	CD	
DCM::ConceptId	NL-CM:9.8.23284	
DCM::ValueSet	AdministrationAgreementAdditionalInformationCodeList	OID:2.16.840.1.113883.2.4.3.11.60.40.2.9.8.2
Opties		

«data»	Comment	
Definitie	Comments on the administration agreement.	
Datatype	ST	
DCM::ConceptId	NL-CM:9.8.22275	
DCM::DefinitionCode	LOINC: 48767-8 Annotation comment	
Opties		

«document»	AdministrationAgreementAdditionalInformationCodeList	
Definitie		
Datatype		
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.60.40.2.9.8.2	
Opties		

IendelInformatieCodelijst				
Concept Name	Concept Code	Coding Syst. Name	Coding System OID	Description
Geneesmiddel niet verstrekt	1	Voorlopige aanvullende informatie toedieningsafspraken	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.999	
Niet leverbaar	2	Voorlopige aanvullende informatie toedieningsafspraken	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.999	
Medicatieafspraken gewijzigd: substantie	3	Voorlopige aanvullende informatie toedieningsafspraken	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.999	
Medicatieafspraken gewijzigd: dosering	4	Voorlopige aanvullende informatie toedieningsafspraken	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.999	
Medicatieafspraken gewijzigd: farmaceutische vorm	5	Voorlopige aanvullende informatie toedieningsafspraken	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.999	
Medicatieafspraken gewijzigd: verwisseling van persoon	6	Voorlopige aanvullende informatie toedieningsafspraken	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.999	
Machtiging aangevraagd	7	Voorlopige aanvullende informatie toedieningsafspraken	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.999	
Machtiging afgewezen	8	Voorlopige aanvullende informatie toedieningsafspraken	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.999	
Machtiging in gebruik nemen	9	Voorlopige aanvullende informatie toedieningsafspraken	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.999	
Gebruiksaanwijzing gegeven	10	Voorlopige aanvullende informatie toedieningsafspraken	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.999	
Controle inhalatietechniek	11	Voorlopige aanvullende informatie toedieningsafspraken	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.999	
Meter periodieke controle	12	Voorlopige aanvullende informatie toedieningsafspraken	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.999	
Pen controle/omruil	13	Voorlopige aanvullende informatie toedieningsafspraken	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.999	
Bijwerking besproken	14	Voorlopige aanvullende informatie toedieningsafspraken	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.999	
Afhandeling bijwerking niet-lareb	15	Voorlopige aanvullende informatie toedieningsafspraken	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.999	
Melding lareb	16	Voorlopige aanvullende informatie toedieningsafspraken	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.999	
Medicatiebewaking OT	17	Voorlopige aanvullende informatie toedieningsafspraken	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.999	

«document»	AdministrationAgreementStopTypeCodeList	
Definitie		
Datatype		
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.60.40.2.9.8.1	
Opties		

ToedieningsafsprakenStopTypeCodelijst			OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.8.1	
Concept Name	Concept Code	Coding Syst. Name	Coding System OID	Description
Tijdelijk	1	StopType	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.1	Tijdelijke onderbreking van medicamenteuze behandeling (bijvoorbeeld tijdelijk stoppen gebruik vanwege operatie).
Definitief	2	StopType	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.1	Het staken van een bestaande medicamenteuze behandeling.

1.8 Example Instances

ToedieningsAfspraakDatumTijd	Gebruiksperiode			GeneesmiddelBijToedieningsafspraken	Verstrekker	Geannuleerd Indicator	ToedieningsafpraakStoptype
	Ingangsdatum	Einddatum	Duur	ProductCode	Zorgaanbieder		
2-5-2012 12:14:09	02-05-12		4 weken	Paracetamol tablet 500 mg	Apotheek De Gulle Gaper		
10-9-2015 9:16:31			5 dagen	Pantoprazol injpdr 40 mg fl	Apotheek De Gulle Gaper	Ja	
19-9-2014 7:12:59	19-09-14	18-12-14		Dalteparine 2500 injvst 12.500 ie/ml wwsp 0,2ml	Poli-apotheek Het Ziekenhuis		
30-8-2013 8:41:43	01-08-13	30-08-13		Prednison 5 mg	Poli-apotheek Het Ziekenhuis		Definitief

Gebruiksaanwijzing	ToedieningsWeg	Herhaalperiode CyclischSchema	Doseerinstructie	Doseerduur	Dosering Keerdosis	Toedieningsschema Frequentie Intervaal Toedientijd Weekdag Dagdeel	Zo nodig
Vanaf 2 mei gedurende 4 weken zo nodig bij pijn 500 mg (=1 st), max. 4x per dag	oraal	1	4 weken		1 stuk	max. 4x/dag	Bij pijn
Gedurende 5 dagen 1x/dag (8u) 40 mg (=1 st)	iv				40 mg (=1 st)	1x per dag om 8.00 uur	
Vanaf 19-9-2014 tot 18-12-2014 1x per dag om 18uur 2500ie(=0,2ml)	subcutaan				2500 IE (=0,2 ml)	1x per dag om 18.00 uur	
Van 1-8-2013 tot 30-8-2013 volgens afbouwschema. Per 30-8-2013 onderbreken.	oraal	1					

1.9 Instructions

1.10 Interpretation

1.11 Care Process

1.12 Example of the Instrument

1.13 Constraints

1.14 Issues

1.15 References

1.16 Functional Model

1.17 Traceability to other Standards

1.18 Disclaimer

This Health and Care Information Model (a.k.a Clinical Building Block) has been made in collaboration with several different parties in healthcare. These parties asked Nictiz to manage good maintenance and development of the information models. Hereafter, these parties and Nictiz are referred to as the collaborating parties. The collaborating parties paid utmost attention to the reliability and topicality of the data in these Health and Care Information Models. Omissions and inaccuracies may however occur. The collaborating parties are not liable for any damages resulting from omissions or inaccuracies in the information provided, nor are they liable for damages resulting from problems caused by or inherent to distributing information on the internet, such as malfunctions, interruptions, errors or delays in information or services provide by the parties to you or by you to the parties via a website or via e-mail, or any other digital means. The collaborating parties will also not accept liability for any damages resulting from the use of data, advice or ideas provided by or on behalf of the parties by means of this Health and Care Information Model. The parties will not accept any liability for the content of information in this Health and Care Information Model to which or from which a hyperlink is referred. In the event of contradictions in mentioned Health and Care Information Model documents and files, the most recent and highest version of the listed order in the revisions will indicate the priority of the documents in question. If information included in the digital version of this Health and Care Information Model is also distributed in writing, the written version will be leading in case of textual differences. This will apply if both have the same version number and date. A definitive version has priority over a draft version. A revised version has priority over previous versions.

1.19 Terms of Use

The user may use the information in this Health and Care Information Model without limitations. The copyright provisions in the paragraph concerned apply to copying, distributing and passing on information

from this Health and Care Information Model.

1.20 Copyrights

The user may copy, distribute and pass on the information in this Health and Care Information Model under the conditions that apply for Creative Commons license Attribution-NonCommercial-ShareAlike 3.0 Netherlands (CC BY-NC-SA-3.0). The content is available under Creative Commons Attribution-NonCommercial-ShareAlike 3.0 (see also <http://creativecommons.org/licenses/by-nc-sa/3.0/nl/>)