Health & Care Information Model: nl.zorg.MedicationAdministration2-v1.0.

Status:Final Release:2018

Release status: Prepublished

Managed by:



Content

1. nl.	zorg.MedicationAdministration2-v1.0.1	4
1.1	Revision History	4
1.2	Concept	4
1.3	Mindmap	4
1.4	Purpose	4
1.5	Patient Population	4
1.6	Evidence Base	4
1.7	Information Model	4
1.8	Example Instances	10
1.9	Instructions	10
1.10	Interpretation	10
1.11	Care Process	10
1.12	Example of the Instrument	10
1.13	Constraints	10
1.14	Issues	11
1.15	References	11
1.16	Functional Model	11
1.17	Traceability to other Standards	11
1.18	Disclaimer	11
1.19	Terms of Use	11
1.20	Copyrights	11

1. nl.zorg.MedicationAdministration2-v1.0.1

DCM::CoderList	Projectgroep Medicatieproces
DCM::ContactInformation.Address	
DCM::ContactInformation.Name	*
DCM::ContactInformation.Telecom	
DCM::ContentAuthorList	Projectgroep Medicatieproces
DCM::CreationDate	1-2-2017
DCM::DeprecatedDate	
DCM::DescriptionLanguage	nl
DCM::EndorsingAuthority.Address	
DCM::EndorsingAuthority.Name	PM
DCM::EndorsingAuthority.Telecom	
DCM::ld	2.16.840.1.113883.2.4.3.11.60.40.3.9.13
DCM::KeywordList	Medicatie, Toediening
DCM::LifecycleStatus	Final
DCM::ModelerList	Architectuurgroep Registratie aan de Bron
DCM::Name	nl.zorg.MedicatieToediening2
DCM::PublicationDate	26-02-2019
DCM::PublicationStatus	Prepublished
DCM::ReviewerList	Projectgroep Medicatieproces & Architectuurgroep
	Registratie aan de Bron
DCM::RevisionDate	31-12-2017
DCM::Superseeds	nl.zorg.MedicatieToediening-v1.0
DCM::Version	1.0.1
HCIM::PublicationLanguage	EN

1.1 Revision History

Publicatieversie 1.0 (04-09-2017)

Publicatieversie 1.0.1 (31-12-2017)

Bevat: ZIB-618.

1.2 Concept

Medication administration is the registration of the individual administrations of the medicine on the patient by the administrator (e.g. a nurse or patient themselves), in relation to the entered agreements.

1.3 Mindmap


1.4 Purpose

The goal of administering the medication is to provide insight into the actual administered products.

1.5 Patient Population

1.6 Evidence Base

1.7 Information Model



«rootconcept»	MedicationAdministration	
Definitie	Root concept of the MedicationAdministration information model. This root concept contains all data elements of the MedicationAdministration information model.	
Datatype		
DCM::ConceptId	NL-CM:9.13.20928	
DCM::DefinitionCode	SNOMED CT: 18629005 Administration of drug or medicament	
Opties		

«data»	AdministrationProduct::FarmaceuticalProduct	
Definitie	The product taken or administered. This is usually medication. Food, blood products, aids and bandages do not strictly fall under the category of medication, but can be reported as well. In principle, this will be the prescribed product, but the administrator may substitute it by replacing the product with an equivalent product. For example: two 50mg tablets can be administered instead of one 100mg tablet.	
Datatype		
DCM::ConceptId	NL-CM:9.13.20929	
DCM::ReferencedConc	NL-CM:9.7.19926	This is a reference to the rootconcept of de
eptId		sub-bouwsteen Product.
Opties		

«data»	AdministeringSpeed::Range	
Definitie	The administering speed is used in slow administration of liquid. In practice, the measuring unit is almost always ml/hour. Entering an interval (such as 0-10 ml/hour) is also a commonly used option	
	For example, with an administering speed of 10ml/hour: amount = 10, dose unit = ml time unit = hour 	

	Optionally a translation to NHG table Gebruiksvoorschriften(Table 25) is also allowed.	
Datatype		
DCM::ConceptId	NL-CM:9.13.23159	
DCM::ExampleValue	Aantal= 10	
	Gebruikseenheid= ml	
	Tijdseenheid= uur	
DCM::ReferencedConc	NL-CM:20.1.1	This is a reference toteh rootconceptof
eptid		partial information model Range.
Opties		

«data»	AdministrationDateTime	
Definitie	The date and time at which the medication was administered.	
Datatype	TS	
DCM::ConceptId	NL-CM:9.13.21193	
Opties		

«data»	AgreedDateTime	
Definitie	Date and time in the medication or administration agreement to which this administration pertains. Since multiple times can be indicated in one medication/administration agreement, this can be used to identify the agreed time in the event of e.g. early administration or a late administration.	
Datatype	TS	
DCM::ConceptId	NL-CM:9.13.23171	
Opties		

«data»	AdministeredAmount	
Definitie	Amount of the administered product.	
Datatype	PQ	
DCM::ConceptId	NL-CM:9.13.21194	
Opties		

«data»	DeviatingAdministration		
Definitie	In the administration, was there a deviation from the medication or administration agreement? This can be a deviation in product, time, amount, route of administration or administering speed or foregoing administration altogether.		
Datatype	BL		
DCM::ConceptId	NL-CM:9.13.23167		
Opties			

«data»	RouteOfAdministration		
Definitie	The route through which the	medication is administered (oral, nasal,	
	intravenous,).		
Datatype	CD	CD	
DCM::ConceptId	NL-CM:9.13.21195		
DCM::DefinitionCode	SNOMED CT: 410675002		
	Route of administration		
DCM::ValueSet	MedicationAdministrationRo	OID:	
	uteOfAdministration	2.16.840.1.113883.2.4.3.11.60.40.2.9.13.2	
Opties			

Definitie	Was a double check performed prior to the administration? This is only legally required for certain medication.	
Datatype	BL	
DCM::ConceptId	NL-CM:9.13.23168	
Opties		

«context»	MedicationAgreement	
Definitie	Medication agreement on which this administration.is based.	
Datatype		
DCM::ConceptId	NL-CM:9.13.23170	
DCM::ReferencedConc	NL-CM:9.6.9580	This is a reference to the rootconcept of
eptId		information model MedicationAgreement.
Opties		

«context»	AdministrationAgreement	
Definitie	Administration agreement on which this administration is based.	
Datatype		
DCM::ConceptId	NL-CM:9.13.23237	
DCM::ReferencedConc	NL-CM:9.8.20132	This is a reference to the rootconcept of
eptId		information model
		AdministrationAgreement.
Opties		

«container»	RelatedAgreement	
Definitie	Medication or administration agreement on which this administration.is based.	
Datatype		
DCM::ConceptId	NL-CM:9.13.23169	
Opties		

«container»	Administrator		
Definitie	Container of the Administrator concept. This container contains all data elements of the Administrator concept. The concept describes the person who administered the product. This is a professional authorised administrator, the patient themselves or the caregiver, for example.		
Datatype			
DCM::ConceptId	NL-CM:9.13.21196		
Opties			

«context»	Patient	
Definitie	If the patient administered the medication themselves, indicate that here. If the medication is administered by a health professional or caregiver/family member/etc., the health professional is entered in the 'Healthcare provider' element or the caregiver/family member/etc. is entered in the 'Contact' element respectively.	
Datatype		
DCM::ConceptId	NL-CM:9.13.23380	
DCM::ReferencedConc	NL-CM:0.1.1	This is a reference to the rootconcept of
eptId		information model Patient.
Opties		

«context»	HealthProfessional	
Definitie	The concept describes the person who administered the product. This is a	
	professional authorised administrator.	

Datatype		
DCM::ConceptId	NL-CM:9.13.23172	
DCM::ReferencedConc	NL-CM:17.1.1	This is a reference to the rootconcept of
eptId		information model HealthProfessional.
Opties		

«context»	Caregiver::Contact	
Definitie	Information on the patient's personal relative or contact that administered the medication.	
Datatype		
DCM::ConceptId	NL-CM:9.13.23355	
DCM::ReferencedConc	NL-CM:3.1.1	This is a reference to the rootconcept of
eptId		information model ContactPerson.
Opties		

«data»	MedicationAdministrat	MedicationAdministrationReasonForDeviation	
Definitie	Reason why the medication was not taken or administered or was taken or administered differently. Here, you can choose to enter text or one of the codes.		
Datatype	CD		
DCM::ConceptId	NL-CM:9.13.23166		
DCM::ValueSet	MedicationAdministrationRe	OID:	
	asonForDeviationCodeLis	2.16.840.1.113883.2.4.3.11.60.40.2.9.13.3	
Opties			

«data»	MedicationAdministrationStatus		
Definitie	The status of the administration, as a description of the stage within the administering process. Only the status codes 'completed' and 'cancelled' apply to indivisible products (such as tablets or suppositories). For divisible products (such as infusions), doses can also be 'suspended' or 'aborted'.		
	 When documenting this, the following interpretations are used: Active: The product is administered. 		
	 Interrupted: Use has (temporarily) been interrupted, because of a side effect, for example. Later, the patient and/or doctor can decide 		
	whether or not to resume or discontinue use.		
	Discontinued: Administration has stopped.		
	Completed: Administration has been completed.		
	Not started: The product was never administered.		
Datatype	CD		
DCM::ConceptId	NL-CM:9.13.21191		
DCM::ValueSet	MedicationAdministrationSt	OID:	
	atusCodeList	2.16.840.1.113883.2.4.3.11.60.40.2.9.13.1	
Opties			

«data»	Comment				
Definitie	Comments on administering the medication.				
Datatype	ST				
DCM::ConceptId	NL-CM:9.13.21337				
DCM::DefinitionCode	LOINC: 48767-8 Annotation				
	comment				
Opties					

«document»	Medication Administration Route Of Administration
Definitie	

Datatype		
DCM::ValueSetBinding	Extensible	
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.	
	60.40.2.9.13.2	
Onties	·	

MedicatieToedieningToedieningsweg Codelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.13.2
Codes	Coding Syst. Name	Coding System OID
Alle waarden	G-Standaard Toedieningswegen	2.16.840.1.113883.2.4.4.9

«document»	Medication Administration Status Code List		
Definitie			
Datatype			
DCM::ValueSetBinding	Extensible		
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.		
	60.40.2.9.13.1		
Opties			

MedicatieToedieningStatusCodelijst			OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.13.1		
Concept Name	Concept Code	Code System Name	Code System OID	Description	
Active	active	ActStatus	2.16.840.1.113883.5. 14	Actief	
Suspende d	suspended	ActStatus	2.16.840.1.113883.5. 14	Onderbroken	
Aborted	aborted	ActStatus	2.16.840.1.113883.5. 14	Afgebroken	
Completed	completed	ActStatus	2.16.840.1.113883.5. 14	Voltooid	
Cancelled	cancelled	ActStatus	2.16.840.1.113883.5. 14	Niet gestart	

«document»	Medication Administration Reason For Deviation Code Lis			
Definitie				
Datatype		_		
DCM::ValueSetBinding	Extensible			
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.			
	60.40.2.9.13.3			
Opties				

MedicatieToedieningRedenVanAfwijken OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.13.3 Codelijst Concept Name Code System Code System Name Description

Product discontinued	DISCONT	ActReason	2.16.840.1.113883.5.8	Product niet meer leverbaar
Patient not available	NON-AVAIL	ActReason	2.16.840.1.113883.5.8	Patiënt niet beschikbaar
Patient refuse	PREFUS	ActReason	2.16.840.1.113883.5.8	Patiënt heeft geweigerd

Unable to use	UNABLE	ActReason	2.16.840.1.113883.5.8	Toediening volgens voorschrift niet mogelijk
Order aborted	FOABORT	ActReason	2.16.840.1.113883.5.8	Medicatieafspraak is gestopt
Forgotten to administer	FORGOT	NL-CM-CS	2.16.840.1.113883.2.4. 3.11.60.40.4	Vergeten toe te dienen
Administration performer not available	APNA	NL-CM-CS	2.16.840.1.113883.2.4. 3.11.60.40.4	Toediener niet aanwezig
No information	NI	NullFlavor	2.16.840.1.113883.5.10 08	Geen informatie

	Legend
Definitie	
Datatype	
Opties	

1.8 Example Instances

MedicatieToedienin gDatumTijd	Toedieningsproduct	Afwijkende Toediening	MedicatieToedie ningStatus	Toedienings weg	Toegediende Hoeveelheid	Afgesproken DatumTijd	MedicatieToedienin gRedenVanAfwijken	MedicatieAfspraak
	ProductCode							GebruiksInstructie
								Doseerinstructie D osering Keerdosis
3-6-2014 16:19:07	Pantoprazol mylan tablet msr 20mg	Nee	Gereed	Oraal	1 stuk			
11-9-2012 17:21:00	Bumetanide pch tablet 2 mg	Ja	Afgebroken	Oraal	1 stuk		Patiënt heeft geweigerd	2 stuks
19-9-2014 14:12:11	Novorapid Flexpen Injvlst 100e/MI Pen 3ml	Ja	Uitgesteld	Subcutaan	22 eenheden	19-9-2014 9:00:00	Vergeten toe te dienen	22 elementen

1.9 Instructions

1.10 Interpretation

1.11 Care Process

1.12 Example of the Instrument

1.13 Constraints

1.14 Issues

1.15 References

1.16 Functional Model

1.17 Traceability to other Standards

1.18 Disclaimer

The Health and Care Information Models (a.k.a Clinical Building Block) has been made in collaboration with several different parties in healthcare. These parties asked Nictiz to manage good maintenance and development of the information models. Hereafter, these parties and Nictiz are referred to as the collaborating parties. The collaborating parties paid utmost attention to the reliability and topicality of the data in these Health and Care Information Models. Omissions and inaccuracies may however occur. The collaborating parties are not liable for any damages resulting from omissions or inaccuracies in the information provided, nor are they liable for damages resulting from problems caused by or inherent to distributing information on the internet, such as malfunctions, interruptions, errors or delays in information or services provide by the parties to you or by you to the parties via a website or via e-mail, or any other digital means. The collaborating parties will also not accept liability for any damages resulting from the use of data, advice or ideas provided by or on behalf of the parties by means of the Health and Care Information Models. The parties will not accept any liability for the content of information in this Health and Care Information Model to which or from which a hyperlink is referred. In the event of contradictions in mentioned Health and Care Information Model documents and files, the most recent and highest version of the listed order in the revisions will indicate the priority of the documents in question. If information included in the digital version of a Health and Care Information Model is also distributed in writing, the written version will be leading in case of textual differences. This will apply if both have the same version number and date. A definitive version has priority over a draft version. A revised version has priority over previous versions.

1.19 Terms of Use

The user may use the Health and Care Information Models without limitations. The copyright provisions in the paragraph concerned apply to copying, distributing and passing on the Health and Care Information Models.

1.20 Copyrights

A Health and Care Information Model qualifies as a work within the meaning of Section 10 of the Copyright Act (Auteurswet). Copyrights protect the Health and Care Information Modesl and these rights are owned by the cooperating parties.

The user may copy, distribute and pass on the information in this Health and Care Information Model under the conditions that apply for Creative Commons license Attribution-NonCommercial-ShareAlike 3.0 Netherlands (CC BY-NCSA-3.0).

The content is available under Creative Commons Attribution-NonCommercial-ShareAlike 3.0 (see also http://creativecommons.org/licenses/by-nc-sa/3.0/nl/)

This does not apply to information from third parties that sometimes is used and / or referred to in a Health and Care Information Model, for example to an international medical terminology system. Any (copyright) rights that protect this information are not owned by the cooperating parties but by those third parties.