

# Zorginformatiebouwsteen: nl.zorg.LaboratoryTestResult-v6.0

Status: Final  
Publicatie: 2022  
Publicatie status: Prepublished

Beheerd door:



# Inhoudsopgave

<b>1. nl.zorg.LaboratoryTestResult-v6.0</b>	<b>3</b>
1.1 Revision History	3
1.2 Concept	4
1.3 Mindmap	4
1.4 Purpose	4
1.5 Patient Population	4
1.6 Evidence Base	4
1.7 Information Model	5
1.7.1 LaboratoryTest	8
1.7.2 Specimen	12
1.8 Example Instances	18
1.9 Instructions	18
1.10 Interpretation	18
1.11 Care Process	18
1.12 Example of the Instrument	18
1.13 Constraints	19
1.14 Issues	19
1.15 References	19
1.16 Functional Model	19
1.17 Traceability to other Standards	19
1.18 Disclaimer	19
1.19 Terms of Use	19
1.20 Copyrights	19

# 1. nl.zorg.LaboratoryTestResult-v6.0

DCM::CoderList	Kerngroep Registratie aan de Bron
DCM::ContactInformation.Address	*
DCM::ContactInformation.Name	*
DCM::ContactInformation.Telecom	*
DCM::ContentAuthorList	Projectgroep Generieke Overdrachtsgegevens & Kerngroep Registratie aan de Bron
DCM::CreationDate	7-6-2012
DCM::DeprecatedDate	
DCM::DescriptionLanguage	nl
DCM::EndorsingAuthority.Address	
DCM::EndorsingAuthority.Name	PM
DCM::EndorsingAuthority.Telecom	
DCM::Id	2.16.840.1.113883.2.4.3.11.60.40.3.13.1
DCM::KeywordList	laboratorium uitslag, lab, laboratorium bepaling
DCM::LifecycleStatus	Final
DCM::ModelerList	Kerngroep Registratie aan de Bron
DCM::Name	nl.zorg.LaboratoriumUitslag
DCM::PublicationDate	15-10-2023
DCM::PublicationStatus	Prepublished
DCM::ReviewerList	Projectgroep Generieke Overdrachtsgegevens & Kerngroep Registratie aan de Bron
DCM::RevisionDate	17-07-2023
DCM::Supersedes	nl.zorg.LaboratoriumUitslag-v5.1
DCM::Version	6.0
HCIM::PublicationLanguage	EN

## 1.1 Revision History

Publicatieversie 1.0 (15-02-2013)

Publicatieversie 1.1 (01-07-2013)

Publicatieversie 1.2 (01-04-2015)

Bevat: ZIB-238, ZIB-239, ZIB-240, ZIB-241, ZIB-242, ZIB-243, ZIB-244, ZIB-245, ZIB-246, ZIB-353, ZIB-361, ZIB-367, ZIB-370.

Incl. algemene wijzigingsverzoeken:

ZIB-94, ZIB-154, ZIB-200, ZIB-201, ZIB-309, ZIB-324, ZIB-326.

Publicatieversie 1.2.1 (22-05-2015)

Bevat: ZIB-392.

Publicatieversie 1.2.2 (16-07-2015)

Bevat: ZIB-420.

Publicatieversie 3.0 (01-05-2016)

Bevat: ZIB-423, ZIB-453.

Publicatieversie 4.0 (04-09-2017)

Bevat: ZIB-479, ZIB-549, ZIB-564, ZIB-576, ZIB-481, ZIB-577.

Publicatieversie 4.1 (31-12-2017)

Bevat: ZIB-609, ZIB-611, ZIB-621, ZIB-645, ZIB-646.

Publicatieversie 4.2 (01-10-2018)

Bevat: ZIB-649, ZIB-676.

Publicatieversie 4.3 (26-02-2019)

Bevat: ZIB-639, ZIB-703.

Publicatieversie 4.4 (06-07-2019)

Bevat: ZIB-669, ZIB-880.

Publicatieversie 4.5 (31-01-2020)

Bevat: ZIB-910, ZIB-901, ZIB-902.

Publicatieversie 4.6 (01-09-2020)

Bevat: ZIB-1016, ZIB-1148.

Publicatieversie 5.0 (01-12-2021)

Bevat: ZIB-1072, ZIB-1269, ZIB-1293, ZIB-1465, ZIB-1551, ZIB-1553.

Publicatieversie 5.1 (10-06-2022)

Bevat: ZIB-1292, ZIB-1552, ZIB-1686, ZIB-1698, ZIB-1699.

Publicatieversie 6.0 (15-10-2023)

Bevat: ZIB-1584, ZIB-1697, ZIB-1784, ZIB-1845, ZIB-1958, ZIB-1990, ZIB-1974, ZIB-2019.

## 1.2 Concept

A laboratory result describes the result of a laboratory analysis.

These are specimen-oriented tests as performed in laboratories such as Clinical Chemistry, Serology, Microbiology, etc.

In addition to the results of tests with a singular result, this concept can also contain the results of more complex tests with multiple results or a 'panel'.

## 1.3 Mindmap

## 1.4 Purpose

Laboratory tests are done for the purpose of diagnosing and preventing disease and follow-up on the effects of treatment.

## 1.5 Patient Population

## 1.6 Evidence Base

There are two information models for recording laboratory test results: TextResult and LaboratoryTestResult.


In the case of laboratory test results, it is difficult to clearly indicate exactly when to use this information model and when to use the TextResult information model.

In general, laboratory tests resulting in a value (7.1 mmol/L), ordinal number (++ from series to +++) or a quantitative result (Low) are recorded using this information model. The TextResult information model is better suited for textual results that are more descriptive in nature and which are longer than just a few words. Both types of tests occur in almost all laboratories.

The applicability of the aforementioned information models is not determined by the kind of lab but by the

kind of result.

## 1.7 Information Model



«rootconcept»	LaboratoryTestResult
<b>Definitie</b>	Root concept of the LaboratoryTestResult information model. This root concept contains all data elements of the LaboratoryTestResult information model.
<b>Datatype</b>	
<b>DCM::ConceptId</b>	NL-CM:13.1.1
<b>Opties</b>	

«data»	PanelOrBattery
<b>Definitie</b>	For laboratory tests comprising multiple subtests and often requested together as a whole, this concept contains the name of the compound request (often indicated as a 'panel', 'battery' or 'cluster'). Examples include: blood gases and EBV serology.
<b>Datatype</b>	CD
<b>DCM::ConceptId</b>	NL-CM:13.1.4
<b>DCM::ExampleValue</b>	Bloedgassen
<b>DCM::ValueSet</b>	PanelOrBatteryCodelist OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.5
<b>Opties</b>	

«data»	ResultStatus
<b>Definitie</b>	The status of the laboratory test result. If the laboratory test is a panel/cluster, this status reflects the status of the whole panel/cluster. If the status item per subtest is used too, this status must be in accordance with these status values.
<b>Datatype</b>	CD
<b>DCM::ConceptId</b>	NL-CM:13.1.6
<b>DCM::DefinitionCode</b>	LOINC: 92235-1 Lab order result status
<b>DCM::ExampleValue</b>	Definitief

DCM::ValueSet	ResultStatusCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.8
Opties		

«data»		Comment
Definitie	Comments, such as a textual interpretation or advice accompanying the result, for example.	
Datatype	ST	
DCM::ConceptId	NL-CM:13.1.5	
DCM::DefinitionCode	LOINC: 48767-8 Annotation comment	
Opties		

«data»		ResultType
Definitie	The type of result defines the laboratory specialty under which the test is categorized.	
Datatype	CD	
DCM::ConceptId	NL-CM:13.1.7	
DCM::ExampleValue	Klinische Chemie	
DCM::ValueSet	ResultTypeCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.1
Opties		

«data»		RelatedResult::LaboratoryTestResult
Definitie	Reference to related tests, <i>e.g.</i> paired tests or sequential tests like gram staining and microbiological cultures. It concerns previous results that collectively lead to the current interpretation.	
Datatype		
DCM::ConceptId	NL-CM:13.1.33	
DCM::ReferencedConceptId	NL-CM:13.1.1	This is a reference to the rootconcept of information model LaboratoryTestResult.
Opties		

«context»		Performer::HealthcareProvider
Definitie	The healthcare provider who is responsible for the execution of the laboratory examination and delivering the Laboratory result.	
Datatype		
DCM::ConceptId	NL-CM:13.1.35	
DCM::ReferencedConceptId	NL-CM:17.2.1	This is a reference to the rootconcept of information model HealthcareProvider.
Opties		

«document»		PanelOrBatteryCodelist
Definitie		
Datatype		
DCM::ValueSetBinding	Required	
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.60.40.2.13.1.5	
HCIM::ValueSetLanguage	--	
Opties		

**OnderzoekCodelijst**      **OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.5**

Codes	Coding Syst. Name	Coding System OID
Alle waarden	LOINC	2.16.840.1.113883.6.1


Specifiekere waardenlijsten zullen op termijn opgeleverd worden door het project "Lab-Terminologie"

«document»		ResultStatusCodelist		
Definitie				
Datatype				
DCM::ValueSetBinding	Extensible			
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.60.40.2.13.1.8			
HCIM::ValueSetLanguage	EN			
Opties				
<b>ResultaatStatusCodelist</b>		<b>OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.8</b>		
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Pending	pending	ResultaatStatus	2.16.840.1.113883.2.4.3.11.60.40.4.16.1	Uitslag volgt
Preliminary	preliminary	ResultaatStatus	2.16.840.1.113883.2.4.3.11.60.40.4.16.1	Voorlopig
Final	final	ResultaatStatus	2.16.840.1.113883.2.4.3.11.60.40.4.16.1	Definitief
Appended	appended	ResultaatStatus	2.16.840.1.113883.2.4.3.11.60.40.4.16.1	Aanvullend
Corrected	corrected	ResultaatStatus	2.16.840.1.113883.2.4.3.11.60.40.4.16.1	Gecorrigeerd

«document»		ResultTypeCodelist		
Definitie				
Datatype				
DCM::ValueSetBinding	Extensible			
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.60.40.2.13.1.1			
HCIM::ValueSetLanguage	--			
Opties				
<b>ResultaatTypeCodelist</b>		<b>OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.1</b>		
Concept Name	Concept Code	Coding Syst. Name	Coding System OID	Omschrijving
Hematology	252275004	SNOMED CT	2.16.840.1.113883.6.96	Hematologie
Chemistry	275711006	SNOMED CT	2.16.840.1.113883.6.96	Klinische chemie
Serology	68793005	SNOMED CT	2.16.840.1.113883.6.96	Serologie/ immunologie
Virology	395124008	SNOMED CT	2.16.840.1.113883.6.96	Virologie
Toxicology	314076009	SNOMED CT	2.16.840.1.113883.6.96	Toxicologie
Microbiology	19851009	SNOMED CT	2.16.840.1.113883.6.96	Microbiologie
Molecular genetics	405825005	SNOMED CT	2.16.840.1.113883.6.96	Moleculaire genetica

Legend	
Definitie	
Datatype	
Opties	

## 1.7.1 LaboratoryTest



«container»	LaboratoryTest
Definitie	Container of the LaboratoryTest concept. This container contains all data elements of the LaboratoryTest concept.
Datatype	
DCM::ConceptId	NL-CM:13.1.3
Opties	

«data»	TestCode
Definitie	The name and code of the executed test.
Datatype	CD
DCM::ConceptId	NL-CM:13.1.8
DCM::ExampleValue	HbA1c (glycohemoglobine) IFCC
DCM::ValueSet	TestCodeNHGCodelist OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.16
DCM::ValueSet	TestNameLOINCCodelist OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.3
Opties	

«data»	TestMethod
Definitie	The test method used to obtain the result.
Datatype	CD
DCM::ConceptId	NL-CM:13.1.9
DCM::DefinitionCode	SNOMED CT: 246501002 Technique (attribute)



<b>DCM::ExampleValue</b>	IFCC	
<b>DCM::ValueSet</b>	TestMethodCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.4
<b>Opties</b>		

<b>«data»</b>	<b>TestDateTime</b>	
<b>Definitie</b>	The date and if possible the time at which the test was carried out.	
<b>Datatype</b>	TS	
<b>DCM::ConceptId</b>	NL-CM:13.1.13	
<b>DCM::ExampleValue</b>	10-07-2012 20:15	
<b>Opties</b>		

<b>«data»</b>	<b>TestResult</b>	
<b>Definitie</b>	The test result. Depending on the type of test, the result will consist of a value with a unit or a coded value (ordinal or nominal).	
<b>Datatype</b>	ANY	
<b>DCM::ConceptId</b>	NL-CM:13.1.10	
<b>DCM::ExampleValue</b>	53 mmol/mol	
<b>DCM::ValueSet</b>	TestResultCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.17
<b>Opties</b>		

<b>«data»</b>	<b>TestResultStatus</b>	
<b>Definitie</b>	The status of the test result of this test. If the laboratory test is a panel/cluster, the overall status is given in the status of the panel/cluster.	
<b>Datatype</b>	CD	
<b>DCM::ConceptId</b>	NL-CM:13.1.31	
<b>DCM::DefinitionCode</b>	LOINC: 92236-9 Lab observation result status	
<b>DCM::ValueSet</b>	TestResultStatusCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.15
<b>Opties</b>		

<b>«data»</b>	<b>ReferenceRangeUpperLimit</b>	
<b>Definitie</b>	The upper reference limit for the patient of the value measured in the test.	
<b>Datatype</b>	ANY	
<b>DCM::ConceptId</b>	NL-CM:13.1.11	
<b>DCM::ExampleValue</b>	42 mmol/mol	
<b>Opties</b>		

<b>«data»</b>	<b>ReferenceRangeLowerLimit</b>	
<b>Definitie</b>	The lower reference limit for the patient of the value measured with the test.	
<b>Datatype</b>	ANY	
<b>DCM::ConceptId</b>	NL-CM:13.1.12	
<b>DCM::ExampleValue</b>	20 mmol/mol	
<b>Opties</b>		

<b>«data»</b>	<b>ResultFlags</b>	
<b>Definitie</b>	Attention codes indicating whether the result of a quantitative test is above or below certain reference values or interpreting the result otherwise.(Resistent). The values Resistant, Intermediate en Susceptible are used with microbiological test results.	
<b>Datatype</b>	CD	

<b>DCM::ConceptId</b>	NL-CM:13.1.14	
<b>DCM::DefinitionCode</b>	SNOMED CT: 363713009 Has interpretation	
<b>DCM::ExampleValue</b>	High	
<b>DCM::ValueSet</b>	ResultFlagsCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.7
<b>Opties</b>		

<b>«data»</b>	<b>ResultInterpretation</b>	
<b>Definitie</b>	Comment of the laboratory specialist regarding the interpretation of the results	
<b>Datatype</b>	ST	
<b>DCM::ConceptId</b>	NL-CM:13.1.32	
<b>DCM::DefinitionCode</b>	SNOMED CT: 441742003 Evaluation finding	
<b>Opties</b>		

<b>«document»</b>	<b>TestCodeNHGCodelist</b>	
<b>Definitie</b>	These are the values of which the field "Soort" contains the letter "L"	
<b>Datatype</b>		
<b>DCM::ValueSetBinding</b>	Required	
<b>DCM::ValueSetId</b>	2.16.840.1.113883.2.4.3.11. 60.40.2.13.1.16	
<b>HCIM::ValueSetLanguage</b>	--	
<b>Opties</b>		

<b>TestCodeNHGCodelist</b>	<b>OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.16</b>	
<b>Codes</b>	<b>Coding Syst. Name</b>	<b>Coding System OID</b>
Alle labbepaling waarden	NHG tabel 45	2.16.840.1.113883.2.4.4.30.45

<b>«document»</b>	<b>TestResultCodelist</b>	
<b>Definitie</b>		
<b>Datatype</b>		
<b>DCM::ValueSetBinding</b>	Required	
<b>DCM::ValueSetId</b>	2.16.840.1.113883.2.4.3.11. 60.40.2.13.1.17	
<b>HCIM::ValueSetLanguage</b>	--	
<b>Opties</b>		

<b>TestUitslagCodelist</b>	<b>OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.17</b>	
<b>Codes</b>	<b>Coding Syst. Name</b>	<b>Coding System OID</b>
Refset: SNOMED CT: ^2581000146104  simpele referentieset voor micro-organismen (metadata)	SNOMED CT	2.16.840.1.113883.6.96
Refset: SNOMED CT: ^46231000146109  simpele referentieset met ordinale uitslagen (metadata)	SNOMED CT	2.16.840.1.113883.6.96
Refset: SNOMED CT: ^97801000146108  simpele referentieset met ordinale uitslagen van microscopische bepalingen (metadata)	SNOMED CT	2.16.840.1.113883.6.96
Refset: SNOMED CT: ^140301000146101  simpele referentieset met ordinale uitslagen van bepalingen van antibioticagevoeligheid (metadata)	SNOMED CT	2.16.840.1.113883.6.96
Refset: SNOMED CT: ^145871000146106  simpele referentieset met typen mengflora (metadata)	SNOMED CT	2.16.840.1.113883.6.96

«document»		TestNameLOINCCodelist	
Definitie			
Datatype			
DCM::ValueSetBinding	Required		
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.60.40.2.13.1.3		
HCIM::ValueSetLanguage	--		
Opties			
<b>TestCodeLOINCCodelijst</b>		<b>OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.3</b>	
Codes	Coding Syst. Name	Coding System OID	
Alle waarden	Nederlandse Labcodeset	2.16.840.1.113883.2.4.3.11.51.1	

«document»		TestMethodCodelist	
Definitie			
Datatype			
DCM::ValueSetBinding	Extensible		
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.60.40.2.13.1.4		
HCIM::ValueSetLanguage	--		
Opties			
<b>TestmethodeCodelijst</b>		<b>OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.4</b>	
Codes	Coding Syst. Name	Coding System OID	
SNOMED CT: < 272394005   Technique (qualifier value)   [DEPRECATED]	SNOMED CT	2.16.840.1.113883.6.96	
SNOMED CT: ^260131000146101   Dutch laboratory test method simple reference set	SNOMED CT	2.16.840.1.113883.6.96	

«document»		TestResultStatusCodelist		
Definitie				
Datatype				
DCM::ValueSetBinding	Extensible			
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.60.40.2.13.1.15			
HCIM::ValueSetLanguage	EN			
Opties				
<b>TestUitslagStatusCodelijst</b>		<b>OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.15</b>		
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Pending	pending	ResultaatStatus	2.16.840.1.113883.2.4.3.11.60.40.4.16.1	Uitslag volgt
Preliminary	preliminary	ResultaatStatus	2.16.840.1.113883.2.4.3.11.60.40.4.16.1	Voorlopig
Final	final	ResultaatStatus	2.16.840.1.113883.2.4.3.11.60.40.4.16.1	Definitief
Appended	appended	ResultaatStatus	2.16.840.1.113883.2.4.3.11.60.40.4.16.1	Aanvullend

Corrected	corrected	ResultaatStatus	2.16.840.1.113883.2.4.3 .11.60.40.4.16.1	Gecorrigeerd
-----------	-----------	-----------------	---	--------------

«document»		ResultFlagsCodelist	
Definitie			
Datatype			
DCM::ValueSetBinding	Extensible		
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11. 60.40.2.13.1.7		
HCIM::ValueSetLanguage	--		
Opties			


InterpretatieVlaggenCodelijst			OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.7	
Concept Name	Concept Code	Coding Syst. Name	Coding System OID	Description
Above reference range	281302008	SNOMED CT	2.16.840.1.113883.6.96	Boven referentiewaarde
Below reference range	281300000	SNOMED CT	2.16.840.1.113883.6.96	Onder referentiewaarde
Intermediate	11896004	SNOMED CT	2.16.840.1.113883.6.96	Intermediair
Resistant	30714006	SNOMED CT	2.16.840.1.113883.6.96	Resistent
Susceptible	131196009	SNOMED CT	2.16.840.1.113883.6.96	Sensitief

Legend	
Definitie	
Datatype	
Opties	

Constraint	
Definitie	If the result has data type PQ and there are reference values, then the unit of the result and reference value must be the same.
Datatype	
Opties	

Constraint	
Definitie	If the result has reference values, then the data type of the result and reference values must be the same.
Datatype	
Opties	

## 1.7.2 Specimen



«container»	Specimen	
<b>Definitie</b>	<p>Container of the concept Specimen. This container contains all data elements of the concept Specimen. A completed container is related to a sample from the Snomed Hierarchy.</p> <p>If the TestCode implicitly also describes a specimen (often the case if coded in LOINC), elements within the concept specimen may not conflict with it. However, if desired, these data can provide a more detailed description. This is in line with the agreements made in the IHE/Nictiz e-Lab programme.</p>	
<b>Datatype</b>		
<b>DCM::ConceptId</b>	NL-CM:13.1.2	
<b>DCM::DefinitionCode</b>	SNOMED CT: 123038009 monster	
<b>Opties</b>		

«data»	SpecimenId	
<b>Definitie</b>	<p>Identification number of the material obtained, as a reference for inquiries to the source organization. In a transmural setting, this number will consist of a specimen number including the identification of the issuing organization, to be unique outside of the borders of an organization.</p>	
<b>Datatype</b>	II	
<b>DCM::ConceptId</b>	NL-CM:13.1.15	
<b>Opties</b>		

«data»	SpecimenNumberExtension	
<b>Definitie</b>	<p>The specimen number extension is used when the collected material is distributed from the original tube or container across multiple tubes. In</p>	

	combination with the specimen Id the extension yield a unique identification of the tube or container	
<b>Datatype</b>	INT	
<b>DCM::ConceptId</b>	NL-CM:13.1.20	
<b>Opties</b>		

<b>«data»</b>	<b>ContainerType</b>	
<b>Definitie</b>	Container type describes the envelope in which the material is collected or sent. Examples include blood tubes, transport container, possibly including culture medium.	
<b>Datatype</b>	CD	
<b>DCM::ConceptId</b>	NL-CM:13.1.21	
<b>DCM::DefinitionCode</b>	SNOMED CT: 706046003 Specimen receptacle	
<b>DCM::ValueSet</b>	ContainerTypeCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.9
<b>Opties</b>		

<b>«data»</b>	<b>SpecimenMaterial</b>	
<b>Definitie</b>	SpecimenMaterial describes the base material taken. For example: Plasma, Urine, Saliva etc. This element refers to the Substance hierarchy in Snomed.	
<b>Datatype</b>	CD	
<b>DCM::ConceptId</b>	NL-CM:13.1.16	
<b>DCM::DefinitionCode</b>	SNOMED CT: 370133003 Specimen substance	
<b>DCM::ExampleValue</b>	Urine	
<b>DCM::ValueSet</b>	SpecimenMaterialCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.6
<b>Opties</b>		

<b>«data»</b>	<b>AnatomicalLocation</b>	
<b>Definitie</b>	Anatomical location where the material is collected, <i>e.g.</i> elbow.	
<b>Datatype</b>		
<b>DCM::ConceptId</b>	NL-CM:13.1.36	
<b>DCM::DefinitionCode</b>	SNOMED CT: 405814001 Procedure site - Indirect	
<b>DCM::ReferencedConceptId</b>	NL-CM:20.7.1	This is a reference to the rootconcept of information model AnatomicalLocation.
<b>Opties</b>		

<b>«data»</b>	<b>Microorganism</b>	
<b>Definitie</b>	In particular in microbiological determinations the subject of the test is an isolate of a certain microorganism rather than a material. This concept provides the ability to capture information about this microorganism.	
<b>Datatype</b>	CD	
<b>DCM::ConceptId</b>	NL-CM:13.1.22	
<b>DCM::ValueSet</b>	MicroorganismCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.10
<b>Opties</b>		

<b>«data»</b>	<b>CollectedVolume</b>	
<b>Definitie</b>	Total volume of the collected material. If it is necessary to determine the absolute amount of a particular substance in the collected material, the volume thereof must be given.	

<b>Datatype</b>	PQ	
<b>DCM::ConceptId</b>	NL-CM:13.1.23	
<b>Opties</b>		

<b>«data»</b>	<b>CollectionPeriod</b>	
<b>Definitie</b>	If the material has not been collected at a single point in time but over a certain period, this period can be captured in this concept. An example is 24 hour urine.	
<b>Datatype</b>	PQ	
<b>DCM::ConceptId</b>	NL-CM:13.1.24	
<b>Opties</b>		

<b>«data»</b>	<b>CollectionDateTime</b>	
<b>Definitie</b>	Date and time at which the material was collected.	
<b>Datatype</b>	TS	
<b>DCM::ConceptId</b>	NL-CM:13.1.17	
<b>DCM::DefinitionCode</b>	SNOMED CT: 399445004	specimen collection date
<b>DCM::ExampleValue</b>	10-07-2012 17:20	
<b>Opties</b>		

<b>«data»</b>	<b>ReceivedDateTime</b>	
<b>Definitie</b>	Date and time that the material is handed over at the laboratory or specimen collection center. This is the case with material that is collected by the patient himself.	
<b>Datatype</b>	TS	
<b>DCM::ConceptId</b>	NL-CM:13.1.25	
<b>Opties</b>		

<b>«data»</b>	<b>CollectionMethod</b>	
<b>Definitie</b>	If relevant for the results, the method of obtaining the specimen can be entered as well.	
<b>Datatype</b>	CD	
<b>DCM::ConceptId</b>	NL-CM:13.1.18	
<b>DCM::DefinitionCode</b>	SNOMED CT: 118171006	Specimen procedure
<b>DCM::ExampleValue</b>	Midstream	
<b>DCM::ValueSet</b>	CollectionMethodCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.2
<b>Opties</b>		

<b>«data»</b>	<b>Morphology</b>	
<b>Definitie</b>	Morphology describes morphological abnormalities of the anatomical location where the material is taken, for example wound, ulcer.	
<b>Datatype</b>	CD	
<b>DCM::ConceptId</b>	NL-CM:13.1.28	
<b>DCM::DefinitionCode</b>	SNOMED CT: 118168003	Specimen source morphology
<b>DCM::ValueSet</b>	MorphologyCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.13
<b>Opties</b>		

<b>«data»</b>	<b>SpecimenSource</b>	
---------------	-----------------------	--

<b>Definitie</b>	If the material is not collected directly from the patient but comes from a patient-related object, e.g. a cathetertip, this source of material can be recorded here.	
<b>Datatype</b>	CD	
<b>DCM::ConceptId</b>	NL-CM:13.1.29	
<b>DCM::DefinitionCode</b>	SNOMED CT: 898201001 Device specimen	
<b>DCM::ValueSet</b>	SpecimenSourceCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.18
<b>Opties</b>		

«data»	Comment	
<b>Definitie</b>	Comments on the specimen , such as drawing material after a (glucose) stimulus or taking medicine.	
<b>Datatype</b>	ST	
<b>DCM::ConceptId</b>	NL-CM:13.1.19	
<b>DCM::DefinitionCode</b>	LOINC: 48767-8 Annotation comment	
<b>DCM::ExampleValue</b>	Na (glucose)stimulus	
<b>Opties</b>		

«document»	SpecimenSourceCodelist	
<b>Definitie</b>		
<b>Datatype</b>		
<b>DCM::ValueSetBinding</b>	Required	
<b>DCM::ValueSetId</b>	2.16.840.1.113883.2.4.3.11. 60.40.2.13.1.18	
<b>HCIM::ValueSetLanguage</b>	--	
<b>Opties</b>		

BronMonsterCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.18	
Codes	Coding Syst. Name	Coding System OID	
SNOMED CT: <<125676002   Persoon	SNOMED CT	2.16.840.1.113883.6.96	
SNOMED CT: <<260787004   Fysiek object	SNOMED CT	2.16.840.1.113883.6.96	
SNOMED CT: <<276339004   Omgeving	SNOMED CT	2.16.840.1.113883.6.96	

«document»	SpecimenMaterialCodelist	
<b>Definitie</b>		
<b>Datatype</b>		
<b>DCM::ValueSetBinding</b>	Required	
<b>DCM::ValueSetId</b>	2.16.840.1.113883.2.4.3.11. 60.40.2.13.1.6	
<b>HCIM::ValueSetLanguage</b>	--	
<b>Opties</b>		

MonstermateriaalCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.6	
Codes	Coding Syst. Name	Coding System OID	
SNOMED CT: < 105590001  substantie	SNOMED CT	2.16.840.1.113883.6.96	

Specifiekere waardenlijsten zullen op termijn opgeleverd worden door het project "Lab-Terminologie"

«document»	ContainerTypeCodelist
------------	-----------------------



<b>Definitie</b>	
<b>Datatype</b>	
<b>DCM::ValueSetBinding</b>	Required
<b>DCM::ValueSetId</b>	2.16.840.1.113883.2.4.3.11.60.40.2.13.1.9
<b>HCIM::ValueSetLanguage</b>	--
<b>Opties</b>	

<b>ContainerTypeCodelijst</b>			<b>OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.9</b>
Codes	Coding Syst. Name	Coding System OID	
SNOMED CT: < 434711009   Specimen container (physical object)	SNOMED CT	2.16.840.1.113883.6.96	

Specifiekere waardenlijsten zullen op termijn opgeleverd worden door het project "Lab-Terminologie"

<b>«document»</b>	<b>MicroorganismCodelist</b>
<b>Definitie</b>	
<b>Datatype</b>	
<b>DCM::ValueSetBinding</b>	Required
<b>DCM::ValueSetId</b>	2.16.840.1.113883.2.4.3.11.60.40.2.13.1.10
<b>HCIM::ValueSetLanguage</b>	--
<b>Opties</b>	

<b>MicroorganismCodelist</b>		<b>OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.10</b>	
Codes	Coding Syst. Name	Coding System OID	
SNOMED CT: ^2581000146104   simpele referentieset voor micro-organismen (foundation metadata concept)	SNOMED CT	2.16.840.1.113883.6.96	

<b>«document»</b>	<b>CollectionMethodCodelist</b>
<b>Definitie</b>	
<b>Datatype</b>	
<b>DCM::ValueSetBinding</b>	Required
<b>DCM::ValueSetId</b>	2.16.840.1.113883.2.4.3.11.60.40.2.13.1.2
<b>HCIM::ValueSetLanguage</b>	--
<b>Opties</b>	

<b>AfnameprocedureCodelijst</b>		<b>OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.2</b>
Codes	Coding Syst. Name	Coding System OID
SNOMED CT: <71388002  verrichting (verrichting) (alle concepten onder procedure)	SNOMED CT	2.16.840.1.113883.6.96

Specifiekere waardenlijsten zullen op termijn opgeleverd worden door het project "Lab-Terminologie"

<b>«document»</b>	<b>MorphologyCodelist</b>
<b>Definitie</b>	
<b>Datatype</b>	

DCM::ValueSetBinding	Required	
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.60.40.2.13.1.13	
HCIM::ValueSetLanguage	--	
Opties		
<b>MorfologieCodelijst</b>		<b>OID: 2.16.840.1.113883.2.4.3.11.60.40.2.13.1.13</b>
Codes	Coding Syst. Name	Coding System OID
SNOMED CT: < 49755003  Morphologically abnormal structure	SNOMED CT	2.16.840.1.113883.6.96

Specifiekere waardenlijsten zullen op termijn opgeleverd worden door het project "Lab-Terminologie"

Legend	
Definitie	
Datatype	
Opties	

## 1.8 Example Instances

LaboratoriumUitslag									
Resultaat Type	Resultaat Status	Monster		LaboratoriumTest					
		Monster materiaal	Afname DatumTijd	TestCode	Test DatumTijd	TestUitslag	Referentie Ondergrens	Referentie Bovengrens	Interpretatie Vlaggen
Klinische chemie	Definitief	Bloed	12-06-2012 09:00	Natrium	12-06-2012 13:15	138 mmol/l	136 mmol/l	146 mmol/l	

LaboratoriumUitslag									
Resultaat Type	Resultaat Status	Monster		LaboratoriumTest					
		Monster materiaal	Afname DatumTijd	TestCode	Test DatumTijd	TestUitslag	Referentie Ondergrens	Referentie Bovengrens	Interpretatie Vlaggen
Klinische chemie	Definitief	Bloed	23-05-2012 08:08	Chloride	23-05-2012 12:00	109 mmol/l	99 mmol/l	108 mmol/l	Boven referentiewaarde

LaboratoriumUitslag									
Resultaat Type	Resultaat Status	Monster		LaboratoriumTest					
		Monster materiaal	Afname DatumTijd	TestCode	Test DatumTijd	TestUitslag	Referentie Ondergrens	Referentie Bovengrens	Interpretatie Vlaggen
Virologie	Definitief	Bloed	16-01-2012 08:00	Hepatitis A IgM	16-01-2012 10:12	Negatief			

## 1.9 Instructions

### 1.10 Interpretation

### 1.11 Care Process

### 1.12 Example of the Instrument

## 1.13 Constraints

## 1.14 Issues

## 1.15 References

1. Nederlandse Vereniging voor Medische Microbiologie (2010) *ELab en EvT*. [Online] Beschikbaar op: [http://www.nvmm.nl/ict/vereniging/werkgroepen\\_commissies/elab-en-evt](http://www.nvmm.nl/ict/vereniging/werkgroepen_commissies/elab-en-evt) [Geraadpleegd: 23 juli 2014].

## 1.16 Functional Model

## 1.17 Traceability to other Standards

## 1.18 Disclaimer

The Health and Care Information Models (a.k.a Clinical Building Block) has been made in collaboration with several different parties in healthcare. These parties asked Nictiz to manage good maintenance and development of the information models. Hereafter, these parties and Nictiz are referred to as the collaborating parties. The collaborating parties paid utmost attention to the reliability and topicality of the data in these Health and Care Information Models. Omissions and inaccuracies may however occur. The collaborating parties are not liable for any damages resulting from omissions or inaccuracies in the information provided, nor are they liable for damages resulting from problems caused by or inherent to distributing information on the internet, such as malfunctions, interruptions, errors or delays in information or services provide by the parties to you or by you to the parties via a website or via e-mail, or any other digital means. The collaborating parties will also not accept liability for any damages resulting from the use of data, advice or ideas provided by or on behalf of the parties by means of the Health and Care Information Models. The parties will not accept any liability for the content of information in this Health and Care Information Model to which or from which a hyperlink is referred. In the event of contradictions in mentioned Health and Care Information Model documents and files, the most recent and highest version of the listed order in the revisions will indicate the priority of the documents in question. If information included in the digital version of a Health and Care Information Model is also distributed in writing, the written version will be leading in case of textual differences. This will apply if both have the same version number and date. A definitive version has priority over a draft version. A revised version has priority over previous versions.

## 1.19 Terms of Use

The user may use the Health and Care Information Models without limitations. The copyright provisions in the paragraph concerned apply to copying, distributing and passing on the Health and Care Information Models.

## 1.20 Copyrights

A Health and Care Information Model qualifies as a work within the meaning of Section 10 of the Copyright Act (Auteurswet). Copyrights protect the Health and Care Information Models and these rights are owned by the cooperating parties.

The user may copy, distribute and pass on the information in this Health and Care Information Model under the conditions that apply for Creative Commons license Attribution-NonCommercial-ShareAlike 3.0 Netherlands (CC BY-NC-SA-3.0).

The content is available under Creative Commons Attribution-NonCommercial-ShareAlike 3.0 (see also <http://creativecommons.org/licenses/by-nc-sa/3.0/nl/>)

This does not apply to information from third parties that sometimes is used and / or referred to in a Health and Care Information Model, for example to an international medical terminology system. Any (copyright) rights that protect this information are not owned by the cooperating parties but by those third parties.

Nictiz is de landelijke, onafhankelijke kennisorganisatie die zich inzet voor digitale informatie-uitwisseling in de zorg. Nictiz doet dit onder meer door het gebruiksgericht ontwikkelen en het beheren van informatiestandaarden in opdracht van en samen met de partijen in de zorg. Nictiz signaleert en adviseert partijen in de zorg over informatie-uitwisseling en over (toekomstige) nationale en internationale ontwikkelingen.

**Nictiz**

Postbus 19121  
2500 CC Den Haag  
Oude Middenweg 55  
2491 AC Den Haag

070-3173450  
info@nictiz.nl  
[www.nictiz.nl](http://www.nictiz.nl)

