

Health & Care Information Model: nl.zorg.MedicationAgreement-v1.3

Status: Final
Release: 2021
Release status: Prepublished

Managed by:



Content

1. nl.zorg.MedicationAgreement-v1.3	3
1.1 Revision History	3
1.2 Concept	3
1.3 Mindmap	3
1.4 Purpose	3
1.5 Patient Population	4
1.6 Evidence Base	4
1.7 Information Model	4
1.8 Example Instances	9
1.9 Instructions	9
1.10 Interpretation	9
1.11 Care Process	9
1.12 Example of the Instrument	9
1.13 Constraints	9
1.14 Issues	9
1.15 References	9
1.16 Functional Model	10
1.17 Traceability to other Standards	10
1.18 Disclaimer	10
1.19 Terms of Use	10
1.20 Copyrights	10

1. nl.zorg.MedicationAgreement-v1.3

DCM::CoderList	Projectgroep Medicatieproces
DCM::ContactInformation.Address	
DCM::ContactInformation.Name	*
DCM::ContactInformation.Telecom	
DCM::ContentAuthorList	Projectgroep Medicatieproces
DCM::CreationDate	1-2-2017
DCM::DeprecatedDate	
DCM::DescriptionLanguage	nl
DCM::EndorsingAuthority.Address	
DCM::EndorsingAuthority.Name	PM
DCM::EndorsingAuthority.Telecom	
DCM::Id	2.16.840.1.113883.2.4.3.11.60.40.3.9.6
DCM::KeywordList	Medicatie, Afspraak
DCM::LifecycleStatus	Final
DCM::ModelerList	Kerngroep Registratie aan de Bron
DCM::Name	nl.zorg.Medicatieafspraak
DCM::PublicationDate	01-12-2021
DCM::PublicationStatus	Prepublished
DCM::ReviewerList	Projectgroep Medicatieproces & Architectuurgroep Registratie aan de Bron
DCM::RevisionDate	28-07-2021
DCM::Supersedes	nl.zorg.Medicatieafspraak-v1.2
DCM::Version	1.3
HCIM::PublicationLanguage	EN

1.1 Revision History

Publicatieversie 1.0 (04-09-2017)

Publicatieversie 1.0.1 (31-12-2017)

Bevat: ZIB-618, ZIB-643.

Publicatieversie 1.1 (31-01-2020)

Bevat: ZIB-888.

Publicatieversie 1.2 (01-09-2020)

Bevat: ZIB-911, ZIB-1020, ZIB-1021.

Publicatieversie 1.3 (01-12-2021)

Bevat: ZIB-1261, ZIB-1454, ZIB-1457, ZIB-1458, ZIB-1575.

1.2 Concept

A medication agreement is a prescriber's proposal for a patient to use medication. An agreement to discontinue the use of medication is also a medication agreement.

1.3 Mindmap


1.4 Purpose

The goal of the medication agreement is to provide insight into the agreements reached between the prescriber and the patient on the use of medication.

1.5 Patient Population

1.6 Evidence Base

1.7 Information Model



«rootconcept»	MedicationAgreement	
Definitive	Root concept of the MedicationAgreement information model. This root concept contains all data elements of the MedicationAgreement information model.	
Datatype		
DCM::ConceptId	NL-CM:9.6.9580	
DCM::DefinitionCode	SNOMED CT: 16076005 Prescription (procedure)	
Opties		

«context»	Prescriber::HealthProfessional	
Definitive	The health professional that entered the medication agreement with the patient.	
Datatype		
DCM::ConceptId	NL-CM:9.6.1030	
DCM::ReferencedConceptId	NL-CM:17.1.1	This is a reference to the rootconcept of information model HealthProfessional.
Opties		

«context»	PrescriptionReason::Problem	
Definitive	The medical reason for the prescription or for use of the medication. This can be used to enter a medical indication which was the direct cause for	

	<p>prescription or for use of the medication in question.</p> <p>It can concern every type of problem (or condition) of the patient, almost all diagnoses, complaints or symptoms.</p> <p>Please note: The BST401T file of the G standard contains a “special reference” to indicate that “exchange of the reason for prescription is essential”.</p>	
Datatype		
DCM::ConceptId	NL-CM:9.6.23133	
DCM::DefinitionCode	SNOMED CT: 112201000146104 Medical reason for prescription (observable entity)	
DCM::ReferencedConceptId	NL-CM:5.1.1	This is a reference to the rootconcept of information model Problem.
Opties		

«data»	AgreedMedicine::PharmaceuticalProduct	
Definitie	The medicine agreed upon to be used.	
Datatype		
DCM::ConceptId	NL-CM:9.6.19925	
DCM::ReferencedConceptId	NL-CM:9.7.19926	This is a reference to the rootconcept of the partial information model PharmaceuticalProduct.
Opties		

«data»	InstructionsForUse	
Definitie	Instructions for the use of the medication, e.g. dose and route of administration.	
Datatype		
DCM::ConceptId	NL-CM:9.6.23240	
DCM::ReferencedConceptId	NL-CM:9.12.22504	This is a reference to the rootconcept of the partial information model InstructionsForUse.
Opties		

«data»	MedicationAgreementDateTime	
Definitie	The time at which the agreement was made. Appointment date + time are required (order of the appointments must be clear in cases with multiple appointments on one day)	
Datatype		
DCM::ConceptId	NL-CM:9.6.19757	
DCM::ExampleValue	27-01-2015	
Opties		

«data»	PeriodOfUse	
Definitie	<p>Start date: This is the time at which the agreement was to take effect (or took effect or will take effect). This is the time at which the instructions for use in this agreement start. In the case of an agreement to discontinue use, this is the start date of the original medication agreement. The end date indicates from when the medication is to be discontinued.</p> <p>Duration: The intended duration of use. E.g. 5 days or 8 weeks. It is not allowed to indicate the duration in months, because different months have</p>	

	<p>a variable duration in days.</p> <p>End date: The time at which the period of use ends (or ended or will end). In the case of an agreement to discontinue use, this is the time at which the medication is to be discontinued. To avoid confusion between 'to' and 'up to', the submission of time is always mandatory for the end date.</p> <p>With medication for an indefinite period only a start date is indicated.</p>	
Datatype		
DCM::ConceptId	NL-CM:9.6.19936	
DCM::ExampleValue	12-03-2012 16:00	
DCM::ReferencedConceptId	NL-CM:20.3.1	This is a reference to the rootconcept of partial information model TimeInterval.
Opties		

«data»	MedicationAgreementStopType	
Definitie	Stop type, the manner in which this medication is discontinued (temporary or definitive).	
Datatype		
DCM::ConceptId	NL-CM:9.6.19954	
DCM::DefinitionCode	SNOMED CT: 274512008 Drug therapy discontinued (situation)	
DCM::ValueSet	MedicationAgreementStopTypeCodeList	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.6.1
Opties		

«data»	ReasonMedicationAgreement	
Definitie	Reason for this agreement. This can be the reason to start, change or stop the medication treatment.	
Datatype		
DCM::ConceptId	NL-CM:9.6.22094	
DCM::DefinitionCode	SNOMED CT: 112241000146101 Reason for prescription (observable entity)	
DCM::ValueSet	MedicationAgreementReasonCodeList	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.6.2
Opties		

«data»	MedicationAgreementAdditionalInformation	
Definitie	<p>Additional information includes details on the structure of the agreement made that are relevant for pharmacovigilance and fulfillment by the pharmacist. This can be used e.g. to indicate that there was a conscious decision to deviate from the norm or that the agreement is to be structured in a certain way.</p> <p>See also the Instructions section for more information about use of the element.</p>	
Datatype		
DCM::ConceptId	NL-CM:9.6.23283	
DCM::ValueSet	MedicationAgreementAdditionalInformationCodeList	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.6.3
Opties		

«data»	Comment
---------------	----------------

Definitie	Comments regarding to the medication agreement. For example: in consultation with the medical specialist.	
Datatype		
DCM::ConceptId	NL-CM:9.6.22273	
DCM::DefinitionCode	LOINC: 48767-8 Annotation comment	
Opties		

«document»	MedicationAgreementAdditionalInformationCodeList	
Definitie		
Datatype		
DCM::ValueSetBinding	Required	
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.60.40.2.9.6.3	
HCIM::ValueSetLanguage	NL	
Opties		

MedicatieafspraakAanvullendeInformatieCodelijst			OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.6.3	
Concept Name	Concept Code	Coding Syst. Name	Coding System OID	Description
Bewust hoge dosering	1	G-std thesaurus 2050	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.2050	Bewust hoge dosering
Bewust lage dosering	2	G-std thesaurus 2050	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.2050	Bewust lage dosering
Bewust afwijkende toedieningsweg	3	G-std thesaurus 2050	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.2050	Bewust afwijkende toedieningsweg
Medische noodzaak	4	G-std thesaurus 2050	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.2050	Medische noodzaak
Profylaxe	5	G-std thesaurus 2050	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.2050	Profylaxe
Wijziging in GDS per direct	6	G-std thesaurus 2050	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.2050	Wijziging in GDS per direct
Wijziging in GDS per rolwissel	7	G-std thesaurus 2050	2.16.840.1.113883.2.4.3.11.60.20.77.5.2.3.2050	Wijziging in GDS per rolwissel

«document»	MedicationAgreementReasonCodeList	
Definitie		
Datatype		
DCM::ValueSetBinding	Required	
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.60.40.2.9.6.2	
HCIM::ValueSetLanguage	NL	
Opties		

RedenMedicatieafspraakCodelijst			OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.6.2	
Concept Name	Concept Code	Coding Syst. Name	Coding System OID	Description
Medication commenced (finding)	266709005	SNOMED CT	2.16.840.1.113883.6.96	Starten medicamenteuze behandeling
Administration of drug or medicament contraindicated (situation)	438833006	SNOMED CT	2.16.840.1.113883.6.96	Contra-indicatie
Drug interaction (disorder)	79899007	SNOMED CT	2.16.840.1.113883.6.96	Interactie
Hypersensitivity	473010000	SNOMED CT	2.16.840.1.113883.6.96	Overgevoeligheid

condition (disorder)				
Lack of drug action (finding)	58848006	SNOMED CT	2.16.840.1.113883.6.96	Geen of onvoldoende effect
Too strong drug action (finding)	112251000146103	SNOMED CT	2.16.840.1.113883.6.96	Te sterk effect
At risk of medication side effect (finding)	704417003	SNOMED CT	2.16.840.1.113883.6.96	(Mogelijke) bijwerking
Insufficient route of administration (finding)	112191000146101	SNOMED CT	2.16.840.1.113883.6.96	Toedieningsweg voldoet niet
Drug treatment not indicated (situation)	183966005	SNOMED CT	2.16.840.1.113883.6.96	Indicatie vervallen
Medication management changed (situation)	112751000146109	SNOMED CT	2.16.840.1.113883.6.96	Beleidswijziging
Admission to establishment (procedure)	305335007	SNOMED CT	2.16.840.1.113883.6.96	Opname
Patient requested treatment (situation)	184003006	SNOMED CT	2.16.840.1.113883.6.96	Wens patiënt
Patient agreed with treatment (situation)	112211000146102	SNOMED CT	2.16.840.1.113883.6.96	Volgens afspraak
Treatment previous prescriber continued (situation)	112261000146100	SNOMED CT	2.16.840.1.113883.6.96	Hervatten beleid vorige voorschrijver
Planned procedure (situation)	405613005	SNOMED CT	2.16.840.1.113883.6.96	Procedure waaronder ingreep, interferentie met gepland labonderzoek, etc.
Overig	OTH	NullFlavor	2.16.840.1.113883.5.1008	Overig

«document»	MedicationAgreementStopTypeCodeList			
Definitie				
Datatype				
DCM::ValueSetBinding	Required			
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.60.40.2.9.6.1			
HCIM::ValueSetLanguage	NL			
Opties				
MedicatieafsprakenStopTypeCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.9.6.1		
Concept Name	Concept Code	Coding Syst. Name	Coding System OID	Description
Drug therapy temporarily stopped	113381000146106	SNOMED CT	2.16.840.1.113883.6.96	Tijdelijke onderbreking van medicamenteuze behandeling (bijvoorbeeld tijdelijk stoppen gebruik vanwege operatie).
Drug therapy definitively stopped	113371000146109	SNOMED CT	2.16.840.1.113883.6.96	Het staken van een bestaande medicamenteuze behandeling.

«invariant»	Constraint
--------------------	-------------------

Definitie	Permitted units for the duration: hour, day, week, year
Datatype	
Opties	

Legend	
Definitie	
Datatype	
Opties	

1.8 Example Instances

MedicatieAfspraak DatumTijd	Gebruiksperiode			Afgesproken geneesmiddel FarmaceutischProduct	Voorschrijver Zorgverlener	MedicatieAfspraak Stoptype	MedicatieAfspraak .Reden
	Ingangdatum	Einddatum	Duur				
18-9-2016 18:00:00	08-09-16	18-09-16		Lisinopril tablet 10mg	D. Bakker	Definitief	Geen of onvoldoende effect
6-3-2016 9:12:30	06-03-2016			Methotrexaat injvst 25mg/ml 0,6 ml	R. Jansen		Starten medicamenteuze behandeling

RedenVan Voorschrijven Probleem	Gebruiksaanwijzing						
	Omschrijving	Doseerinstructie	Doserings Keerdosis	Toedieningsschema Weekdag Dagdeel	Frequentie	Interval	Toedientijd
	Van 8-9-2017 tot 18-9-2017 1x per dag 1 stuk. Vanaf 18-9-2017 staken.		1 stuk	1x per dag			
Reumatoïde Artritis	Vanaf 6 maart 2016 1x per week op maandag om 14uur 15 mg (=0,6 ml)		15 mg (=0,6 ml)	1x per week op maandag (14u)			

1.9 Instructions

1.10 Interpretation

1.11 Care Process

1.12 Example of the Instrument

1.13 Constraints

1.14 Issues

1.15 References

1.16 Functional Model

1.17 Traceability to other Standards

1.18 Disclaimer

The Health and Care Information Models (a.k.a Clinical Building Block) has been made in collaboration with several different parties in healthcare. These parties asked Nictiz to manage good maintenance and development of the information models. Hereafter, these parties and Nictiz are referred to as the collaborating parties. The collaborating parties paid utmost attention to the reliability and topicality of the data in these Health and Care Information Models. Omissions and inaccuracies may however occur. The collaborating parties are not liable for any damages resulting from omissions or inaccuracies in the information provided, nor are they liable for damages resulting from problems caused by or inherent to distributing information on the internet, such as malfunctions, interruptions, errors or delays in information or services provide by the parties to you or by you to the parties via a website or via e-mail, or any other digital means. The collaborating parties will also not accept liability for any damages resulting from the use of data, advice or ideas provided by or on behalf of the parties by means of the Health and Care Information Models. The parties will not accept any liability for the content of information in this Health and Care Information Model to which or from which a hyperlink is referred. In the event of contradictions in mentioned Health and Care Information Model documents and files, the most recent and highest version of the listed order in the revisions will indicate the priority of the documents in question. If information included in the digital version of a Health and Care Information Model is also distributed in writing, the written version will be leading in case of textual differences. This will apply if both have the same version number and date. A definitive version has priority over a draft version. A revised version has priority over previous versions.

1.19 Terms of Use

The user may use the Health and Care Information Models without limitations. The copyright provisions in the paragraph concerned apply to copying, distributing and passing on the Health and Care Information Models.

1.20 Copyrights

A Health and Care Information Model qualifies as a work within the meaning of Section 10 of the Copyright Act (Auteurswet). Copyrights protect the Health and Care Information Models and these rights are owned by the cooperating parties.

The user may copy, distribute and pass on the information in this Health and Care Information Model under the conditions that apply for Creative Commons license Attribution-NonCommercial-ShareAlike 3.0 Netherlands (CC BY-NC-SA-3.0).

The content is available under Creative Commons Attribution-NonCommercial-ShareAlike 3.0 (see also <http://creativecommons.org/licenses/by-nc-sa/3.0/nl/>)

This does not apply to information from third parties that sometimes is used and / or referred to in a Health and Care Information Model, for example to an international medical terminology system. Any (copyright) rights that protect this information are not owned by the cooperating parties but by those third parties.

Nictiz is the independent national competence centre for electronic exchange of health and care information. The activities of Nictiz include the targeted development and management of information standards at the request of and in partnership with the stakeholders in healthcare. Nictiz advises these parties on all aspects of information exchange and identifies (future) national and international developments.

Nictiz

P.O. Box 19121
2500 CC Den Haag
Oude Middenweg 55
2491 AC Den Haag

070-3173450
info@nictiz.nl
www.nictiz.nl



